

Macerozyme R-10 from Rhizopus sp. lyophil.		С	Cat.No. : ontr.No. :	28302 210031	
Parameter	Method	Specification	Resul	Result	
Appearance		pearl-white powder	r corres	ponds	
Solubility	1 mg/ml 0.1 M sodium acetate buffer, pH 4.5	clear and colorless	corres	corresponds	
Activities (U/mg)	Pectinase	ca. 0.5	0.64		
	Cellulase	ca. 0.1	0.10		
	Hemicellulase	ca. 0.25	0.22		
Minimum shelf life	C'HO I		15.01.	2023	
Storage (°C)	Hemicellulase of		+2 to -	+8	
Unit definition	R				
Destinase	5				

### Pectinase

1 Unit is that amount of enzymatic activity which catalyzes the liberation of 1 µmol of reducing groups from polygalacturonic acid per minute at 25°C, pH 4.5, calculated as D-galacturonic acid.

# Cellulase

1 Unit is that amount of enzymatic activity which catalyzes the liberation of 1  $\mu$ mol glucose from sodium carboxymethyl cellulose per minute at 40°C, pH 4.5.

# Hemicellulase

1 Unit is that amount of enzymatic activity which liberates 1  $\mu$ mol of reducing groups from beechwood xylan per hour at 37°C, pH 5.5, calculated as xylose.

We do not guarantee that the product can be used for a special application. This document does not release you from performing the standard control upon receipt of incoming goods.

# SERVA Electrophoresis GmbH Quality Control

**Printing date**: 28.01.2021

# Christian Monsler

Daniela Lux-Helmstetter

This report has been computer generated and does not contain a signature.