US

# Safety Data Sheet acc. to OSHA HCS

Printing date 10/04/2021

Reviewed on 10/04/2021

Identification	
· Product identifier	CED!//
· Trade name: <u>dsDNase, heat labile</u>	serving scientists
• <b>Article number:</b> 18545 • <b>Application of the substance / the mixture</b> Laboratory chemicals	
<ul> <li>Details of the supplier of the safety data sheet</li> <li>Manufacturer/Supplier: SERVA Electrophoresis GmbH Carl-Benz-Str. 7 D-69115 Heidelberg Tel.: +49 6221 13840-0 FAX: +49 6221 13840-10 msds.info@serva.de</li> </ul>	Griph
<ul> <li>Information department: Product Safety department Tel.: +49 6221 13840-3</li> <li>Emergency telephone number: Medical Emergency Information in case of poisoning: Poison Information Center Mainz - Phone: +49 (0) 6131 19240 (advisory service in German or English language)</li> </ul>	25
P Hazard(s) identification	
<ul> <li>Classification of the substance or mixture The product is not classified, according to the Globally Harmonized System (</li> <li>Label elements</li> </ul>	GHS).
<ul> <li>GHS label elements Void</li> <li>Hazard pictograms Void</li> <li>Signal word Void</li> <li>Hazard statements Void</li> <li>Classification system:</li> <li>NFPA ratings (scale 0 - 4)</li> <li>Health = 0 Fire = 0 Reactivity = 0</li> </ul>	
$ \begin{array}{c} \textbf{HMIS-ratings (scale 0 - 4)} \\ \hline \textbf{HEALTH} & \textbf{0} \\ \hline \textbf{FIRE} & \textbf{0} \\ \hline \textbf{REACTIVITY} & \textbf{0} \\ \hline \textbf{REACTIVITY} & \textbf{0} \end{array} \end{array} $	
<ul> <li>Other hazards</li> <li>Results of PBT and vPvB assessment</li> <li>PBT: PBT - assessment not available.</li> <li>vPvB: vPvB - assessment not available.</li> </ul>	
Composition/information on ingradients	
<b>3 Composition/information on ingredients</b>	
· Chemical characterization: Mixtures	
• Description: aqueous solution contains 50 % CAS 56-81-5 Glycerol	

(Contd. of page 1)

# Safety Data Sheet acc. to OSHA HCS

Printing date 10/04/2021

Reviewed on 10/04/2021

Trade name: dsDNase, heat labile

· Dangerous components:

the product contains no further substances which shall be indicated according to Regulation (EC) No. 1907/2006.

# 4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:
- Immediately wash with water and soap and rinse thoroughly. Consult doctor if you feel unwell.
- · After eye contact:

Rinse opened eye for several minutes under running water. Remove present contact lenses, if easy to do, and continue rinsing. Consult ophthalmologist immediately.

- After swallowing: Wash out the mouth and call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

 $CO_2$  extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

# 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Dispose contaminated material as waste according to item 13.
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

# · Protective Action Criteria for Chemicals

• PAC-1:	
1,2,3-Propanetriol	45 mg/m <sup>3</sup>
· PAC-2:	
1,2,3-Propanetriol	180 mg/m <sup>3</sup>
· PAC-3:	
1,2,3-Propanetriol	1,100 mg/m <sup>3</sup>

# 7 Handling and storage

· Handling:

 $\cdot$  **Precautions for safe handling** No special measures required.

(Contd. on page 3)

JS -

(Contd. of page 2)

# Safety Data Sheet acc. to OSHA HCS

Printing date 10/04/2021

Reviewed on 10/04/2021

Trade name: dsDNase, heat labile

• Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store at -15 to -25 °C

· Information about storage in one common storage facility: -

• Further information about storage conditions: Keep receptacle tightly sealed and store in dry conditions.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

1,2,3-Propanetriol (30-50%)

PEL Long-term value: 15\* 5\*\* mg/m<sup>3</sup>

mist; \*total dust \*\*respirable fraction

TLV TLV withdrawn-insufficient data human occup. exp.

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- Breathing equipment: Not required.
- · Protection of hands:

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling.

# 9 Physical and chemical properties • Information on basic physical and chemical properties • General Information • Appearance: Form: Solution Color: Colorless • Odor: Odorless • Odor threshold: no information available • pH-value at 20 °C (68 °F): 7.5

# Safety Data Sheet acc. to OSHA HCS

Printing date 10/04/2021

Reviewed on 10/04/2021

Trade name: dsDNase, heat labile

	(Contd. of page 3)
· Change in condition	
Melting point/Melting range:	no information available
Boiling point/Boiling range:	no information available
· Flash point:	no information available
· Flammability (solid, gaseous):	Not applicable.
· Decomposition temperature:	no information available
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	no information available
Upper:	no information available
· Vapor pressure:	no information available
· Density:	Not determined.
· Relative density	no information available
· Vapor density	Not determined.
· Evaporation rate	no information available
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/water)	): no information available
· Viscosity:	
Dynamic:	no information available
Kinematic:	no information available
· Solvent content:	
Organic solvents:	50.0 %
VOC content:	0.00 %
· Other information	No further relevant information available.

# 10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No further relevant informations available.
- · Conditions to avoid high ttemperatures
- · Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No further relevant informations available.

# 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.

(Contd. on page 5)

US

# Safety Data Sheet acc. to OSHA HCS

Printing date 10/04/2021

Reviewed on 10/04/2021

### Trade name: dsDNase, heat labile

· Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

### · NTP (National Toxicology Program)

None of the ingredients is listed.

### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12 Ecological information**

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability the product is readily biodegradable.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

# **13 Disposal considerations**

· Waste treatment methods

- · Recommendation: Disposal must be made according to official regulations.
- · Uncleaned packagings:
- · Recommendation:
- Disposal of uncleaned packagings must be made according to official regulations in the same manner as the product.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
· DOT, ADR, IMDG, IATA	Void	
· UN proper shipping name		
· DOT, ÂDR, IMDG, IATA	Void	
· Transport hazard class(es)		
· DOT, ADR, IMDG, IATA		
· Class	Void	
· Label	-	

# (Contd. of page 4)

ACTIVE

# Safety Data Sheet acc. to OSHA HCS

Printing date 10/04/2021

Reviewed on 10/04/2021

Trade name: dsDNase, heat labile

		(Contd. of page 5)
· Packing group · DOT, ADR, IMDG, IATA	Void	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
• Transport in bulk according to Annex 1 MARPOL73/78 and the IBC Code	<b>II of</b> Not applicable.	

# **15 Regulatory information**

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

1,2,3-Propanetriol

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

None of the ingredients is listed.

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

# · Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

# · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void

· Hazard statements Void

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 7)

# Safety Data Sheet acc. to OSHA HCS

Printing date 10/04/2021

Reviewed on 10/04/2021

Trade name: dsDNase, heat labile

	(Contd. of page
Department issuing SDS: Product safety department	
Contact: +49 6221 13840-35	
Date of preparation / last revision 10/04/2021 / -	
Abbreviations and acronyms:	
PBT: persistent, bioaccumulative, toxic substance (REACH)	
vPvB: very persistent, very bioaccumulative substance (REACH)	
REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals	
CLP: Regulation on classification, labelling and packaging of substances and mixtures	
bw: body weight	
ADR: Accord relatif au transport international des marchandises dangereuses par route (European	Agreement Concerning
International Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
-	