Printing date 05/03/2018

Reviewed on 04/19/2018

Product identifier	
Trade name: Dimethyl sulfoxide	SERVA
Article number: 20385 CAS Number: 67-68-5 EC number: 200-664-3 Application of the substance / the mixture Laboratory chem	nicals
Details of the supplier of the safety data sheet Manufacturer/Supplier: SERVA Electrophoresis GmbH Carl-Benz-Str. 7 D-69115 Heidelberg Tel.: +49 6221 13840-0 FAX: +49 6221 13840-10 msds.info@serva.de	Sisch
Information department: Product Safety department Tel.: + Emergency telephone number: Medical Emergency Information in case of poisoning: Poison Information Center Mainz - Phone: +49 (0) 6131 192 (advisory service in German or English language)	<u>S</u> .
Hazard(s) identification	
Classification of the substance or mixture The substance is not classified according to the Globally Ha Label elements GHS label elements Void Hazard pictograms Void Signal word Void Hazard statements Void Classification system: NFPA ratings (scale 0 - 4) Health = 0 Fire = 2	rmonized System (GHS).
Classification of the substance or mixture The substance is not classified according to the Globally Ha Label elements GHS label elements Void Hazard pictograms Void Signal word Void Hazard statements Void Classification system: NFPA ratings (scale 0 - 4) Health = 0 Fire = 2 Reactivity = 0	rmonized System (GHS).
Fire = 2	rmonized System (GHS).

(Contd. on page 2)

Printing date 05/03/2018

Reviewed on 04/19/2018

Trade name: Dimethyl sulfoxide

(Contd. of page 1)

3 Composition/information on ingredients

- · Chemical characterization: Substances
- CAS No. Description 67-68-5 dimethyl sulfoxide
- · Identification number(s)
- EC number: 200-664-3
- · Description:
- Empirical formula: $C_2 H_6 O S$
- · MŴ: 78.1

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:
- Immediately wash with water and soap and rinse thoroughly. Consult doctor if you feel unwell.
- · After eye contact:

Rinse opened eye for several minutes under running water. Remove present contact lenses, if easy to do, and continue rinsing. Consult ophthalmologist In case of complaints.

- · After swallowing: Wash out mouth. Seek medical advice if discomfort occurs.
- Information for doctor:
- *Most important symptoms and effects, both acute and delayed* No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents:

 CO_{2} extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • Special hazards arising from the substance or mixture

Vapours can form flammable and explosive mixtures with air.

Vapours are heavier than air and spread over the floor. Accumulation in low areas is possible. In case of fire, the following can be released:

Sulphur oxides (SOx)

Carbon monoxide and carbon dioxide

- Formaldehyde
- Methyl mercaptan
- Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
 Wear protective clothing.
 Ensure adequate ventilation
 Avoid contact with the eyes and skin.
 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
 Methods and material for containment and cleaning up:
 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 Dispose contaminated material as waste according to item 13.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

(Contd. on page 3)

⁻ US

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/03/2018

Reviewed on 04/19/2018

Trade name: Dimethyl sulfoxide

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- *Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.*
- \cdot Information about protection against explosions and fires:
- *Fumes can combine with air to form an explosive mixture. Keep ignition sources away - Do not smoke.*
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed and store in dry conditions.
- This product is hygroscopic.
- Protect from exposure to the light.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

67-68-5 dimethyl sulfoxide (80-100%)

WEEL Long-term value: 250 ppm

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Store protective clothing separately.
- *Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.*
- Avoid contact with the eyes and skin.
- **Breathing equipment:** Short term filter device:
- Filter P2
- Protection of hands:
- Protective gloves
- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/
- the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Chloroprene rubber, CR

Printing date 05/03/2018

Reviewed on 04/19/2018

Trade name: Dimethyl sulfoxide

Nitrile rubber, NBR

• Eye protection: Tightly sealed goggles

• **Body protection:** Protective work clothing

9 Physical and chemical properties

· Information on basic physical and ch	emical properties
· General Information	
· Appearance: Form:	Liquid
Color:	Colorless
· Odor:	Odorless
• pH-value (100 g/l) at 20 •C (68 •F):	5-7
· Change in condition	
Melting point/Melting range:	18 °C (64 °F)
Boiling point/Boiling range:	189 °C (372 °F)
· Flash point:	87 °C (189 °F) (ASTM D93)
· Ignition temperature:	300-302 °C (572-576 °F)
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	2.60 Vol %
Upper:	28.50 Vol %
· Vapor pressure at 20 °C (68 °F):	0.6 hPa
• Density at 20 •C (68 •F):	1.1 g/cm ³ (9.18 lbs/gal)
• Solubility in / Miscibility with Water at 20 °C (68 °F):	1000 g/l
· Partition coefficient (n-octanol/water)): -1.35 log POW
· Viscosity:	
Dynamic at 20 $\bullet C$ (68 $\bullet F$):	2.14 mPas
• Other information	No further relevant information available.

10 Stability and reactivity

- · **Reactivity** No further relevant informations available
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions

Vapours can form flammable and explosive mixtures with air.
Reacts with bromomethane and sodium hydride
Conditions to avoid
Heating
exposure to the light
Avoid contact with: water (the product disproportionates to dimethyl sulfide and dimethyl sulfone)
Incompatible materials:
Avoid contact with:
Oxidizers
Acids
Halides of organic and inorganic acids
Methyl bromide, sodium hydride
Zinc and steel (in the presence of water)

(Contd. on page 5)

(Contd. of page 3)

US

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/03/2018

Reviewed on 04/19/2018

Trade name: Dimethyl sulfoxide

· Hazardous decomposition products: In case of fire: See Section 5

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

Oral	LD50	14500 mg/kg (rat)
Dermal	LD50	40 000 mg/kg (rat)
	LC50/96h	35.2 - 50.6 mg/l (Forelle)

- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information: Danger through skin absorption.
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability Not easily biodegradable
- Other information: 94 % in 27 d
- · Behavior in environmental systems:
- Bioaccumulative potential No relevant bioaccumulation is expected because of log Pow = -1,35.
- · Mobility in soil

Distribution among the environmental compartments:

Water: 48,1 %

Air: 0,59 %

Soil: 51,3 %

- Sediment: 0,09 %
- · Additional ecological information:
- General notes: Water hazard class 1 (Assessment by list): slightly hazardous for water Do not allow product to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.

(Contd. on page 6)

(Contd. of page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/03/2018

Reviewed on 04/19/2018

Trade name: Dimethyl sulfoxide

· Uncleaned packagings:

· Recommendation:

Disposal of uncleaned packagings must be made according to official regulations in the same manner as the product.

• **Recommended cleansing agent:** Water, if necessary with cleansing agents.

UN-Number DOT, ADR, ADN, IMDG, IATA	Void
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Void
Transport hazard class(es)	
DOT, ADN Class	Void
ADR, IMDG, IATA Class Label	Void -
Packing group DOT, ADR, IMDG, IATA	Void
Environmental hazards: Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	c II of Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN ''Model Regulation'':	Void

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Section 355 (extremely hazardous substances): Substance is not listed.
- Section 313 (Specific toxic chemical listings): Substance is not listed.
- TSCA (Toxic Substances Control Act): Substance is listed.
- · Proposition 65 Substance is not listed.
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Cancerogenity categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- TLV (Threshold Limit Value established by ACGIH) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- Hazard statements Void

(Contd. on page 7)

US

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Printing date 05/03/2018

Reviewed on 04/19/2018

Trade name: Dimethyl sulfoxide

(Contd. of page 6)

16 Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Department issuing SDS: Product safety department · Contact: +49 6221 13840-35 · Date of preparation / last revision 05/03/2018 / 5 · Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation PBT: persistent, bioaccumulative, toxic substance (REACH) vPvB: very persistent, very bioaccumulative substance (REACH) REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals CLP: Regulation on classification, labelling and packaging of substances and mixtures ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit • * Data compared to the previous version altered.