Printing date 04.02.2022 Version number 3 Revision: 04.02.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: 2-Mercaptoethanol

· Synonyma Thioglycol

· Article number: 28626

• CAS Number: 60-24-2

• **EC number:** 200-464-6

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Process category PROC15 Use as laboratory reagent
- · Application of the substance / the mixture Laboratory chemicals
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SERVA Electrophoresis GmbH

Carl-Benz-Str. 7 D-69115 Heidelberg Tel.: +49 6221 13840-0 FAX: +49 6221 13840-10 msds.info@serva.de

- · Information department: Product Safety department Tel.: +49 6221 13840-35
- · 1.4 Emergency telephone number:

Medical Emergency Information in case of poisoning:

Poison Information Center Mainz - Phone: +49 (0) 6131 19240

(advisory service in German or English language)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 2 H310 Fatal in contact with skin.

Acute Tox. 3 H331 Toxic if inhaled.



Repr. 2 H361 Suspected of damaging fertility or the unborn child.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

 ${\it The substance is classified and labelled according to the CLP regulation.}$

- · Hazard pictograms GHS06, GHS08, GHS09
- · Signal word Danger

(Contd. on page 2)

(Contd. of page 1)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.02.2022 Version number 3 Revision: 04.02.2022

Trade name: 2-Mercaptoethanol

· Hazard statements

H301+H331 Toxic if swallowed or if inhaled.

H310 Fatal in contact with skin.

H361 Suspected of damaging fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: PBT - assessment not available.

· vPvB: vPvB - assessment not available.

SECTION 3: Composition/information on ingredients

· 3.1 Chemical characterisation: Substances

· CAS No. Description:

60-24-2 2-Mercaptoethanol

- · Identification number(s):
- · EC number: 200-464-6
- · Impurities and stabilising additives:
- · Empirical formula: C_2H_6OS
- · **MW:** 78.13

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove contaminated clothing.

Remove breathing apparatus only after contaminated clothing have been completely removed.

- · After inhalation Supply fresh air or oxygen; call for doctor.
- · After skin contact

Immediate wash with copious amounts of water and soap; rinse thoroughly; seek medical advice.

· After eye contact

Rinse opened eye for several minutes under running water. Remove present contact lenses, if easy to do, and continue rinsing. Consult ophthalmologist immediately.

- · After swallowing Wash out mouth. Drink plenty of water and supply fresh air.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

 CO_2 , extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)

Printing date 04.02.2022 Version number 3 Revision: 04.02.2022

Trade name: 2-Mercaptoethanol

(Contd. of page 2)

· 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be formed, but not limited to:

Sulphur oxides (SOx)

Hydrogen sulfide

Carbon monoxide and carbon dioxide

- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Keep away from ignition sources

Avoid contact with the eyes and skin.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Work only in fume cupboard.
- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Store at +2 to +8 °C

- · Information about storage in one common storage facility: Store away from oxidising agents.
- · Further information about storage conditions:

Store under lock and key and with access restricted to technical experts or their assistants only.

Keep receptacle tightly sealed and store in dry conditions.

 \cdot 7.3 *Specific end use(s) No further relevant information available.*

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Additional information about design of technical systems: No further data; see item 7.
- · Components with limit values that require monitoring at the workplace: Not required.
- · DNELs

worker: long-term-systemic effects, dermal: 0,6 mg/kg worker: long-term-systemic effects, inhalation: 4 mg/m³

· PNECs

PNEC fresh water: 0,0004 mg/l

PNEC fresh water sediment: 0,00084 mg/kg

PNEC marine water: 0,00004 mg/l

PNEC Soil: 0,29175 mg/kg

· Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 4)

Printing date 04.02.2022 Version number 3 Revision: 04.02.2022

Trade name: 2-Mercaptoethanol

(Contd. of page 3)

- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Breathing equipment:

Short term filter device:

Filter A/P3

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Nitrile rubber, NBR

PVC gloves

Butyl rubber, BR

• Eye protection: Tightly sealed goggles. • Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

· General Information		
· Appearance:		
Form:	Liquid	

· 9.1 Information on basic physical and chemical properties

Form:
Colour:
Colourless

Odour:
Unpleasant

Not determined.

· pH-value: no information available

· Change in condition

Melting point/freezing point: no information available

Initial hoiling point and hoiling range: 155-160 °C

Initial boiling point and boiling range: 155-160 °C	
· Flash point:	68.3 °C
· Flammability (solid, gaseous)	Not applicable.
· Ignition temperature:	295 °C
· Decomposition temperature:	Not determined.
· Self igniting:	Not determined.

• Explosive properties: Product does not present an explosion hazard.

(Contd. on page 5)

Trade name: 2-Mercaptoethanol

		(Contd. of page
Explosion limits:		
Lower:	2.3 Vol %	
Upper:	18 Vol %	
· Vapour pressure at 20 °C:	1.3 hPa	
Density at 20 °C:	1.12 g/cm³	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible	
Partition coefficient: n-octanol/water:	-0.05600124	
· Viscosity:		
dynamic at 20 °C:	3.42 mPas	
kinematic:	Not determined.	
· 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant informations available
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- 10.3 Possibility of hazardous reactions Vapours can form flammable and explosive mixtures with air.
- · 10.4 Conditions to avoid

Avoid high temperatures, flames, sparks

moisture

- · 10.5 Incompatible materials: Avoid contact with strong oxidizers and reducing agents.
- · 10.6 Hazardous decomposition products: In case of fire: See Section 5

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity

Toxic if swallowed or if inhaled.

Fatal in contact with skin.

· LD/LC50 1	· LD/LC50 values that are relevant for classification:		
Oral	LD50	98-168 mg/kg (rat)	
Dermal	LD50	112-224 mg/kg (rabbit)	
		2.1 mg/l (rat)	
	LC50/96h	37 mg/l (trout)	

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity

Suspected of damaging fertility or the unborn child.

(Contd. on page 6)

Printing date 04.02.2022 Version number 3 Revision: 04.02.2022

Trade name: 2-Mercaptoethanol

(Contd. of page 5)

- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

· Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

EC50/48h 0.4 mg/l (Daphnia magna)

EC50/72h 19 mg/l (Scenedesmus subspicatus)

- · 12.2 Persistence and degradability No further relevant information available.
- Other information: Biodegradibility: >70% in 28d (OECD 309)
- · 12.3 Bioaccumulative potential

bioaccumulation potential is not to be expected

log Pow = -0.056

- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Very toxic to aquatic life with long lasting effects.
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Water danger class 3 (German Regulation) (Assessment by list): extremely hazardous for water.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: PBT assessment not available.
- · vPvB: vPvB assessment not available.
- · 12.6 Other adverse effects Toxicity to bacteria (EC50, 17 h): 125 mg/l (Pseudomonas putida)

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must be specially treated adhering to official regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation:

Disposal of uncleaned packagings must be made according to official regulations in the same manner as the product.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

SECTION 14: Transport information	ON CONTRACTOR OF THE CONTRACTO
· 14.1 UN-Number · ADR, IMDG, IATA	UN2966
· 14.2 UN proper shipping name	2966 THIOGLYCOL, ENVIRONMENTALLY
· ADR	HAZARDOUS
· IMDG	THIOGLYCOL, MARINE POLLUTANT
· IATA	THIOGLYCOL

(Contd. on page 7)

Printing date 04.02.2022 Version number 3 Revision: 04.02.2022

Trade name: 2-Mercaptoethanol

	(Contd. of page
14.3 Transport hazard class(es)	
ADR, IMDG	
Class Label	6.1 Toxic substances. 6.1
IATA	
Class	6.1 Toxic substances.
Label	6.1
14.4 Packing group	
ADR, IMDG, IATA	II
14.5 Environmental hazards:	Environmentally hazardous substance, liquid; Maria Pollutant
Marine pollutant:	Ja
Special marking (ADR):	Symbol (fish and tree) Symbol (fish and tree)
14.6 Special precautions for user	Warning: Toxic substances.
Hazard identification number (Kemler code):	60
EMS Number:	F- A , S - A
Stowage Category	A
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	o f Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	100 ml
Excepted quantities (EQ)	Code: E4
	Maximum net quantity per inner packaging: 1 ml
T	Maximum net quantity per outer packaging: 500 ml
Transport category Tunnel restriction code	2 D/E
	<i>D</i> /L
IMDG	1001
Limited quantities (LQ) Excepted quantities (EQ)	100 ml Code: E4
Excepted quantities (EQ)	Maximum net quantity per inner packaging: 1 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 2966 THIOGLYCOL, 6.1, II, ENVIRONMENTALI HAZARDOUS

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- $\cdot \textit{Named dangerous substances ANNEX I Substance is not listed}.$

(Contd. on page 8)

Trade name: 2-Mercaptoethanol

(Contd. of page 7)

· Seveso category

H2 ACUTE TOXIC

E2 Hazardous to the Aquatic Environment

- · Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · National regulations
- · Technical instructions (air):

Class	Share in %
I	80-100

- · Water hazard class: Water danger class 3 (Assessment by list): extremely hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: +49 6221 13840-35
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

PBT: persistent, bioaccumulative, toxic substance (REACH)

vPvB: very persistent, very bioaccumulative substance (REACH)

REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

CLP: Regulation on classification, labelling and packaging of substances and mixtures

bw: body weight

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

 $DNEL: Derived\ No-Effect\ Level\ (REACH)$

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 2: Acute toxicity – Category 2

Repr. 2: Reproductive toxicity – Category 2

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

GB