| Printing date 17.10.2018 | Version number 2 | Revision: 17.10.201 |
|--|--|---------------------|
| SECTION 1: Identification og | f the substance/mixture and of the co | mpany/undertaking |
| · 1.1 Product identifier | | SFR\/A |
| • Trade name: <u>Silicone DC 200 fl</u> | luid; 50 cst | serving scientists |
| Article number: 35134 CAS Number: 63148-62-9 1.2 Relevant identified uses of th No further relevant information of Application of the substance / th | | l against |
| 1.3 Details of the supplier of the Manufacturer/Supplier: SERVA Electrophoresis GmbH Carl-Benz-Str. 7 D-69115 Heidelberg Tel.: +49 6221 13840-0 FAX: +49 6221 13840-10 msds.info@serva.de Information department: Production Medical Emergency telephone number Medical Emergency Information Poison Information Center Main: (advisory service in German or Education) | ct Safety department Tel.: +49 6221 1384 er: in case of poisoning: z - Phone: +49 (0) 6131 19240 | 0-35 |
| | | |
| SECTION 2: Hazards identif 2.1 Classification of the substan Classification according to Regu The substance is not classified, a 2.2 Label elements Labelling according to Regulatio Hazard pictograms Void Signal word Void Hazard statements Void 2.3 Other hazards Results of PBT and vPvB assess PBT: PBT - assessment not avail vPvB: vPvB - assessment not avail | ace or mixture valation (EC) No 1272/2008 according to the CLP regulation. on (EC) No 1272/2008 Void sment lable. | |
| SECTION 3: Composition/inj · 3.1 Chemical characterisation: S · CAS No. Description: | | |
| 63148-62-9 Polydimethylsiloxand | es | |

- 4.1 Description of first aid measures
- · General information No special measures required.
- After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact

Immediately wash with water and soap and rinse thoroughly. Consult doctor if you feel unwell.

(Contd. on page 2) GB

Printing date 17.10.2018

Version number 2

Revision: 17.10.2018

(Contd. of page 1)

Trade name: Silicone DC 200 fluid; 50 cst

· After eye contact

Rinse opened eye for several minutes under running water. Remove present contact lenses, if easy to do, and continue rinsing. Consult ophthalmologist In case of complaints.

- · After swallowing Wash out mouth. Seek medical advice if discomfort occurs.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents
- CO_2 , extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • 5.2 Special hazards arising from the substance or mixture
- In case of fire, the following can be formed, but not limited to: Carbon monoxide and carbon dioxide silicon oxides
- · 5.3 Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing. Ensure adequate ventilation
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Dispose contaminated material as waste according to item 13.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling
 See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires: Keep ignition sources away Do not smoke.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Store away from oxidising agents.
- · Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · 8.1 Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 3)

GB -

Printing date 17.10.2018

Version number 2

Revision: 17.10.2018

Trade name: Silicone DC 200 fluid; 50 cst

| | (Contd. of page 2) |
|--|--------------------|
| 8.2 Exposure controls | |
| Personal protective equipment | |
| General protective and hygienic measures | |
| Keep away from foodstuffs, beverages and feed. | |
| Immediately remove all soiled and contaminated clothing | |
| Wash hands before breaks and at the end of work. | |
| Store protective clothing separately. | |
| Avoid contact with the eyes and skin. | |
| Breathing equipment: Suitable respiratory protective device recommended. | |
| Protection of hands: | |
| The glove material has to be impermeable and resistant to the product/ the substance/ the pre | eparation. |
| Due to missing tests no recommendation to the glove material can be given for the product/ t | the preparation/ |
| the chemical mixture. | |
| Selection of the glove material on consideration of the penetration times, rates of dij | ffusion and the |
| degradation | |
| Material of gloves | |
| The selection of the suitable gloves does not only depend on the material, but also on fu quality and varies from manufacturer to manufacturer. | urther marks of |
| Penetration time of glove material | |
| The exact break trough time has to be found out by the manufacturer of the protective glove observed. | es and has to be |
| For the permanent contact of a maximum of 15 minutes gloves made of the following | a materials are |
| suitable: | ; materials are |
| Nitrile rubber, NBR | |
| Natural rubber, NR | |
| Chloroprene rubber, CR | |
| Encoroprene rubber, CK | |

• Eye protection: Safety glasses • Body protection: Protective work clothing.

*

SECTION 9: Physical and chemical properties

| · 9.1 Information on basic physical and ch | nemical properties | |
|--|---|--------------------|
| · General Information | | |
| · Appearance: | | |
| Form: | viscous liquid | |
| Colour: | Colourless | |
| · Odour: | Characteristic | |
| • Odour threshold: | Not determined. | |
| · pH-value: | Not determined. | |
| · Change in condition | | |
| Melting point/freezing point: | undetermined | |
| Initial boiling point and boiling range: | >65 °C | |
| · Flash point: | >120 °C (closed cup) | |
| · Flammability (solid, gaseous) | Not applicable. | |
| · Decomposition temperature: | Not determined. | |
| · Self igniting: | Not determined. | |
| · Explosive properties: | Product does not present an explosion hazard. | |
| · Explosion limits: | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| | | (Contd. on page 4) |

Printing date 17.10.2018

Version number 2

Revision: 17.10.2018

Trade name: Silicone DC 200 fluid; 50 cst

| | (Contd. of page 3 |
|---|--|
| · Vapour pressure: | Not determined. |
| · Density at 25 •C: | 0.96 g/cm ³ |
| · Vapour density | Not determined. |
| · Evaporation rate | Not determined. |
| · Solubility in / Miscibility with | |
| Water: | Not miscible or difficult to mix |
| · Partition coefficient: n-octanol/water: | Not determined. |
| · Viscosity: | |
| dynamic: | Not determined. |
| kinematic at 25 °C: | 47.5-52.5 cSt |
| · 9.2 Other information | No further relevant information available. |

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No further relevant informations available.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Avoid contact with strong oxidizers.
- 10.6 Hazardous decomposition products:
- In case of fire: See Section 5
- following decomposition products may be formed, but not limited to: Formaldehyde

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

- Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: EC50 (48h, Daphnia magna): > 100 mg/l
- · 12.2 Persistence and degradability The product is not biodegradable.
- · 12.3 Bioaccumulative potential bioaccumulation potential is not to be expected
- · 12.4 Mobility in soil No further relevant information available.
- \cdot Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water.

Do not allow product to reach ground water, water course or sewage system.

(Contd. on page 5)

Printing date 17.10.2018

Version number 2

Revision: 17.10.2018

Trade name: Silicone DC 200 fluid; 50 cst

· 12.5 Results of PBT and vPvB assessment

• **PBT:** PBT - assessment not available.

· **vPvB**: vPvB - assessment not available.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.

· Uncleaned packagings:

· Recommendation:

Disposal of uncleaned packagings must be made according to official regulations in the same manner as the product.

| 14.1 UN-Number | | |
|---|-----------------|--|
| ADR, ADN, IMDG, IATA | Void | |
| 14.2 UN proper shipping name | | |
| ADR, ADN, IMDG, IATA | Void | |
| 14.3 Transport hazard class(es) | | |
| ADR, IMDG, IATA | | |
| Class | Void | |
| Label | - | |
| ADN/R Class: | Void | |
| 14.4 Packing group | | |
| ADR, IMDG, IATA | Void | |
| 14.5 Environmental hazards: | | |
| Marine pollutant: | No | |
| 14.6 Special precautions for user | Not applicable. | |
| 14.7 Transport in bulk according to Ann | ex II of | |
| Marpol and the IBC Code | Not applicable. | |
| UN "Model Regulation": | Void | |

SECTION 15: Regulatory information

 \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· National regulations

• Water hazard class: Water hazard class 1 (Assessment by list): slightly hazardous for water.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Product safety department

(Contd. on page 6)

(Contd. of page 4)

Printing date 17.10.2018

Version number 2

Revision: 17.10.2018

Trade name: Silicone DC 200 fluid; 50 cst

| (Contd. of page |
|---|
| Contact: +49 6221 13840-35 |
| Abbreviations and acronyms: |
| PBT: persistent, bioaccumulative, toxic substance (REACH) |
| vPvB: very persistent, very bioaccumulative substance (REACH) |
| REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals |
| CLP: Regulation on classification, labelling and packaging of substances and mixtures |
| bw: body weight |
| ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation |
| Carriage of Dangerous Goods by Road) |
| IMDG: International Maritime Code for Dangerous Goods |
| IATA: International Air Transport Association |
| GHS: Globally Harmonised System of Classification and Labelling of Chemicals |
| CAS: Chemical Abstracts Service (division of the American Chemical Society) |
| PBT: Persistent, Bioaccumulative and Toxic |
| vPvB: very Persistent and very Bioaccumulative |
| * Data compared to the previous version altered. |
| |