
Version number 2

Printing date 27.01.2020

Revision: 28.06.2018



Printing date 27.01.2020

Version number 2

Revision: 28.06.2018

Trade name: SDS solution, 20 %

P332+P313	(Contd. of page 1)
	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
	ckages where the contents do not exceed 125 ml
	ams GHS05, GHS07
• Signal word Da	inger
· Hazard-determ	ining components of labelling:
sodium dodecyl	sulphate
· Hazard stateme	ents
H318 Causes se	erious eye damage.
· Precautionary	statements
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	
P305+P351+P.	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
· 2.3 Other hazar	
· Results of PBT	and vPvB assessment
	ressment not available.
· vPvB: vPvB - a	ssessment not available.
SECTION 3:	Composition/information on ingredients
· 3.2 Chemical c	haracterisation: Mixtures
• Description: M	ixture of the substances listed below with harmless additions.
· Dangerous com	iponents:
CAS. 151 21 2	15 200/

	sodium dodecyl sulphate ♦ Flam. Sol. 2, H228; ♦ Eye Dam. 1, H318; ♦ Acute Tox. 4, H302; Skin Irrit. 2, H315; STOT SE 3, H335; Aquatic Chronic 3, H412	15-30%
· Regulation (EC) No	648/2004 on detergents / Labelling for contents	
anionic surfactants	21:	5 - <30%

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · After inhalation Supply fresh air; consult doctor in case of complaints.
- After skin contact
- Immediately wash with water and soap and rinse thoroughly. Consult doctor if you feel unwell.
- \cdot After eye contact

Rinse opened eye for several minutes under running water. Remove present contact lenses, if easy to do, and continue rinsing. Consult ophthalmologist immediately.

· After swallowing

Wash out mouth. Drink no more than 2 glasses of water afterwards and supply fresh air. Seek medical advice if discomfort occurs.

- \cdot 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- \cdot 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

 CO_2 , extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• 5.2 Special hazards arising from the substance or mixture No further relevant information available.

GB

^{· 4.1} Description of first aid measures

Printing date 27.01.2020

Version number 2

Revision: 28.06.2018

Trade name: SDS solution, 20 %

· 5.3 Advice for firefighters

• *Protective equipment:* Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing. Ensure adequate ventilation Particular danger of slipping on leaked/spilled product.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

• 6.4 Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed and store in dry conditions.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · 8.1 Control parameters
- Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be
- monitored at the workplace.
- Additional information: The lists that were valid during the creation were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment
- General protective and hygienic measures
- Keep away from foodstuffs, beverages and feed.
- Store protective clothing separately.
- Immediately remove all soiled and contaminated clothing
- Avoid contact with the eyes and skin. Wash hands before breaks and at the end of work.
- Do not inhale gases / fumes / aerosols.
- **Breathing equipment:** Short term filter device:
- Filter P2.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 4)

(Contd. of page 2)

Printing date 27.01.2020

Version number 2

Revision: 28.06.2018

(Contd. of page 3)

GB

Trade name: SDS solution, 20 %

· Protection of hands:

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Chloroprene rubber, CR Natural rubber, NR

- Eye protection: Tightly sealed goggles.
- · Body protection: Protective work clothing.

*

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and ch General Information	
Appearance:	
Form:	Solution
Colour:	colorless to slightly yellowish
Odour:	Odourless
Odour threshold:	Not determined.
pH-value at 20 °C:	4-7
Change in condition	
Melting point/freezing point:	undetermined
Initial boiling point and boiling range:	undetermined
Flash point:	Not applicable
Flammability (solid, gaseous)	Not applicable.
Decomposition temperature:	Not determined.
Self igniting:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not determined.
Density at 20 °C:	1.025 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.

Printing date 27.01.2020

Version number 2

Revision: 28.06.2018

Trade name: SDS solution, 20 %

		(Contd. of page 4)
· Solubility in / Miscibility with Water:	Fully miscible	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
dynamic:	Not determined.	
kinematic:	Not determined.	
· Solvent content:		
Solids content:	20.0 %	
• 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No further relevant informations available.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:
- No further relevant informations available. In case of fire: See Section 5

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- Skin corrosion/irritation Causes skin irritation.
- Serious eye damage/irritation Causes serious eye damage.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure
- May cause respiratory irritation.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Do not allow product to reach ground water, water course or sewage system.

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.

(Contd. on page 6)

Printing date 27.01.2020

Version number 2

Revision: 28.06.2018

Trade name: SDS solution, 20 %

· 12.5 Results of PBT and vPvB assessment

• **PBT:** PBT - assessment not available.

· **vPvB**: vPvB - assessment not available.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Disposal must be made according to official regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation:

Disposal of uncleaned packagings must be made according to official regulations in the same manner as the product.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

SECTION 14: Transport information

* v	
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
• 14.7 Transport in bulk according to Annex II o Marpol and the IBC Code	f Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void
~	

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· National regulations

· Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 7)

GB

(Contd. of page 5)

Printing date 27.01.2020

*

Version number 2

Revision: 28.06.2018

Trade name: SDS solution, 20 %

(Contd. of page 6)

	his information is based on our present knowledge. However, this shall not constitute a guarantee for a pecific product features and shall not establish a legally valid contractual relationship.
Ŕ	elevant phrases
Н	228 Flammable solid.
Н	302 Harmful if swallowed.
	315 Causes skin irritation.
	318 Causes serious eye damage.
	335 May cause respiratory irritation.
H	412 Harmful to aquatic life with long lasting effects.
D	epartment issuing SDS: Product safety department
С	ontact: +49 6221 13840-35
A	bbreviations and acronyms:
	ID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning
	ternational Transport of Dangerous Goods by Rail)
	AO: International Civil Aviation Organisation
	BT: persistent, bioaccumulative, toxic substance (REACH)
	PvB: very persistent, very bioaccumulative substance (REACH)
	EACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
	LP: Regulation on classification, labelling and packaging of substances and mixtures
	v: body weight
	DR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation and European Agreement concerning the International Context and
	arriage of Dangerous Goods by Road) 1DG: International Maritime Code for Dangerous Goods
	TA: International Air Transport Association
	HS: Globally Harmonised System of Classification and Labelling of Chemicals
	INECS: European Inventory of Existing Commercial Chemical Substances
	LINCS: European List of Notified Chemical Substances
	AS: Chemical Abstracts Service (division of the American Chemical Society)
	BT: Persistent, Bioaccumulative and Toxic
	PvB: very Persistent and very Bioaccumulative
	am. Sol. 2: Flammable solids – Category 2
Ac	cute Tox. 4: Acute toxicity - oral – Category 4
Sk	in Irrit. 2: Skin corrosion/irritation – Category 2
	ye Dam. 1: Serious eye damage/eye irritation – Category 1
	FOT SE 3: Specific target organ toxicity (single exposure) – Category 3
	quatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
*	Data compared to the previous version altered.