Printing date 01/17/2019

\*

Reviewed on 01/17/2019

	Kevleweu on 01/1//20
Identification	
· Product identifier	CEDI 7/
· Trade name: TAE Buffer (40x), 1.2 M	SERVA
• Article number: 42548	serving scientists
• Application of the substance / the mixture Laboratory chemicals	
Details of the supplier of the safety data sheet	
· Manufacturer/Supplier:	
SERVA Electrophoresis GmbH Carl-Benz-Str. 7	
D-69115 Heidelberg	
Tel.: +49 6221 13840-0	()
FAX: +49 6221 13840-10 msds.info@serva.de	
• Information department: Product Safety department Tel.: +49 6221 13840	)-35
• Emergency telephone number:	
Medical Emergency Information in case of poisoning:	
Poison Information Center Mainz - Phone: +49 (0) 6131 19240 (advisory service in German or English language)	
(uuvisory service in German or English tunguage)	
P. Hazard(s) identification	
• Classification of the substance or mixture The product is not classified, according to the Globally Harmonized System	1 (GHS).
· Label elements	
GHS label elements Void	
• Hazard pictograms Void • Signal word Void	
• Hazard statements Void	
· Classification system:	
• NFPA ratings (scale 0 - 4)	
Health = 0 Fire = 0	
$\begin{array}{c} 0 \\ 0 \\ \end{array} \begin{array}{c} 0 \\ Reactivity = 0 \end{array}$	
HMIS-ratings (scale 0 - 4)	
· 111113-1 annigs (scale 0 = 4)	
<b>HEALTH</b> 0 Health = 0 EIRE 0 Fire = 0	
FIRE 0 $Fire = 0$	
FIRE $0$ Fire = 0REACTIVITY $0$ Reactivity = 0	
FIRE $\bigcirc$ REACTIVITY $\bigcirc$ Reactivity $=$ Other hazards	
FIRE $\bigcirc$ <b>FIRE</b> $\bigcirc$ <b>FIRE</b> $\bigcirc$ <b>Fire</b> $= 0$ <b>Reactivity</b> $= 0$ <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b>	
FIRE $\bigcirc$ <b>FIRE</b> $\bigcirc$ <b>FIRE</b> $\bigcirc$ <b>Fire</b> $= 0$ <b>Reactivity</b> $= 0$ <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b>	
FIRE FIRE Fire = 0 Fire = 0 Reactivity = 0 • Other hazards • Results of PBT and vPvB assessment • PBT: PBT - assessment not available. • vPvB: vPvB - assessment not available.	
FIRE $\bigcirc$ <b>FIRE</b> $\bigcirc$ <b>FIRE</b> $\bigcirc$ <b>Fire</b> $= 0$ <b>Reactivity</b> $= 0$ <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b> <b>Constant</b>	
FIRE FIRE Fire = 0 Fire = 0 Reactivity = 0 • Other hazards • Results of PBT and vPvB assessment • PBT: PBT - assessment not available. • vPvB: vPvB - assessment not available. • Composition/information on ingredients • Chemical characterization: Mixtures	litions.
FIRE FIRE Fire = 0 REACTIVITY Reactivity = 0 • Other hazards • Results of PBT and vPvB assessment • PBT: PBT - assessment not available. • vPvB: vPvB - assessment not available. • VPvB: vPvB - assessment not available. • Chemical characterization: Mixtures • Chemical characterization: Mixtures • Description: Mixture of the substances listed below with nonhazardous add	litions.
FIRE FIRE Fire = 0 Fire = 0 Reactivity = 0 • Other hazards • Results of PBT and vPvB assessment • PBT: PBT - assessment not available. • vPvB: vPvB - assessment not available.	litions.

(Contd. on page 2)

Printing date 01/17/2019

Reviewed on 01/17/2019

Trade name: TAE Buffer (40x), 1.2 M

(Contd. of page 1)

• Additional information: For the wording of the listed hazard phrases refer to section 16.

### 4 First-aid measures

· Description of first aid measures

· After inhalation: Supply fresh air; consult doctor in case of complaints.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly. Consult doctor if you feel unwell.

• After eye contact:

Rinse opened eye for several minutes under running water. Remove present contact lenses, if easy to do, and continue rinsing. Consult ophthalmologist In case of complaints.

- After swallowing: Wash out mouth. Seek medical advice if discomfort occurs.
- Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.* 

### **5** *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents:
- CO<sub>2</sub> extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.

### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective clothing.
   Ensure adequate ventilation Avoid contact with the eyes and skin.
   Emironmental precautions: Do not allow to enter sewers/ surface or group
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

• **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

### 7 Handling and storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: The product is not flammable.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed and store in dry conditions.
- · Specific end use(s) No further relevant information available.

(Contd. on page 3)

Printing date 01/17/2019

Trade name: TAE Buffer (40x), 1.2 M

Reviewed on 01/17/2019

(Contd. of page 2)

Additional information about design	I TI LOUITHUM STALDING, INT IMITICI UMIM, SECTICIII /.
Control parameters	• • • • • • • • • • •
	require monitoring at the workplace:
	relevant quantities of materials with critical values that have to
monitored at the workplace.	at were valid during the creation were used as basis.
·	ai were valia during the creation were used as basis.
Exposure controls	
Personal protective equipment:	
General protective and hygienic me	
Keep away from foodstuffs, beverage	
Store protective clothing separately.	
Immediately remove all soiled and c Avoid contact with the eyes and skin	
Wash hands before breaks and at the	
	viratory protective device recommended.
Protection of hands:	a de la prese de la commenta da
	neable and resistant to the product/ the substance/ the preparation.
	ition to the glove material can be given for the product/ the preparation
the chemical mixture.	o i i i i
Selection of the glove material or	n consideration of the penetration times, rates of diffusion and a
degradation	
Material of gloves	
	es does not only depend on the material, but also on further marks
quality and varies from manufacture	
The selection of the suitable glove	es does not only depend on the material, but also on further marks
quality and varies from manufac	turer to manufacturer. As the product is a preparation of seve
quality and varies from manufac substances, the resistance of the gl	turer to manufacturer. As the product is a preparation of seve
quality and varies from manufac substances, the resistance of the glu checked prior to the application.	turer to manufacturer. As the product is a preparation of seve
quality and varies from manufac substances, the resistance of the glu checked prior to the application. <b>Penetration time of glove material</b>	turer to manufacturer. As the product is a preparation of seve ove material can not be calculated in advance and has therefore to
quality and varies from manufac substances, the resistance of the glu checked prior to the application. <b>Penetration time of glove material</b> The exact break trough time has to	turer to manufacturer. As the product is a preparation of seve ove material can not be calculated in advance and has therefore to
quality and varies from manufac substances, the resistance of the glu checked prior to the application. <b>Penetration time of glove material</b> The exact break trough time has to observed.	turer to manufacturer. As the product is a preparation of seve love material can not be calculated in advance and has therefore to be found out by the manufacturer of the protective gloves and has to
quality and varies from manufac substances, the resistance of the glu checked prior to the application. <b>Penetration time of glove material</b> The exact break trough time has to observed. <b>For the permanent contact of a m</b>	turer to manufacturer. As the product is a preparation of seve love material can not be calculated in advance and has therefore to be found out by the manufacturer of the protective gloves and has to
quality and varies from manufac substances, the resistance of the glu checked prior to the application. <b>Penetration time of glove material</b> The exact break trough time has to observed. <b>For the permanent contact of a m</b> suitable:	turer to manufacturer. As the product is a preparation of seve ove material can not be calculated in advance and has therefore to be found out by the manufacturer of the protective gloves and has to
quality and varies from manufac substances, the resistance of the glu checked prior to the application. <b>Penetration time of glove material</b> The exact break trough time has to observed. <b>For the permanent contact of a m</b>	turer to manufacturer. As the product is a preparation of seve ove material can not be calculated in advance and has therefore to be found out by the manufacturer of the protective gloves and has to
quality and varies from manufac substances, the resistance of the glu checked prior to the application. <b>Penetration time of glove material</b> The exact break trough time has to observed. <b>For the permanent contact of a m</b> <b>suitable:</b> Natural rubber, NR Nitrile rubber, NBR	turer to manufacturer. As the product is a preparation of seve ove material can not be calculated in advance and has therefore to be found out by the manufacturer of the protective gloves and has to
quality and varies from manufac substances, the resistance of the glu checked prior to the application. <b>Penetration time of glove material</b> The exact break trough time has to observed. <b>For the permanent contact of a m</b> <b>suitable:</b> Natural rubber, NR Nitrile rubber, NBR <b>Eye protection:</b> Safety glasses	turer to manufacturer. As the product is a preparation of seve ove material can not be calculated in advance and has therefore to be found out by the manufacturer of the protective gloves and has to <b>naximum of 15 minutes gloves made of the following materials</b> of
quality and varies from manufac substances, the resistance of the glu checked prior to the application. <b>Penetration time of glove material</b> The exact break trough time has to observed. <b>For the permanent contact of a m</b> <b>suitable:</b> Natural rubber, NR Nitrile rubber, NBR	turer to manufacturer. As the product is a preparation of seve ove material can not be calculated in advance and has therefore to be found out by the manufacturer of the protective gloves and has to <b>naximum of 15 minutes gloves made of the following materials</b> of
quality and varies from manufac substances, the resistance of the glu checked prior to the application. <b>Penetration time of glove material</b> The exact break trough time has to observed. <b>For the permanent contact of a m</b> <b>suitable:</b> Natural rubber, NR Nitrile rubber, NBR <b>Eye protection:</b> Safety glasses <b>Body protection:</b> Protective work classes	turer to manufacturer. As the product is a preparation of seve love material can not be calculated in advance and has therefore to be found out by the manufacturer of the protective gloves and has to <b>naximum of 15 minutes gloves made of the following materials</b> of othing
quality and varies from manufac substances, the resistance of the glu checked prior to the application. <b>Penetration time of glove material</b> The exact break trough time has to observed. <b>For the permanent contact of a m</b> <b>suitable:</b> Natural rubber, NR Nitrile rubber, NBR <b>Eye protection:</b> Safety glasses	turer to manufacturer. As the product is a preparation of seve love material can not be calculated in advance and has therefore to be found out by the manufacturer of the protective gloves and has to <b>naximum of 15 minutes gloves made of the following materials</b> of othing
quality and varies from manufac substances, the resistance of the glu checked prior to the application. <b>Penetration time of glove material</b> The exact break trough time has to observed. <b>For the permanent contact of a m</b> <b>suitable:</b> Natural rubber, NR Nitrile rubber, NBR <b>Eye protection:</b> Safety glasses <b>Body protection:</b> Protective work classes	turer to manufacturer. As the product is a preparation of seve love material can not be calculated in advance and has therefore to be found out by the manufacturer of the protective gloves and has to <b>naximum of 15 minutes gloves made of the following materials</b> othing
quality and varies from manufac substances, the resistance of the glu checked prior to the application. <b>Penetration time of glove material</b> The exact break trough time has to observed. <b>For the permanent contact of a m</b> <b>suitable:</b> Natural rubber, NR Nitrile rubber, NBR <b>Eye protection:</b> Safety glasses <b>Body protection:</b> Protective work classes <b>Physical and chemical properties</b>	turer to manufacturer. As the product is a preparation of seve love material can not be calculated in advance and has therefore to be found out by the manufacturer of the protective gloves and has to <b>naximum of 15 minutes gloves made of the following materials</b> othing
quality and varies from manufac substances, the resistance of the glu checked prior to the application. <b>Penetration time of glove material</b> The exact break trough time has to observed. <b>For the permanent contact of a m</b> <b>suitable:</b> Natural rubber, NR Nitrile rubber, NBR <b>Eye protection:</b> Safety glasses <b>Body protection:</b> Protective work classical <b>Physical and chemical properties</b> <b>Information on basic physical and chemical</b>	turer to manufacturer. As the product is a preparation of seve love material can not be calculated in advance and has therefore to be found out by the manufacturer of the protective gloves and has to <b>naximum of 15 minutes gloves made of the following materials</b> othing
quality and varies from manufac substances, the resistance of the gla checked prior to the application. <b>Penetration time of glove material</b> The exact break trough time has to observed. <b>For the permanent contact of a m</b> <b>suitable:</b> Natural rubber, NR Nitrile rubber, NRR <b>Eye protection:</b> Safety glasses <b>Body protection:</b> Protective work cla <b>Physical and chemical properties</b> <b>Information on basic physical and of</b> <b>General Information</b> <b>Appearance:</b> <b>Form:</b>	turer to manufacturer. As the product is a preparation of seve love material can not be calculated in advance and has therefore to be found out by the manufacturer of the protective gloves and has to <b>naximum of 15 minutes gloves made of the following materials</b> othing schemical properties Solution
quality and varies from manufac substances, the resistance of the gla checked prior to the application. <b>Penetration time of glove material</b> The exact break trough time has to observed. <b>For the permanent contact of a m</b> <b>suitable:</b> Natural rubber, NR Nitrile rubber, NR <b>Eye protection:</b> Safety glasses <b>Body protection:</b> Protective work cla <b>Physical and chemical properties</b> <b>Information on basic physical and of</b> <b>General Information</b> <b>Appearance:</b> <b>Form:</b> <b>Color:</b>	turer to manufacturer. As the product is a preparation of seve love material can not be calculated in advance and has therefore to be found out by the manufacturer of the protective gloves and has to <b>naximum of 15 minutes gloves made of the following materials</b> othing Schemical properties Solution Colorless
quality and varies from manufac substances, the resistance of the gla checked prior to the application. <b>Penetration time of glove material</b> The exact break trough time has to observed. <b>For the permanent contact of a m</b> <b>suitable:</b> Natural rubber, NR Nitrile rubber, NBR <b>Eye protection:</b> Safety glasses <b>Body protection:</b> Protective work cla <b>Physical and chemical properties</b> <b>Information on basic physical and of</b> <b>General Information</b> <b>Appearance:</b> <b>Form:</b> <b>Color:</b> <b>Odor:</b>	turer to manufacturer. As the product is a preparation of seve love material can not be calculated in advance and has therefore to be found out by the manufacturer of the protective gloves and has to <b>naximum of 15 minutes gloves made of the following materials of</b> othing s chemical properties Solution Colorless Odorless
quality and varies from manufac substances, the resistance of the gla checked prior to the application. <b>Penetration time of glove material</b> The exact break trough time has to observed. <b>For the permanent contact of a m</b> <b>suitable:</b> Natural rubber, NR Nitrile rubber, NR <b>Eye protection:</b> Safety glasses <b>Body protection:</b> Protective work cla <b>Physical and chemical properties</b> <b>Information on basic physical and of</b> <b>General Information</b> <b>Appearance:</b> <b>Form:</b> <b>Color:</b>	turer to manufacturer. As the product is a preparation of seve love material can not be calculated in advance and has therefore to be found out by the manufacturer of the protective gloves and has to <b>naximum of 15 minutes gloves made of the following materials</b> othing Schemical properties Solution Colorless
quality and varies from manufac substances, the resistance of the gla checked prior to the application. <b>Penetration time of glove material</b> The exact break trough time has to observed. <b>For the permanent contact of a m</b> <b>suitable:</b> Natural rubber, NR Nitrile rubber, NBR <b>Eye protection:</b> Safety glasses <b>Body protection:</b> Protective work cla <b>Physical and chemical properties</b> <b>Information on basic physical and of</b> <b>General Information</b> <b>Appearance:</b> <b>Form:</b> <b>Color:</b> <b>Odor:</b>	turer to manufacturer. As the product is a preparation of seve love material can not be calculated in advance and has therefore to be found out by the manufacturer of the protective gloves and has to <b>naximum of 15 minutes gloves made of the following materials o</b> othing s chemical properties Solution Colorless Odorless
quality and varies from manufac substances, the resistance of the gla checked prior to the application. Penetration time of glove material The exact break trough time has to observed. For the permanent contact of a m suitable: Natural rubber, NR Nitrile rubber, NR Eye protection: Safety glasses Body protection: Protective work cla Physical and chemical properties Information on basic physical and a General Information Appearance: Form: Color: Odor: Odor threshold: pH-value at 20 °C (68 °F):	turer to manufacturer. As the product is a preparation of seve ove material can not be calculated in advance and has therefore to be found out by the manufacturer of the protective gloves and has to <b>naximum of 15 minutes gloves made of the following materials of</b> othing <b>S</b> <b>chemical properties</b> Solution Colorless Odorless Not determined. 8.3 - 8.7
quality and varies from manufac substances, the resistance of the gla checked prior to the application. Penetration time of glove material The exact break trough time has to observed. For the permanent contact of a m suitable: Natural rubber, NR Nitrile rubber, NR Nitrile rubber, NBR Eye protection: Safety glasses Body protection: Protective work cla Physical and chemical properties Information on basic physical and of General Information Appearance: Form: Color: Odor: Odor threshold: pH-value at 20 °C (68 °F): Change in condition Melting point/Melting range:	turer to manufacturer. As the product is a preparation of seve ove material can not be calculated in advance and has therefore to be found out by the manufacturer of the protective gloves and has to maximum of 15 minutes gloves made of the following materials of othing s chemical properties Solution Colorless Odorless Not determined. 8.3 - 8.7 Undetermined.
quality and varies from manufac substances, the resistance of the gla checked prior to the application. Penetration time of glove material The exact break trough time has to observed. For the permanent contact of a m suitable: Natural rubber, NR Nitrile rubber, NR Eye protection: Safety glasses Body protection: Protective work cla Physical and chemical properties Information on basic physical and a General Information Appearance: Form: Color: Odor: Odor threshold: pH-value at 20 °C (68 °F): Change in condition	turer to manufacturer. As the product is a preparation of seve ove material can not be calculated in advance and has therefore to be found out by the manufacturer of the protective gloves and has to <b>naximum of 15 minutes gloves made of the following materials of</b> othing <b>S</b> <b>chemical properties</b> Solution Colorless Odorless Not determined. 8.3 - 8.7

Printing date 01/17/2019

Reviewed on 01/17/2019

Trade name: TAE Buffer (40x), 1.2 M

	(Contd. of page 3	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure:	Not determined.	
· Density:	Not determined.	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/water):	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.0 %	
• Other information	No further relevant information available.	

### **10 Stability and reactivity**

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No further relevant informations available.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No further relevant informations available.

### **11 Toxicological information**

· Information on toxicological effects

· Acute toxicity:

- · Primary irritant effect:
- $\cdot$  on the skin: Based on available data, the classification criteria are not met.
- on the eye: Based on available data, the classification criteria are not met.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

### · NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 5)

US

Printing date 01/17/2019

Reviewed on 01/17/2019

Trade name: TAE Buffer (40x), 1.2 M

(Contd. of page 4)

### $\cdot$ OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12 Ecological information**

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- General notes: Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

### **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.

- · Uncleaned packagings:
- · Recommendation:

Disposal of uncleaned packagings must be made according to official regulations in the same manner as the product.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

### 14 Transport information

UN-Number		
ADR, IMDG, IATA	Void	
UN proper shipping name		
ADR, IMDG, IATA	Void	
Transport hazard class(es)		
ADR, IMDG, IATA		
Class	Void	
Label	-	
Packing group		
ADR, IMDG, IATA	Void	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	

(Contd. of page 5)

### Safety Data Sheet acc. to OSHA HCS

Printing date 01/17/2019

Reviewed on 01/17/2019

Trade name: TAE Buffer (40x), 1.2 M

· Transport/Additional information:

Not dangerous according to the above specifications.

### **15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture

 $\cdot$  Section 355 (extremely hazardous substances):

None of the ingredients is listed.

 $\cdot$  Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

None of the ingredients is listed.

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### · Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements Void

· Hazard pictograms Void

· Signal word Void

· Hazard statements Void

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Product safety department

• Contact: +49 6221 13840-35

• Date of preparation / last revision 01/17/2019 / 2

• Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

PBT: persistent, bioaccumulative, toxic substance (REACH)

vPvB: very persistent, very bioaccumulative substance (REACH)

REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

CLP: Regulation on classification, labelling and packaging of substances and mixtures

(Contd. on page 7)

Printing date 01/17/2019

Reviewed on 01/17/2019

### Trade name: TAE Buffer (40x), 1.2 M

(Contd. of page 6)
bw: body weight
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International
Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
• * Data compared to the previous version altered.
US