

2D HPE[™] Large Gel 10 - 15% Kit Cat. No. 43311

Safety Data Sheets of the following Kit Components:

43866	2D-Large-Gel flatbed 10 - 15%
43801	SDS Anode buffer (blue)
43802	SDS Cathode buffer (white)
43371	Cooling Fluid
43805	Equilibration Buffer

Printing date 25.02.2021	Version number 1	<i>Revision: 25.02.202</i>
SECTION 1: Identification	of the substance/mixture and of the co	ompany/undertaking
· 1.1 Product identifier		
· Trade name: <u>2D-Large-Gel fl</u>	atbed 10 - 15%	serving scientists
No further relevant informatio	f the substance or mixture and uses advise n available. ' the mixture ready-to-use gels for use in g	
 1.3 Details of the supplier of t Manufacturer/Supplier: SERVA Electrophoresis GmbH Carl-Benz-Str. 7 D-69115 Heidelberg Tel.: +49 6221 13840-0 FAX: +49 6221 13840-10 msds.info@serva.de 		e Grino.
• Information department: Proc • 1.4 Emergency telephone num Medical Emergency Information	on in case of poisoning: 11nz - Phone: +49 (0) 6131 19240	40-35
SECTION 2: Hazards iden	tificantion	
 2.1 Classification of the substa Classification according to Re The product is not classified, a 2.2 Label elements Labelling according to Regula Hazard pictograms Void Signal word Void Hazard statements Void 2.3 Other hazards Results of PBT and vPvB asses PBT: PBT - assessment not av vPvB: vPvB - assessment not av 	egulation (EC) No 1272/2008 according to the CLP regulation. ation (EC) No 1272/2008 Void essment vailable.	
SECTION 3: Composition/	information on ingredients	
• 3.2 Chemical characterisation • Description: 2D-Large-Gel flatbed 10 - 15		
	5% gels are articles according to the Artic 006). We note that the SVHC substance 2	
SECTION 4: First aid mea	SIIFOS	
• 4.1 Description of first aid me • General information No speci		

Printing date 25.02.2021

Version number 1

Revision: 25.02.2021

Trade name: 2D-Large-Gel flatbed 10 - 15%

- After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact
- *Immediately wash with water and soap and rinse thoroughly. Consult doctor if you feel unwell.* • *After eye contact*

Rinse opened eye for several minutes under running water. Remove present contact lenses, if easy to do, and continue rinsing. Consult ophthalmologist In case of complaints.

· After swallowing -

- **4.2** *Most important symptoms and effects, both acute and delayed No further relevant information available.*
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

- · Suitable extinguishing agents
- CO_{2} extinguishing powder or water spray. Fight larger fire with alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture In case of fire, the following can be formed, but not limited to: Carbon monoxide and carbon dioxide Nitrogen oxides (NOx)
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.

· 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Pick up mechanically.

- 6.4 Reference to other sections
- See Section 7 for information on safe handling
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage
- \cdot Requirements to be met by storerooms and receptacles: Store at +2 to +8 °C
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store in dry conditions.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Additional information about design of technical systems: No further data; see item 7.
- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 3)

(Contd. of page 1)

Printing date 25.02.2021

*

Version number 1

Revision: 25.02.2021

Trade name: 2D-Large-Gel flatbed 10 - 15%

	at were valid during the creation were used as basis.
8.2 Exposure controls	
Personal protective equipment	
General protective and hygienic med	
Keep away from foodstuffs, beverage.	s and feed.
Store protective clothing separately.	outomingted alothing
Immediately remove all soiled and co Avoid contact with the eyes and skin.	
Wash hands before breaks and at the	
	iratory protective device recommended.
Protection of hands:	
The glove material has to be imperme	eable and resistant to the product/ the substance/ the preparation.
	tion to the glove material can be given for the product/ the preparation
the chemical mixture.	
	n consideration of the penetration times, rates of diffusion and t
degradation	
Material of gloves	s does not only depend on the material, but also on further marks
quality and varies from manufacturer	
	s does not only depend on the material, but also on further marks
	turer to manufacturer. As the product is a preparation of seven
	ove material can not be calculated in advance and has therefore to
checked prior to the application.	у У
Penetration time of glove material	
	be found out by the manufacturer of the protective gloves and has to
observed.	
	aximum of 15 minutes gloves made of the following materials a
suitable:	
Natural rubber, NR	
Natural rubber, NR Nitrile rubber, NBR	
Natural rubber, NR Nitrile rubber, NBR Eye protection: Safety glasses	
Natural rubber, NR Nitrile rubber, NBR	
Natural rubber, NR Nitrile rubber, NBR Eye protection: Safety glasses Body protection: Protective work clo	othing.
Natural rubber, NR Nitrile rubber, NBR Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and chemi	othing. ical properties
Natural rubber, NR Nitrile rubber, NBR Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and chemi 9.1 Information on basic physical and	othing. ical properties
Natural rubber, NR Nitrile rubber, NBR Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and chemi 9.1 Information on basic physical an General Information	othing. ical properties
Natural rubber, NR Nitrile rubber, NBR Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and chemi 9.1 Information on basic physical an General Information Appearance:	othing. ical properties nd chemical properties
Natural rubber, NR Nitrile rubber, NBR Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and chemi 9.1 Information on basic physical an General Information Appearance: Form:	othing. ical properties nd chemical properties Gel between two polyester films
Natural rubber, NR Nitrile rubber, NBR Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and chemi 9.1 Information on basic physical an General Information Appearance: Form: Colour:	othing. ical properties nd chemical properties Gel between two polyester films Colourless
Natural rubber, NR Nitrile rubber, NBR Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and chemi 9.1 Information on basic physical an General Information Appearance: Form:	othing. ical properties nd chemical properties Gel between two polyester films
Natural rubber, NR Nitrile rubber, NBR Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and chemi 9.1 Information on basic physical and General Information Appearance: Form: Colour: Odour: Odour threshold:	othing. ical properties nd chemical properties Gel between two polyester films Colourless Odourless
Natural rubber, NR Nitrile rubber, NBR Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and chemi 9.1 Information on basic physical an General Information Appearance: Form: Colour: Odour: Odour: Odour threshold:	ical properties ind chemical properties Gel between two polyester films Colourless Odourless Not determined.
Natural rubber, NR Nitrile rubber, NBR Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and chemi 9.1 Information on basic physical an General Information Appearance: Form: Colour: Odour: Odour: Odour threshold: Change in condition Melting point/freezing point:	othing. ical properties ind chemical properties Gel between two polyester films Colourless Odourless Not determined. undetermined
Natural rubber, NR Nitrile rubber, NBR Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and chemi 9.1 Information on basic physical an General Information Appearance: Form: Colour: Odour: Odour: Odour: Odour threshold: Change in condition Melting point/freezing point: Initial boiling point and boiling ra	othing. ical properties ind chemical properties Gel between two polyester films Colourless Odourless Not determined. undetermined inge: undetermined
Natural rubber, NR Nitrile rubber, NBR Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and chemi 9.1 Information on basic physical an General Information Appearance: Form: Colour: Odour: Odour: Odour threshold: Change in condition Melting point/freezing point: Initial boiling point and boiling ra Flash point:	othing. ical properties ind chemical properties Gel between two polyester films Colourless Odourless Not determined. undetermined inge: undetermined Not applicable
Natural rubber, NR Nitrile rubber, NBR Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and chemi 9.1 Information on basic physical an General Information Appearance: Form: Colour: Odour: Odour: Odour: Odour: Change in condition Melting point/freezing point: Initial boiling point and boiling ra Flash point: Flammability (solid, gaseous)	ical properties ind chemical properties Gel between two polyester films Colourless Odourless Not determined. undetermined inge: undetermined Not applicable Not determined.
Natural rubber, NR Nitrile rubber, NBR Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and chemi 9.1 Information on basic physical and General Information Appearance: Form: Colour: Odour: Odour: Odour: Odour: Change in condition Melting point/freezing point: Initial boiling point and boiling ra Flash point: Flammability (solid, gaseous) Decomposition temperature:	ical properties ind chemical properties Gel between two polyester films Colourless Odourless Not determined. undetermined unge: undetermined Not applicable Not determined. Not determined. Not determined.
Natural rubber, NR Nitrile rubber, NBR Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and chemi 9.1 Information on basic physical an General Information Appearance: Form: Colour: Odour: Odour: Odour threshold: Change in condition Melting point/freezing point: Initial boiling point and boiling ra Flash point: Flammability (solid, gaseous) Decomposition temperature: Self igniting:	othing. ical properties ind chemical properties Gel between two polyester films Colourless Odourless Not determined. undetermined inge: undetermined Not applicable Not determined. Not determined. Not determined. Product is not selfigniting.
Natural rubber, NR Nitrile rubber, NBR Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and chemi 9.1 Information on basic physical and General Information Appearance: Form: Colour: Odour: Odour: Odour threshold: Change in condition Melting point/freezing point: Initial boiling point and boiling ra Flash point: Flammability (solid, gaseous) Decomposition temperature: Self igniting: Explosive properties:	ical properties ind chemical properties Gel between two polyester films Colourless Odourless Not determined. undetermined unge: undetermined Not applicable Not determined. Not determined. Not determined.
Natural rubber, NR Nitrile rubber, NBR Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and chemi 9.1 Information on basic physical an General Information Appearance: Form: Colour: Odour: Odour: Odour threshold: Change in condition Melting point/freezing point: Initial boiling point and boiling ra Flash point: Flammability (solid, gaseous) Decomposition temperature: Self igniting:	othing. ical properties ind chemical properties Gel between two polyester films Colourless Odourless Not determined. undetermined inge: undetermined Not applicable Not determined. Not determined. Not determined. Product is not selfigniting.

Printing date 25.02.2021

Version number 1

Revision: 25.02.2021

Trade name: 2D-Large-Gel flatbed 10 - 15%

	(Contd. of pa	ige 3
Upper:	Not determined.	
· Vapour pressure:	Not applicable.	
· Density:	Not determined	
· Relative density	Not determined.	
· Vapour density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water:	Insoluble	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
dynamic:	Not applicable.	
kinematic:	Not applicable.	
· 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No further relevant informations available.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: In case of fire: See Section 5

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Do not allow product to reach ground water, water course or sewage system.

(Contd. on page 5)

Printing date 25.02.2021

Version number 1

Revision: 25.02.2021

(Contd. of page 4)

Trade name: 2D-Large-Gel flatbed 10 - 15%

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

· 12.5 Results of PBT and vPvB assessment

• **PBT:** PBT - assessment not available.

· vPvB: vPvB - assessment not available.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation Disposal must be made according to official regulations.

- Uncleaned packagings:
- · Recommendation:

Disposal of uncleaned packagings must be made according to official regulations in the same manner as the product.

SECTION 14: Transport information	
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
 14.5 Environmental hazards: Marine pollutant: 	No
· 14.6 Special precautions for user	Not applicable.
• 14.7 Transport in bulk according to Anne Marpol and the IBC Code	ex II of Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN ''Model Regulation'':	Void

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· National regulations

• Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 6)

Printing date 25.02.2021

Version number 1

Revision: 25.02.2021

Trade name: 2D-Large-Gel flatbed 10 - 15%

(Contd. of page 5)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Product safety department

· Contact: +49 6221 13840-35

• Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

PBT: persistent, bioaccumulative, toxic substance (REACH)

vPvB: very persistent, very bioaccumulative substance (REACH)

REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

CLP: Regulation on classification, labelling and packaging of substances and mixtures

bw: body weight

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative



Buffer Kit for 2D HPE[™] Gels Cat. No. 43312

Safety Data Sheets of the following Kit Components:

43801	SDS Anode buffer (blue)
43802	SDS Cathode buffer (white)
43371	Cooling Fluid
43805	Equilibration Buffer

Printing date 16.10.2020	I	/ersion number 3	Revision: 16	.10.202
SECTION 1: Identij	fication of the subst	ance/mixture and of the company/un	dertaking	
· 1.1 Product identifier			CLDI	7
· Trade name: <u>SDS And</u>	ode buffer (blue)		serving scien	ntists
• Article number: 4380. • 1.2 Relevant identified No further relevant inf • Application of the sub	l uses of the substanc Formation available.	e or mixture and uses advised against Laboratory chemicals	X	
 1.3 Details of the supp Manufacturer/Supplie SERVA Electrophorest Carl-Benz-Str. 7 D-69115 Heidelberg Tel.: +49 6221 13840- FAX: +49 6221 13840 msds.info@serva.de 	er: is GmbH 0	sheet	sinio.	
• Information departme • 1.4 Emergency teleph Medical Emergency In Poison Information Ce (advisory service in Go	o ne number: formation in case of p nter Mainz - Phone: +	-49 (0) 6131 19240		
SECTION 2: Hazar	ds identification			
• 2.1 Classification of th • Classification accordi The product is not clas	ng to Regulation (EC) No 1272/2008		
 2.2 Label elements Labelling according to Hazard pictograms Void Signal word Void Hazard statements Void 2.3 Other hazards Results of PBT and viewers PBT: PBT - assessments vPvB: vPvB - assessments 	vid id PvB assessment it not available.	1272/2008 Void		
\sim				
SECTION 3: Compo	osition/information	on ingredients		
	erisation: Mixtures			
· 3.2 Chemical characte	of the substances lister	l below with harmless additions.		
	•	l below with harmless additions.		
· 3.2 Chemical character · Description: Mixture of · Dangerous componen	•	STOT RE 2, H373; () Acute Tox	. 4, H302	5-10%

SECTION 4: First aid measures

×

- 4.1 Description of first aid measures
- · General information No special measures required.
- · After inhalation Supply fresh air; consult doctor in case of complaints.

(Contd. on page 2)

GB

Printing date 16.10.2020

Version number 3

Revision: 16.10.2020

Trade name: SDS Anode buffer (blue)

· After skin contact

Immediately wash with water and soap and rinse thoroughly. Consult doctor if you feel unwell. · After eye contact

Rinse opened eye for several minutes under running water. Remove present contact lenses, if easy to do, and continue rinsing. Consult ophthalmologist In case of complaints.

- · After swallowing Wash out mouth. Seek medical advice if discomfort occurs.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents
- CO_2 , extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- \cdot 5.2 Special hazards arising from the substance or mixture In case of fire, the following can be formed, but not limited to: Carbon monoxide and carbon dioxide Nitrogen oxides (NOx)
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

- · 6.4 Reference to other sections See Section 7 for information on safe handling
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special measures required.
- Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed and store in dry conditions.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 3)

GB

(Contd. of page 1)

Printing date 16.10.2020

*

Version number 3

Revision: 16.10.2020

Trade name: SDS Anode buffer (blue)

 Components with limit values that require monitoring at the workplace: 107-21-1 Ethanediol (5-10%) WEL Short-term value: 104** mg/m³, 40** ppm Long-term value: 10 52** mg/m³, 20** ppm Sk *particulate **vapour 64-19-7 acetic acid 100 % (1-3%) WEL Short-term value: 50 mg/m³, 20 ppm Long-term value: 25 mg/m³, 10 ppm • Additional information: The lists that were valid during the creation were used as basis. • 8.2 Exposure controls • Personal protective equipment • General protective equipment • General protective and hygienic measures Keep away from foodstuffs, beverages and feed. Store protective clothing separately. Immediately remove all soiled and contaminated clothing Avoid contact with the eyes and skin. • Wash hands before breaks and at the end of work. • Breathing equipment: Short term filter device: Filter P2. • Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the pr Due to missing tests no recommendation to the glove material can be given for the product/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of d degradation • Material of gloves The selection of the suitable gloves does not only depend on the material, but also on j 	
WEL Short-term value: 104** mg/m³, 40** ppm Long-term value: 10* 52** mg/m³, 20** ppm Sk *particulate **vapour 64-19-7 acetic acid 100 % (1-3%) WEL Short-term value: 50 mg/m³, 20 ppm Long-term value: 25 mg/m³, 10 ppm Additional information: The lists that were valid during the creation were used as basis. 8.2 Exposure controls Personal protective equipment General protective and hygienic measures Keep away from foodstuffs, beverages and feed. Store protective clothing separately. Immediately remove all soiled and contaminated clothing Avoid contact with the eyes and skin. Wash hands before breaks and at the end of work. Breathing equipment: Short term filter device: Filter P2. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the pr Due to missing tests no recommendation to the glove material can be given for the product/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of d degradation Material of gloves	
WEL Short-term value: 104** mg/m³, 40** ppm Long-term value: 10* 52** mg/m³, 20** ppm Sk *particulate **vapour 64-19-7 acetic acid 100 % (1-3%) WEL Short-term value: 50 mg/m³, 20 ppm Long-term value: 25 mg/m³, 10 ppm • Additional information: The lists that were valid during the creation were used as basis. • 8.2 Exposure controls • Personal protective equipment • General protective and hygienic measures Keep away from foodstuffs, beverages and feed. Store protective clothing separately. Immediately remove all soiled and contaminated clothing Avoid contact with the eyes and skin. Wash hands before breaks and at the end of work. Breathing equipment: Short term filter device: Filter P2. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the pr Due to missing tests no recommendation to the glove material can be given for the product/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of d degradation Material of gloves	
Long-term value: 10* 52** mg/m³, 20** ppm Sk *particulate **vapour 64-19-7 acetic acid 100 % (1-3%) WEL Short-term value: 50 mg/m³, 20 ppm Long-term value: 25 mg/m³, 10 ppm Additional information: The lists that were valid during the creation were used as basis. 8.2 Exposure controls Personal protective equipment General protective and hygienic measures Keep away from foodstuffs, beverages and feed. Store protective clothing separately. Immediately remove all soiled and contaminated clothing Avoid contact with the eyes and skin. Wash hands before breaks and at the end of work. Breathing equipment: Short term filter device: Filter P2. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the pr Due to missing tests no recommendation to the glove material can be given for the product/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of d degradation	
Sk *particulate **vapour 64-19-7 acetic acid 100 % (1-3%) WEL Short-term value: 50 mg/m³, 20 ppm Long-term value: 25 mg/m³, 10 ppm Additional information: The lists that were valid during the creation were used as basis. 8.2 Exposure controls Personal protective equipment General protective equipment General protective and hygienic measures Keep away from foodstuffs, beverages and feed. Store protective clothing separately. Immediately remove all soiled and contaminated clothing Avoid contact with the eyes and skin. Wash hands before breaks and at the end of work. Breathing equipment: Short term filter device: Filter P2. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the pp Due to missing tests no recommendation to the glove material can be given for the product/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of d degradation Material of gloves	
64-19-7 acetic acid 100 % (1-3%) WEL Short-term value: 50 mg/m³, 20 ppm Long-term value: 25 mg/m³, 10 ppm Additional information: The lists that were valid during the creation were used as basis. 8.2 Exposure controls Personal protective equipment General protective and hygienic measures Keep away from foodstuffs, beverages and feed. Store protective clothing separately. Immediately remove all soiled and contaminated clothing Avoid contact with the eyes and skin. Wash hands before breaks and at the end of work. Breathing equipment: Short term filter device: Filter P2. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the pp Due to missing tests no recommendation to the glove material can be given for the product/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of d degradation Material of gloves	
 WEL Short-term value: 50 mg/m³, 20 ppm Long-term value: 25 mg/m³, 10 ppm Additional information: The lists that were valid during the creation were used as basis. 8.2 Exposure controls Personal protective equipment General protective equipment General protective and hygienic measures Keep away from foodstuffs, beverages and feed. Store protective clothing separately. Immediately remove all soiled and contaminated clothing Avoid contact with the eyes and skin. Wash hands before breaks and at the end of work. Breathing equipment: Short term filter device: Filter P2. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the pr Due to missing tests no recommendation to the glove material can be given for the product/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of d degradation Material of gloves 	
Long-term value: 25 mg/m ³ , 10 ppm Additional information: The lists that were valid during the creation were used as basis. 8.2 Exposure controls Personal protective equipment General protective equipment General protective and hygienic measures Keep away from foodstuffs, beverages and feed. Store protective clothing separately. Immediately remove all soiled and contaminated clothing Avoid contact with the eyes and skin. Wash hands before breaks and at the end of work. Breathing equipment: Short term filter device: Filter P2. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the pr Due to missing tests no recommendation to the glove material can be given for the product/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of d degradation Material of gloves	
Additional information: The lists that were valid during the creation were used as basis. 8.2 Exposure controls Personal protective equipment General protective and hygienic measures Keep away from foodstuffs, beverages and feed. Store protective clothing separately. Immediately remove all soiled and contaminated clothing Avoid contact with the eyes and skin. Wash hands before breaks and at the end of work. Breathing equipment: Short term filter device: Filter P2. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the product/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of di- degradation Material of gloves	
 8.2 Exposure controls Personal protective equipment General protective and hygienic measures Keep away from foodstuffs, beverages and feed. Store protective clothing separately. Immediately remove all soiled and contaminated clothing Avoid contact with the eyes and skin. Wash hands before breaks and at the end of work. Breathing equipment: Short term filter device: Filter P2. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the product/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of d degradation Material of gloves 	
 Personal protective equipment General protective and hygienic measures Keep away from foodstuffs, beverages and feed. Store protective clothing separately. Immediately remove all soiled and contaminated clothing Avoid contact with the eyes and skin. Wash hands before breaks and at the end of work. Breathing equipment: Short term filter device: Filter P2. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the product/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of d degradation Material of gloves 	
General protective and hygienic measuresKeep away from foodstuffs, beverages and feed.Store protective clothing separately.Immediately remove all soiled and contaminated clothingAvoid contact with the eyes and skin.Wash hands before breaks and at the end of work.Breathing equipment:Short term filter device:Filter P2.Protection of hands:The glove material has to be impermeable and resistant to the product/ the substance/ the prDue to missing tests no recommendation to the glove material can be given for the product/the chemical mixture.Selection of the glove material on consideration of the penetration times, rates of ddegradationMaterial of gloves	
 Keep away from foodstuffs, beverages and feed. Store protective clothing separately. Immediately remove all soiled and contaminated clothing Avoid contact with the eyes and skin. Wash hands before breaks and at the end of work. Breathing equipment: Short term filter device: Filter P2. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the pr Due to missing tests no recommendation to the glove material can be given for the product/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of d degradation Material of gloves 	
Store protective clothing separately. Immediately remove all soiled and contaminated clothing Avoid contact with the eyes and skin. Wash hands before breaks and at the end of work. Breathing equipment: Short term filter device: Filter P2. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the pr Due to missing tests no recommendation to the glove material can be given for the product/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of d degradation Material of gloves	
Immediately remove all soiled and contaminated clothing Avoid contact with the eyes and skin. Wash hands before breaks and at the end of work. Breathing equipment: Short term filter device: Filter P2. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the pr Due to missing tests no recommendation to the glove material can be given for the product/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of d degradation Material of gloves	
Avoid contact with the eyes and skin. Wash hands before breaks and at the end of work. Breathing equipment: Short term filter device: Filter P2. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the pr Due to missing tests no recommendation to the glove material can be given for the product/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of d degradation Material of gloves	
Wash hands before breaks and at the end of work. Breathing equipment: Short term filter device: Filter P2. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the product/ the glove material has to be impermeable and resistant to the product/ the substance/ the product/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of d degradation Material of gloves	
Breathing equipment: Short term filter device: Filter P2. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the pr Due to missing tests no recommendation to the glove material can be given for the product/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of d degradation Material of gloves	
Short term filter device: Filter P2. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the pr Due to missing tests no recommendation to the glove material can be given for the product/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of d degradation Material of gloves	
Filter P2. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the pr Due to missing tests no recommendation to the glove material can be given for the product/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of d degradation Material of gloves	
Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the pr Due to missing tests no recommendation to the glove material can be given for the product/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of d degradation Material of gloves	
The glove material has to be impermeable and resistant to the product/ the substance/ the pr Due to missing tests no recommendation to the glove material can be given for the product/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of d degradation Material of gloves	
Due to missing tests no recommendation to the glove material can be given for the product/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of d degradation Material of gloves	reparation.
the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of d degradation Material of gloves	
Selection of the glove material on consideration of the penetration times, rates of d degradation Material of gloves	ine propulation
degradation Material of gloves	iffusion and t
Material of gloves	ijjusion ana i
	further marks
quality and varies from manufacturer to manufacturer.	
The selection of the suitable gloves does not only depend on the material, but also on j	further marks
quality and varies from manufacturer to manufacturer. As the product is a prepare	
substances, the resistance of the glove material can not be calculated in advance and ha	
checked prior to the application.	
Penetration time of glove material	
The exact break trough time has to be found out by the manufacturer of the protective glow	ves and has to
observed.	
For the permanent contact of a maximum of 15 minutes gloves made of the following	ng materials a
suitable:	
Natural rubber, NR	
Eye protection: Safety glasses	
Body protection: Protective work clothing.	
SECTION 9: Physical and chemical properties	
9.1 Information on basic physical and chemical properties	
General Information	

 Form:
 Solution

 Colour:
 Blue

 • Odour:
 Recognisable

 • Odour threshold:
 Not determined.

(Contd. on page 4)

GB

Printing date 16.10.2020	Version number 3	Revision: 16.10.2020

Trade name: SDS Anode buffer (blue)

	(Contd. of pag
· pH-value at 20 •C:	7.9-8.1
· Change in condition	
Melting point/freezing point:	undetermined
Initial boiling point and boiling range	2: undetermined
· Flash point:	no information available
· Flammability (solid, gaseous)	Not applicable.
Decomposition temperature:	Not determined.
· Self igniting:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not determined.
· Density:	Not determined
· Relative density	Not determined.
· Vapour density	Not determined.
• Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible
Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
dynamic:	Not determined.
kinematic:	Not determined.
· Solvent content:	
Organic solvents:	6-13 %
• 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant informations available

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No further relevant informations available.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: In case of fire: See Section 5

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

- Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.

(Contd. on page 5)

GB

Printing date 16.10.2020

Version number 3

Revision: 16.10.2020

(Contd. of page 4)

Trade name: SDS Anode buffer (blue)

- · Reproductive toxicity Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Do not allow product to reach ground water, water course or sewage system. Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** PBT assessment not available.
- · **vPvB**: vPvB assessment not available.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- *Recommendation Disposal must be made according to official regulations.*
- · Uncleaned packagings:
- · Recommendation:

Disposal of uncleaned packagings must be made according to official regulations in the same manner as the product.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

SECTION 14: Transport information

· 14.1 UN-Number · ADR, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, IMDG, IATA · Class · Label	Void -	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Ann Marpol and the IBC Code	ex II of Not applicable.	

(Contd. on page 6)

Printing date 16.10.2020

Version number 3

Revision: 16.10.2020

Trade name: SDS Anode buffer (blue)

(Contd. of page 5)

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations

· Technical instructions (air):

Class	Share in %
II	1-3
NK	5-10

· Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H373 May cause damage to organs through prolonged or repeated exposure.

· Department issuing SDS: Product safety department

• Contact: +49 6221 13840-35

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

PBT: persistent, bioaccumulative, toxic substance (REACH) vPvB: very persistent, very bioaccumulative substance (REACH)

REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

CLP: Regulation on classification, labelling and packaging of substances and mixtures

bw: body weight

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINECS: European Inventory of Existing Commercial Chemic ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity - oral – Category 4

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

GB

		Revision: 16.10.202
SECTION 1: Identification of	of the substance/mixture and of the c	ompany/undertaking
· 1.1 Product identifier		CFD1/A
· Trade name: <u>SDS Cathode buff</u>	fer (white)	serving scientists
 Article number: 43802 1.2 Relevant identified uses of t No further relevant information Application of the substance / the substance /		ed against
 1.3 Details of the supplier of the Manufacturer/Supplier: SERVA Electrophoresis GmbH Carl-Benz-Str. 7 D-69115 Heidelberg Tel.: +49 6221 13840-0 FAX: +49 6221 13840-10 msds.info@serva.de 	e safety data sheet	Suno.
• Information department: Produ • 1.4 Emergency telephone numb Medical Emergency Information Poison Information Center Main (advisory service in German or 1	n in case of poisoning: nz - Phone: +49 (0) 6131 19240	340-35
SECTION 2: Hazards identig	fication	
• 2.1 Classification of the substant • Classification according to Reg		
The product is not classified, ac	eoranig to the CEL regulation.	
 2.2 Label elements Labelling according to Regulate Hazard pictograms Void Signal word Void Hazard statements Void 2.3 Other hazards 	ion (EC) No 1272/2008 Void sment ilable.	
 2.2 Label elements Labelling according to Regulate Hazard pictograms Void Signal word Void Hazard statements Void 2.3 Other hazards Results of PBT and vPvB assess PBT: PBT - assessment not avait vPvB; vPvB - assessment not avait 	ion (EC) No 1272/2008 Void sment ilable. ailable.	
 2.2 Label elements Labelling according to Regulate Hazard pictograms Void Signal word Void Hazard statements Void 2.3 Other hazards Results of PBT and vPvB assess PBT: PBT - assessment not avait vPvB: vPvB - assessment not avait SECTION 3: Composition/in 3.2 Chemical characterisation: 	ion (EC) No 1272/2008 Void sment ilable. ailable. formation on ingredients Mixtures	
 2.2 Label elements Labelling according to Regulate Hazard pictograms Void Signal word Void Hazard statements Void 2.3 Other hazards Results of PBT and vPvB assess PBT: PBT - assessment not avai vPvB: vPvB - assessment not avai SECTION 3: Composition/in 3.2 Chemical characterisation: Description: Mixture of the substitution 	ion (EC) No 1272/2008 Void sment ilable. ailable.	ons.
 2.2 Label elements Labelling according to Regulate Hazard pictograms Void Signal word Void Hazard statements Void 2.3 Other hazards Results of PBT and vPvB assess PBT: PBT - assessment not avait vPvB: vPvB - assessment not avait SECTION 3: Composition/in 3.2 Chemical characterisation: 	ion (EC) No 1272/2008 Void sment ilable. ailable. formation on ingredients Mixtures stances listed below with harmless additi	
 2.2 Label elements Labelling according to Regulate Hazard pictograms Void Signal word Void Hazard statements Void 2.3 Other hazards Results of PBT and vPvB assess PBT: PBT - assessment not avail vPvB: vPvB - assessment not avail SECTION 3: Composition/in 3.2 Chemical characterisation: Description: Mixture of the subs Dangerous components: CAS: 107-21-1 EINECS: 203-473-3 	ion (EC) No 1272/2008 Void sment ilable. ailable. formation on ingredients Mixtures stances listed below with harmless additi f STOT RE 2, H373,	
 2.2 Label elements Labelling according to Regulate Hazard pictograms Void Signal word Void Hazard statements Void 2.3 Other hazards Results of PBT and vPvB assess PBT: PBT - assessment not avail vPvB: vPvB - assessment not avail SECTION 3: Composition/in 3.2 Chemical characterisation: Description: Mixture of the subs Dangerous components: CAS: 107-21-1 	ion (EC) No 1272/2008 Void sment ilable. ailable. formation on ingredients Mixtures stances listed below with harmless addition with the standard sta	

· After skin contact

*

*

*

Immediately wash with water and soap and rinse thoroughly. Consult doctor if you feel unwell.

(Contd. on page 2) GB

Printing date 16.10.2020

Version number 3

Revision: 16.10.2020

(Contd. of page 1)

Trade name: SDS Cathode buffer (white)

· After eye contact

Rinse opened eye for several minutes under running water. Remove present contact lenses, if easy to do, and continue rinsing. Consult ophthalmologist In case of complaints.

- · After swallowing Wash out mouth. Seek medical advice if discomfort occurs.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents
- CO_2 , extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • 5.2 Special hazards arising from the substance or mixture
- In case of fire, the following can be formed, but not limited to: Carbon monoxide and carbon dioxide Nitrogen oxides (NOx)
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13.

- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed and store in dry conditions.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· 8.1 Control parameters

· Components with limit values that require monitoring at the workplace:

107-21-1 Ethanediol (5-10%)

WEL Short-term value: 104** mg/m³, 40** ppm Long-term value: 10* 52** mg/m³, 20** ppm

Sk *particulate **vapour

(Contd. on page 3)

GB

Printing date 16.10.2020

*

Version number 3

Revision: 16.10.2020

Trade name: SDS Cathode buffer (white)

8.2 Exposure controls	
Personal protective equipment	
General protective and hygienic me	easures
Keep away from foodstuffs, beverage	es and feed.
Store protective clothing separately.	
Immediately remove all soiled and c	contaminated clothing
Avoid contact with the eyes and skin	
Wash hands before breaks and at the	e end of work.
Breathing equipment:	
Short term filter device:	
Filter P2.	
Protection of hands:	
	neable and resistant to the product/ the substance/ the preparation.
the chemical mixture.	ation to the glove material can be given for the product/ the preparation
	n consideration of the penetration times, rates of diffusion and t
degradation	n consideration of the penetration times, rates of alfusion and t
Material of gloves	
	es does not only depend on the material, but also on further marks
quality and varies from manufacture	
	es does not only depend on the material, but also on further marks
	turer to manufacturer. As the product is a preparation of seven
	ove material can not be calculated in advance and has therefore to
checked prior to the application.	·
observed. For the permanent contact of a m suitable:	
The exact break trough time has to observed. For the permanent contact of a m	naximum of 15 minutes gloves made of the following materials a
The exact break trough time has to observed. For the permanent contact of a m suitable: Natural rubber, NR Eye protection: Safety glasses	
The exact break trough time has to observed. For the permanent contact of a m suitable: Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work cla SECTION 9: Physical and chem	naximum of 15 minutes gloves made of the following materials a othing. nical properties
The exact break trough time has to observed. For the permanent contact of a m suitable: Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work cla SECTION 9: Physical and chem 9.1 Information on basic physical a	naximum of 15 minutes gloves made of the following materials a othing. nical properties
The exact break trough time has to observed. For the permanent contact of a m suitable: Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work cla SECTION 9: Physical and chem 9.1 Information on basic physical a General Information	naximum of 15 minutes gloves made of the following materials a othing. nical properties
The exact break trough time has to observed. For the permanent contact of a m suitable: Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work cla SECTION 9: Physical and chem 9.1 Information on basic physical a General Information Appearance:	naximum of 15 minutes gloves made of the following materials a othing. nical properties and chemical properties
The exact break trough time has to observed. For the permanent contact of a m suitable: Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work cla SECTION 9: Physical and chem 9.1 Information on basic physical a General Information Appearance: Form:	naximum of 15 minutes gloves made of the following materials a othing. nical properties and chemical properties Solution
The exact break trough time has to observed. For the permanent contact of a m suitable: Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work cla SECTION 9: Physical and chem 9.1 Information on basic physical a General Information Appearance:	naximum of 15 minutes gloves made of the following materials a othing. nical properties and chemical properties
The exact break trough time has to observed. For the permanent contact of a m suitable: Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work cla SECTION 9: Physical and chem 9.1 Information on basic physical a General Information Appearance: Form: Colour:	naximum of 15 minutes gloves made of the following materials a othing. nical properties and chemical properties Solution Colourless
The exact break trough time has to observed. For the permanent contact of a m suitable: Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work cla SECTION 9: Physical and chem 9.1 Information on basic physical a General Information Appearance: Form: Colour: Odour:	naximum of 15 minutes gloves made of the following materials a othing. nical properties and chemical properties Solution Colourless Odourless
The exact break trough time has to observed. For the permanent contact of a m suitable: Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work cla SECTION 9: Physical and chem 9.1 Information on basic physical a General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value at 20 °C:	naximum of 15 minutes gloves made of the following materials a othing. nical properties und chemical properties Solution Colourless Odourless Not determined.
The exact break trough time has to observed. For the permanent contact of a m suitable: Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work cla SECTION 9: Physical and chem 9.1 Information on basic physical a General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value at 20 °C: Change in condition	naximum of 15 minutes gloves made of the following materials a othing. nical properties und chemical properties Solution Colourless Odourless Not determined. 7.4-7.6
The exact break trough time has to observed. For the permanent contact of a m suitable: Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work cla SECTION 9: Physical and chem 9.1 Information on basic physical a General Information Appearance: Form: Colour: Odour: Odour: Dodour threshold: pH-value at 20 °C: Change in condition Melting point/freezing point:	naximum of 15 minutes gloves made of the following materials a othing. nical properties und chemical properties Solution Colourless Odourless Not determined. 7.4-7.6 undetermined
The exact break trough time has to observed. For the permanent contact of a m suitable: Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work cla SECTION 9: Physical and chem 9.1 Information on basic physical a General Information Appearance: Form: Colour: Odour: Odour: Odour threshold: pH-value at 20 °C: Change in condition Melting point/freezing point: Initial boiling point and boiling re	naximum of 15 minutes gloves made of the following materials a othing. mical properties and chemical properties Solution Colourless Odourless Not determined. 7.4-7.6 undetermined ange: undetermined
The exact break trough time has to observed. For the permanent contact of a m suitable: Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work cla SECTION 9: Physical and chem 9.1 Information on basic physical a General Information Appearance: Form: Colour: Odour: Odour: Odour threshold: pH-value at 20 °C: Change in condition Melting point/freezing point: Initial boiling point and boiling ra	naximum of 15 minutes gloves made of the following materials a othing. sical properties mical properties Solution Colourless Odourless Not determined. 7.4-7.6 undetermined ange: undetermined no information available
The exact break trough time has to observed. For the permanent contact of a m suitable: Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work cla SECTION 9: Physical and chem 9.1 Information on basic physical a General Information Appearance: Form: Colour: Odour: Odour: Odour threshold: pH-value at 20 °C: Change in condition Melting point/freezing point: Initial boiling point and boiling re Flash point: Flammability (solid, gaseous)	naximum of 15 minutes gloves made of the following materials a othing. ical properties ind chemical properties Solution Colourless Odourless Not determined. 7.4-7.6 undetermined ange: undetermined no information available Not applicable.
The exact break trough time has to observed. For the permanent contact of a m suitable: Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work cla SECTION 9: Physical and chem 9.1 Information on basic physical a General Information Appearance: Form: Colour: Odour: Odour: Odour threshold: pH-value at 20 °C: Change in condition Melting point/freezing point: Initial boiling point and boiling ra	naximum of 15 minutes gloves made of the following materials a othing. sical properties und chemical properties Solution Colourless Odourless Not determined. 7.4-7.6 undetermined ange: undetermined no information available

Printing date 16.10.2020

Version number 3

Revision: 16.10.2020

Trade name: SDS Cathode buffer (white)

	(Contd. of page
Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not determined.
Density:	Not determined
Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
dynamic:	Not determined.
kinematic:	Not determined.
· Solvent content:	
Organic solvents:	5-10 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant informations available

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No further relevant informations available.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: In case of fire: See Section 5

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- $\cdot \textit{STOT-single exposure Based on available data, the classification criteria are not met.}$
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.

(Contd. on page 5)

GB

Printing date 16.10.2020

Version number 3

Revision: 16.10.2020

(Contd. of page 4)

Trade name: SDS Cathode buffer (white)

- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. • 12.5 Results of PBT and vPvB assessment

• **PBT:** PBT - assessment not available.

- **vPvB**: vPvB assessment not available.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- *Recommendation Disposal must be made according to official regulations.*
- · Uncleaned packagings:
- · Recommendation:

Disposal of uncleaned packagings must be made according to official regulations in the same manner as the product.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

SECTION 14: Transport information

· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, IMDG, IATA · Class · Label · ADN/R Class:	Void - Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
 14.5 Environmental hazards: Marine pollutant: 	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Anne Marpol and the IBC Code	e x II of Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Named dangerous substances - ANNEX I None of the ingredients is listed.

(Contd. on page 6)

[·] Directive 2012/18/EU

GB -

Printing date 16.10.2020

Version number 3

Revision: 16.10.2020

Trade name: SDS Cathode buffer (white)

(Contd. of page 5)

· National regulations

• Technical instructions (air):



• Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed. H373 May cause damage to organs through prolonged or repeated exposure.

· Department issuing SDS: Product safety department

• Contact: +49 6221 13840-35 • Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

PBT: persistent, bioaccumulative, toxic substance (REACH)

- vPvB: very persistent, very bioaccumulative substance (REACH)
- REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

CLP: Regulation on classification, labelling and packaging of substances and mixtures

bw: body weight ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - oral - Category 4

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

GB -

Printing date 14.10.2020	Version number 2	Revision: 12.10.2020
SECTION 1: Identification of	of the substance/mixture and of the compa	iny/undertaking
· 1.1 Product identifier		
• Trade name: <u>Cooling Fluid</u>		SERVA serving scientists
No further relevant information	the substance or mixture and uses advised ago available. the mixture Laboratory chemicals	ainst
 1.3 Details of the supplier of th Manufacturer/Supplier: SERVA Electrophoresis GmbH Carl-Benz-Str. 7 D-69115 Heidelberg Tel.: +49 6221 13840-0 FAX: +49 6221 13840-10 msds.info@serva.de 	ne safety data sheet	Grado
• 1.4 Emergency telephone numl Medical Emergency Information	n in case of poisoning: nz - Phone: +49 (0) 6131 19240	5
SECTION 2: Hazards idention • 2.1 Classification of the substance • Classification according to Reg The product is not classified, acc • 2.2 Label elements • Labelling according to Regulat	nce or mixture gulation (EC) No 1272/2008 ccording to the CLP regulation.	
 Hazard pictograms Void Signal word Void Hazard statements Void 2.3 Other hazards Results of PBT and vPvB asses PBT: PBT - assessment not ava vPvB; vPvB - assessment not ava 	ssment tilable.	
SECTION 3: Composition/in	nformation on ingredients	
• 3.2 Chemical characterisation: • Description: aqueous solution	Mixtures	
• Dangerous components: The product contains no ingred	dients classified as hazardous substances acco n individual concentrations which shall be indi Regulation).	
SECTION 4: First aid measure	ures	
• 4.1 Description of first aid mea • General information No specia	isures	

*

*

Printing date 14.10.2020

Version number 2

Revision: 12.10.2020

(Contd. of page 1)

Trade name: Cooling Fluid

· After eye contact

Rinse opened eye for several minutes under running water. Remove present contact lenses, if easy to do, and continue rinsing. Consult ophthalmologist In case of complaints.

- · After swallowing Wash out mouth. Seek medical advice if discomfort occurs.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents
- CO_2 , extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • 5.2 Special hazards arising from the substance or mixture
- In case of fire, the following can be formed, but not limited to: Carbon monoxide and carbon dioxide
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing. Ensure adequate ventilation
 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
 6.3 Methods and material for containment and cleaning up:
- Dispose contaminated material as waste according to item 13. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections
 See Section 7 for information on safe handling
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- \cdot Requirements to be met by storerooms and receptacles: Store at +2 to +8 °C
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed and store in dry conditions.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · 8.1 Control parameters
- · Components with limit values that require monitoring at the workplace:

56-81-5 glycerol (5-15%)

WEL Long-term value: 10 mg/m³

(Contd. on page 3)

GB

Printing date 14.10.2020

*

Version number 2

Revision: 12.10.2020

Trade name: Cooling Fluid

8.2 Exposure controls	
Personal protective equipment	
General protective and hygienic med	
Keep away from foodstuffs, beverage.	is and feed.
Store protective clothing separately.	
Immediately remove all soiled and co	
Avoid contact with the eyes and skin.	
Wash hands before breaks and at the Breathing equipment:	ena oj work.
Short term filter device:	
Filter P2.	
Protection of hands:	
	eable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendat	tion to the glove material can be given for the product/ the preparation
the chemical mixture.	
	n consideration of the penetration times, rates of diffusion and th
degradation	
Material of gloves	
	s does not only depend on the material, but also on further marks o
quality and varies from manufacturer	
	s does not only depend on the material, but also on further marks of
	turer to manufacturer. As the product is a preparation of severa
checked prior to the application.	ove material can not be calculated in advance and has therefore to b
Penetration time of glove material	
The exact break trough time has to h	be found out by the manufacturer of the protective aloves and has to b
	be found out by the manufacturer of the protective gloves and has to b
observed.	
observed.	
observed. For the permanent contact of a ma	
observed. For the permanent contact of a mass suitable: Natural rubber, NR Eye protection: Safety glasses	aximum of 15 minutes gloves made of the following materials ar
observed. For the permanent contact of a ma suitable: Natural rubber, NR	aximum of 15 minutes gloves made of the following materials ar
observed. For the permanent contact of a mass suitable: Natural rubber, NR Eye protection: Safety glasses	aximum of 15 minutes gloves made of the following materials ar
observed. For the permanent contact of a mass suitable: Natural rubber, NR Eye protection: Safety glasses	aximum of 15 minutes gloves made of the following materials ar
observed. For the permanent contact of a ma suitable: Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and chemi	aximum of 15 minutes gloves made of the following materials ar othing. Scal properties
observed. For the permanent contact of a masuitable: Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and chemi 9.1 Information on basic physical and	aximum of 15 minutes gloves made of the following materials arout thing.
observed. For the permanent contact of a masuitable: Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and chemi 9.1 Information on basic physical and General Information	aximum of 15 minutes gloves made of the following materials ar othing. Scal properties
observed. For the permanent contact of a masuitable: Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and chemi 9.1 Information on basic physical and	aximum of 15 minutes gloves made of the following materials ar othing. Scal properties
observed. For the permanent contact of a masuitable: Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and chemi 9.1 Information on basic physical and General Information Appearance:	aximum of 15 minutes gloves made of the following materials ar othing. <mark>ical properties</mark> nd chemical properties
observed. For the permanent contact of a masuitable: Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and chemi 9.1 Information on basic physical and General Information Appearance: Form: Colour:	aximum of 15 minutes gloves made of the following materials ar othing. Solution
observed. For the permanent contact of a masuitable: Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and chemi 9.1 Information on basic physical and General Information Appearance: Form: Colour: Odour:	aximum of 15 minutes gloves made of the following materials ar othing.
observed. For the permanent contact of a masuitable: Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and chemi 9.1 Information on basic physical and General Information Appearance: Form:	aximum of 15 minutes gloves made of the following materials ar othing. Solution Colourless Odourless
observed. For the permanent contact of a masuitable: Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and chemi 9.1 Information on basic physical and General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value at 20 °C:	aximum of 15 minutes gloves made of the following materials are othing. ical properties ind chemical properties Solution Colourless Odourless no information available
observed. For the permanent contact of a masuitable: Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and chemi 9.1 Information on basic physical and General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value at 20 °C: Change in condition	aximum of 15 minutes gloves made of the following materials are othing.
observed. For the permanent contact of a masuitable: Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and chemi 9.1 Information on basic physical and General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value at 20 °C: Change in condition Melting point/freezing point:	aximum of 15 minutes gloves made of the following materials are othing.
observed. For the permanent contact of a masuitable: Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and chemi 9.1 Information on basic physical and General Information Appearance: Form: Colour: Odour: Odour: Odour threshold: pH-value at 20 °C: Change in condition Melting point/freezing point: Initial boiling point and boiling ra	aximum of 15 minutes gloves made of the following materials are othing.
observed. For the permanent contact of a masuitable: Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and chemi 9.1 Information on basic physical and General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value at 20 °C: Change in condition Melting point/freezing point: Initial boiling point and boiling ra Flash point:	aximum of 15 minutes gloves made of the following materials are othing. ical properties ind chemical properties Solution Colourless Odourless Odourless no information available 6-8.3 no information available no information available no information available
observed. For the permanent contact of a masuitable: Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and chemi 9.1 Information on basic physical and General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value at 20 °C: Change in condition Melting point/freezing point: Initial boiling point and boiling ra Flash point: Flammability (solid, gaseous)	aximum of 15 minutes gloves made of the following materials are othing. ical properties ind chemical properties Solution Colourless Odourless no information available 6-8.3 no information available inge: no information available Not applicable.
observed. For the permanent contact of a masuitable: Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and chemi 9.1 Information on basic physical and General Information Appearance: Form: Colour: Odour: Odour: Odour threshold: pH-value at 20 °C: Change in condition Melting point/freezing point: Initial boiling point and boiling ra Flash point: Flammability (solid, gaseous) Decomposition temperature:	ical properties ind chemical properties Solution Colourless Odourless no information available 6-8.3 no information available no information available Not applicable. no information available
observed. For the permanent contact of a masuitable: Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work clo SECTION 9: Physical and chemi 9.1 Information on basic physical and General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value at 20 °C: Change in condition Melting point/freezing point: Initial boiling point and boiling ra Flash point: Flammability (solid, gaseous)	eaximum of 15 minutes gloves made of the following materials are othing. ical properties ind chemical properties Solution Colourless Odourless Odourless no information available 6-8.3 no information available inge: no information available Not applicable.

Printing date 14.10.2020

Version number 2

Revision: 12.10.2020

Trade name: Cooling Fluid

	(Contd. of page 3
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	no information available
Upper:	no information available
· Vapour pressure:	no information available
· Density:	no information available
· Relative density	no information available
· Vapour density	no information available
· Evaporation rate	no information available
· Solubility in / Miscibility with	
Water:	Fully miscible
· Partition coefficient: n-octanol/water:	no information available
· Viscosity:	
dynamic:	no information available
kinematic:	no information available
• 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant informations available

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No further relevant informations available.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: In case of fire: See Section 5

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

- · Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

(Contd. on page 5)

GB

Printing date 14.10.2020

Version number 2

Revision: 12.10.2020

Trade name: Cooling Fluid

· Additional ecological information:

· General notes:

Do not allow product to reach ground water, water course or sewage system. Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** PBT assessment not available.
- · **vPvB**: vPvB assessment not available.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Disposal must be made according to official regulations.
- · Uncleaned packagings:
- · Recommendation:

Disposal of uncleaned packagings must be made according to official regulations in the same manner as the product.

• **Recommended cleansing agent:** Water, if necessary with cleansing agents.

SECTION 14: Transport information	2	
· 14.1 UN-Number · ADR, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, IMDG, IATA · Class · Label	Void -	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Ann Marpol and the IBC Code	nex II of Not applicable.	

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· National regulations

• Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 6)

GB

(Contd. of page 4)

Printing date 14.10.2020

Version number 2

Revision: 12.10.2020

Trade name: Cooling Fluid

(Contd. of page 5)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Product safety department

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation PBT: persistent, bioaccumulative, toxic substance (REACH) vPvB: very persistent, very bioaccumulative substance (REACH) REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals CLP: Regulation on classification, labelling and packaging of substances and mixtures bw: body weight ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

GB

[·] Contact: +49 6221 13840-35

umber 2	Revision: 14.10.202
xture and of the compa	my/undertaking
	SERVA serving scientists
t <mark>ure and uses advised aga</mark> ry chemicals	uinst
i S	GUND
Tel.: +49 6221 13840-35 : 131 19240	ī
egulation. 08 Void	
edients	
	ording to Regulation (EC) No cated according to Regulatio
· ·	[°] vou feel unwell.
	case of complaints. roughly. Consult doctor if

*

*

Printing date 14.10.2020

Version number 2

Revision: 14.10.2020

(Contd. of page 1)

Trade name: Equilibration Buffer

· After eye contact

Rinse opened eye for several minutes under running water. Remove present contact lenses, if easy to do, and continue rinsing. Consult ophthalmologist In case of complaints.

- · After swallowing Wash out mouth. Seek medical advice if discomfort occurs.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** *No further relevant information available.*

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents
- CO_2 , extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • 5.2 Special hazards arising from the substance or mixture
- In case of fire, the following can be formed, but not limited to: Carbon monoxide and carbon dioxide
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13.
 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling No special measures required.

- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities

· Storage

- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed and store in dry conditions.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· 8.1 Control parameters

· Components with limit values that require monitoring at the workplace:

56-81-5 glycerol (20-40%)

WEL Long-term value: 10 mg/m³

• Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 3)

GB -

Printing date 14.10.2020

*

Version number 2

Revision: 14.10.2020

Trade name: Equilibration Buffer

8.2 Exposure controls	(Contd. of page 2
Personal protective equipment	
General protective and hygienic me	asures
Keep away from foodstuffs, beverage	es and feed.
Store protective clothing separately.	
Immediately remove all soiled and co	
Avoid contact with the eyes and skin.	
Wash hands before breaks and at the	end of work.
Breathing equipment:	
Short term filter device:	
Filter P2.	
Protection of hands:	
	eable and resistant to the product/ the substance/ the preparation.
	tion to the glove material can be given for the product/ the preparation
the chemical mixture.	
	n consideration of the penetration times, rates of diffusion and th
degradation Material of gloves	
Material of gloves	s does not only depend on the material, but also on further marks o
quality and varies from manufacture.	
	s does not only depend on the material, but also on further marks o
	turer to manufacturer. As the product is a preparation of sever
	ove material can not be calculated in advance and has therefore to b
checked prior to the application.	we material can not be calculated in advance and has interejore to b
Penetration time of glove material	
	be found out by the manufacturer of the protective gloves and has to b
observed.	se journe our of the manufacturer of the protective Stoves and has to o
	aximum of 15 minutes gloves made of the following materials ar
suitable:	
Natural rubber, NR	
Natural rubber, NR	othing.
Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work clo	
Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work cla SECTION 9: Physical and chema	ical properties
Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work clo	ical properties
Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work cla SECTION 9: Physical and chemi 9.1 Information on basic physical and	ical properties
Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work closed SECTION 9: Physical and chemic 9.1 Information on basic physical and General Information Appearance: Form:	ical properties nd chemical properties Solution
Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work classic SECTION 9: Physical and chemic 9.1 Information on basic physical and General Information Appearance: Form: Colour:	ical properties nd chemical properties Solution Violet
Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work classic SECTION 9: Physical and chemic 9.1 Information on basic physical and General Information Appearance: Form: Colour: Odour:	ical properties nd chemical properties Solution Violet Odourless
Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work classic SECTION 9: Physical and chemic 9.1 Information on basic physical and General Information Appearance: Form: Colour: Odour:	ical properties nd chemical properties Solution Violet
Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work closed SECTION 9: Physical and chemic 9.1 Information on basic physical and General Information Appearance: Form:	ical properties nd chemical properties Solution Violet Odourless
Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work classic SECTION 9: Physical and chemic 9.1 Information on basic physical and General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value at 20 °C: Change in condition	ical properties and chemical properties Solution Violet Odourless Not determined.
Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work classic SECTION 9: Physical and chemic 9.1 Information on basic physical and General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value at 20 °C: Change in condition Melting point/freezing point:	ical properties nd chemical properties Solution Violet Odourless Not determined. 8.9-9.3 undetermined
Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work classic SECTION 9: Physical and chemic 9.1 Information on basic physical and General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value at 20 °C: Change in condition	ical properties nd chemical properties Solution Violet Odourless Not determined. 8.9-9.3 undetermined
Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work classic SECTION 9: Physical and chemic 9.1 Information on basic physical and General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value at 20 °C: Change in condition Melting point/freezing point:	ical properties nd chemical properties Solution Violet Odourless Not determined. 8.9-9.3 undetermined
Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work classes SECTION 9: Physical and chema 9.1 Information on basic physical and General Information Appearance: Form: Colour: Odour: Odour: Odour threshold: pH-value at 20 °C: Change in condition Melting point/freezing point: Initial boiling point and boiling rates	ical properties nd chemical properties Solution Violet Odourless Not determined. 8.9-9.3 undetermined unge: undetermined
Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work classes SECTION 9: Physical and chemic 9.1 Information on basic physical and General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value at 20 °C: Change in condition Melting point/freezing point: Initial boiling point and boiling rates Flash point:	ical properties ind chemical properties Solution Violet Odourless Not determined. 8.9-9.3 undetermined inge: undetermined no information available
Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work classes SECTION 9: Physical and chemn 9.1 Information on basic physical and General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value at 20 °C: Change in condition Melting point/freezing point: Initial boiling point and boiling rat Flash point: Flammability (solid, gaseous) Decomposition temperature: Self igniting:	ical properties ind chemical properties Solution Violet Odourless Not determined. 8.9-9.3 undetermined inge: undetermined no information available Not applicable. no information available Product is not selfigniting.
Natural rubber, NR Eye protection: Safety glasses Body protection: Protective work classes SECTION 9: Physical and cheme 9.1 Information on basic physical and General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value at 20 °C: Change in condition Melting point/freezing point: Initial boiling point and boiling rat Flash point: Flammability (solid, gaseous) Decomposition temperature:	ical properties ind chemical properties Solution Violet Odourless Not determined. 8.9-9.3 undetermined inge: undetermined no information available Not applicable. no information available

Printing date 14.10.2020

Version number 2

Revision: 14.10.2020

Trade name: Equilibration Buffer

	(Contd. of page 3
· Explosion limits:	
Lower:	no information available
Upper:	no information available
· Vapour pressure:	no information available
· Density:	no information available
· Relative density	Not determined.
· Vapour density	Not determined.
• Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible
· Partition coefficient: n-octanol/water:	no information available
· Viscosity:	
dynamic:	no information available
kinematic:	no information available
• 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant informations available

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No further relevant informations available.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: In case of fire: See Section 5

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- \cdot 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

(Contd. on page 5)

GB

Printing date 14.10.2020

Version number 2

Revision: 14.10.2020

Trade name: Equilibration Buffer

· Additional ecological information:

· General notes:

Do not allow product to reach ground water, water course or sewage system. Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** PBT assessment not available.
- · **vPvB**: vPvB assessment not available.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Disposal must be made according to official regulations.
- · Uncleaned packagings:
- · Recommendation:

Disposal of uncleaned packagings must be made according to official regulations in the same manner as the product.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

SECTION 14: Transport information	
· 14.1 UN-Number · ADR, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA · Class · Label	Void -
 14.4 Packing group ADR, IMDG, IATA 	Void
 14.5 Environmental hazards: Marine pollutant: 	No
· 14.6 Special precautions for user	Not applicable.
• 14.7 Transport in bulk according to Annex Marpol and the IBC Code	x II of Not applicable.

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· National regulations

• Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 6)

GB

(Contd. of page 4)

Printing date 14.10.2020

Version number 2

Revision: 14.10.2020

Trade name: Equilibration Buffer

(Contd. of page 5)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Product safety department

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation PBT: persistent, bioaccumulative, toxic substance (REACH) vPvB: very persistent, very bioaccumulative substance (REACH) REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals CLP: Regulation on classification, labelling and packaging of substances and mixtures bw: body weight ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

[·] Contact: +49 6221 13840-35