

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 24.11.2011

Version number 1

Revision: 04.10.2011

## 1 Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

· Trade name: ETHYLENEDIAMINE ANHYDROUS P.A.

**SERVA**  
Electrophoresis

· Article number: 11270

· CAS Number:  
107-15-3

· EC number:  
2034686

· Index number:  
612-006-00-6

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

· Application of the substance / the preparation Laboratory chemicals

### 1.3. Details of the supplier of the safety data sheet

#### · Manufacturer/Supplier:

SERVA Electrophoresis GmbH  
Carl-Benz-Str. 7  
D-69115 Heidelberg  
Tel.: +49 6221 13840-0  
FAX: +49 6221 13840-10  
msds.info@serva.de

· Information department: Product Safety department Tel.: +49 6221 13840-35

· 1.4. Emergency telephone number: +49 6131 19240 (university hospital Mainz)

## 2 Hazards identification

### 2.1. Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008



GHS02

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS08

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.



GHS05

Skin Corr. 1B H314 Causes severe skin burns and eye damage.




GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.


Skin Sens. 1 H317 May cause an allergic skin reaction.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC



C; Corrosive

R34: Causes burns.



Xn; Harmful

R21/22: Harmful in contact with skin and if swallowed.

(Contd. on page 2)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 24.11.2011

Version number 1

Revision: 04.10.2011

**Trade name: ETHYLENEDIAMINE ANHYDROUS P.A.**

(Contd. of page 1)

**Xn; Sensitising***R42/43: May cause sensitisation by inhalation and skin contact.**R10: Flammable.***Classification system:***The classification was made according to the latest editions of the EU-lists, and expanded upon from company and literature data.***2.2. Label elements****Labelling according to Regulation (EC) No 1272/2008***The substance is classified and labelled according to the CLP regulation.***Hazard pictograms** GHS02, GHS05, GHS07, GHS08**Signal word** Danger**Hazard statements***H226 Flammable liquid and vapour.**H302 Harmful if swallowed.**H312 Harmful in contact with skin.**H314 Causes severe skin burns and eye damage.**H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.**H317 May cause an allergic skin reaction.***Precautionary statements***P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.**P280 Wear protective gloves/protective clothing/eye protection/face protection.**P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.**P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.**P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.**P405 Store locked up.***2.3. Other hazards****Results of PBT and vPvB assessment****PBT:** PBT - assessment not available.**vPvB:** vPvB - assessment not available.**3 Composition/information on ingredients****3.1. Chemical characterization: Substances****CAS No. Description:***107-15-3 ethylenediamine***Identification number(s):****EC number:** 2034686**Index number:** 612-006-00-6**4 First aid measures****4.1. Description of first aid measures****General information***Remove contaminated clothing.**Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.***After inhalation** Supply fresh air and to be sure call for a doctor.**After skin contact** Immediately wash with water and soap and rinse thoroughly.**After eye contact** Rinse opened eye for several minutes under running water. Then consult doctor.**After swallowing** Drink copious amounts of water and provide fresh air. Call for doctor immediately.

(Contd. on page 3)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 24.11.2011

Version number 1

Revision: 04.10.2011

**Trade name: ETHYLENEDIAMINE ANHYDROUS P.A.**

(Contd. of page 2)

- **Information for doctor**
- **4.2. Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **4.3. Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## 5 Firefighting measures

- **5.1. Extinguishing media**
- **Suitable extinguishing agents**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2. Special hazards arising from the substance or mixture**  
In case of fire, the following can be released:  
Nitrogen oxides (NO<sub>x</sub>)  
Carbon monoxide and carbon dioxide
- **5.3. Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

## 6 Accidental release measures

- **6.1. Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **6.2. Environmental precautions:**  
Do not allow to enter sewers/ surface or ground water.  
Dilute with plenty of water.
- **6.3. Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Use neutralizing agent.  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **6.4. Reference to other sections**  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **Handling**
- **7.1. Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Open and handle receptacle with care.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.
- **7.2. Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** Store in cool, dry place in tightly closed receptacles.
- **Information about storage in one common storage facility:** Store away from oxidizing agents.
- **Further information about storage conditions:**  
Store under lock and key and with access restricted to technical experts or their assistants only.
- **7.3. Specific end use(s)** No further relevant information available.

GB

(Contd. on page 4)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 24.11.2011

Version number 1

Revision: 04.10.2011

Trade name: **ETHYLENEDIAMINE ANHYDROUS P.A.**

(Contd. of page 3)

### 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **8.1. Control parameters**
- **Components with limit values that require monitoring at the workplace:** Not required.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **8.2. Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.
- **Breathing equipment:**  
Short term filter device:  
Filter A/P2.
- **Protection of hands:**  
Protective gloves.  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**  
Butyl rubber, BR
- **Eye protection:** Tightly sealed goggles.
- **Body protection:** Protective work clothing.

### 9 Physical and chemical properties

- **9.1. Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Liquid
Colour:	Colourless
Odour:	Ammonia-like
- **pH-value (110 g/l) at 20°C:** 12.2
- **Change in condition**

Melting point/Melting range:	8 - 10°C
Boiling point/Boiling range:	116 - 118°C
- **Flash point:** 34°C
- **Ignition temperature:** 385°C
- **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

(Contd. on page 5)

GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 24.11.2011

Version number 1

Revision: 04.10.2011

Trade name: **ETHYLENEDIAMINE ANHYDROUS P.A.**

(Contd. of page 4)

- |                                                                            |            |
|----------------------------------------------------------------------------|------------|
| · <b>Explosion limits:</b>                                                 |            |
| <b>Lower:</b>                                                              | 2.7 Vol %  |
| <b>Upper:</b>                                                              | 16.6 Vol % |
| · <b>Vapour pressure at 20°C:</b> 12 hPa                                   |            |
| · <b>Density at 20°C:</b> 0.897-0.900 g/cm <sup>3</sup>                    |            |
| · <b>Solubility in / Miscibility with Water:</b> Fully miscible            |            |
| · <b>9.2. Other information</b> No further relevant information available. |            |

### 10 Stability and reactivity

- **10.1. Reactivity** No further relevant informations available
- **10.2. Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3. Possibility of hazardous reactions** No dangerous reactions known
- **10.4. Conditions to avoid**  
Avoid contact with: air  
Ignition sources  
Heating  
moisture
- **10.5. Incompatible materials:**  
Avoid contact with combustible materials.  
Oxidizers  
Aldehydes  
Phosphor halogenides  
Organic halogenides
- **10.6. Hazardous decomposition products:**  
Carbon monoxide and carbon dioxide  
Nitrogen oxides (NOx)

### 11 Toxicological information

- **11.1. Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

Oral	LD50	500 mg/kg (rat)
Dermal	LD50	730 mg/kg (rbt)
Inhalative	LC50/4 h	0.3 mg/l (Maus)

- **Primary irritant effect:**
- **on the skin:** Caustic effect on skin and mucous membranes.
- **on the eye:** Strong caustic effect.
- **Sensitization:**  
Sensitization possible through inhalation.  
Sensitization possible through skin contact.
- **Additional toxicological information:**  
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

### 12 Ecological information

- **12.1. Toxicity**
- **Acquatic toxicity:** No further relevant information available.

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 24.11.2011

Version number 1

Revision: 04.10.2011

Trade name: **ETHYLENEDIAMINE ANHYDROUS P.A.**



(Contd. of page 5)

- **12.2. Persistence and degradability** biodegradable
- **Behaviour in environmental systems:**
- **12.3. Bioaccumulative potential** No relevant bioaccumulation is expected because of  $\log Pow < 1$ .
- **12.4. Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 2 (German Regulation) (Assessment by list): hazardous for water.  
Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.
- **12.5. Results of PBT and vPvB assessment**
- **PBT:** PBT - assessment not available.
- **vPvB:** vPvB - assessment not available.
- **12.6. Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **13.1. Waste treatment methods**
- **Recommendation**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

### 14 Transport information

- **14.1. UN-Number**
- **ADR, IMDG, IATA** UN1604
- **14.2. UN proper shipping name**
- **IMDG** ETHYLENEDIAMINE
- **IATA** Ethylendiamine
- **14.3. Transport hazard class(es)**
- **ADR**
- 
- **Class** 8 Corrosive substances.
- **Label** 8+3
- **IMDG, IATA**
- 
- **Class** 8 Corrosive substances.
- **Label** 8 + 3
- **14.4. Packing group**
- **ADR, IMDG, IATA** II
- **14.5. Environmental hazards:**
- **Marine pollutant:** No
- **14.6. Special precautions for user** Warning: Corrosive substances.
- **Danger code (Kemler):** 83

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 24.11.2011

Version number 1

Revision: 04.10.2011

**Trade name: ETHYLENEDIAMINE ANHYDROUS P.A.**

(Contd. of page 6)

· <b>EMS Number:</b>	F-E,S-C
· <b>Segregation groups</b>	Alkalis
· <b>14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>ADR</b>	
· <b>Tunnel restriction code</b>	D/E
· <b>UN "Model Regulation":</b>	UN1604, ETHYLENEDIAMINE, 8 (3), II

**15 Regulatory information**

- **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **National regulations**
- **Technical instructions (air):**

Class	Share in %
NK	100.0

- **Water hazard class:** Water hazard class 2 (Assessment by list): hazardous for water.
- **15.2. Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**16 Other information**

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Department issuing MSDS:** Product safety department

· **Contact:** +49 6221 13840-35

- **Abbreviations and acronyms:**

PBT: persistent, bioaccumulative, toxic substance (REACH)

vPvB: very persistent, very bioaccumulative substance (REACH)

REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

CLP: Regulation on classification, labelling and packaging of substances and mixtures

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

- **\* Data compared to the previous version altered.**