

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.10.2012

Version number 1

Revision: 12.10.2012

1 Identification of the substance/mixture and of the company/undertaking

- **1.1. Product identifier**
- **Trade name:** Decal
- **Article number:** 18140
- **1.2. Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the preparation** Laboratory chemicals
- **1.3. Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
SERVA Electrophoresis GmbH
Carl-Benz-Str. 7
D-69115 Heidelberg
Tel.: +49 6221 13840-0
FAX: +49 6221 13840-10
msds.info@serva.de
- **Information department:** Product Safety department Tel.: +49 6221 13840-35
- **1.4. Emergency telephone number:** +49 6131 19240 (university hospital Mainz)

SERVA
Electrophoresis

2 Hazards identification


- **2.1. Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS07

Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2 H319 Causes serious eye irritation.
STOT SE 3 H335 May cause respiratory irritation.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



Xi; Irritant

R36/37/38: Irritating to eyes, respiratory system and skin.

- **Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

- **Classification system:**

The classification was made according to the latest editions of the EU-lists, and expanded upon from company and literature data.

- **2.2. Label elements**

- **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

- **Hazard pictograms** GHS07

- **Signal word** Warning

- **Hazard statements**

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

- **Precautionary statements**

P264 Wash thoroughly after handling.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 12.10.2012

Version number 1

Revision: 12.10.2012

Trade name: Decal

(Contd. of page 1)

P337+P313 *If eye irritation persists: Get medical advice/attention.*
 P304+P340 *IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.*

- **2.3. Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** PBT - assessment not available.
- **vPvB:** vPvB - assessment not available.

3 Composition/information on ingredients

- **3.2. Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with harmless additions.

- **Dangerous components:**

| | | |
|-------------------|--|-------|
| CAS: 7647-01-0 | hydrogen chloride | 5-15% |
| EINECS: 231-595-7 |  C R34;  Xi R37 | |
| |  Skin Corr. 1B, H314;  STOT SE 3, H335 | |

- **Additional information** For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- **4.1. Description of first aid measures**
- **After inhalation** Supply fresh air and to be sure call for a doctor.
- **After skin contact** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact**
Rinse opened eye for several minutes under running water. Remove present contact lenses, if easy to do, and continue rinsing.
- **After swallowing** Drink copious amounts of water and provide fresh air. Call for doctor immediately.
- **Information for doctor**
- **4.2. Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **4.3. Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Firefighting measures

- **5.1. Extinguishing media**
- **Suitable extinguishing agents**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2. Special hazards arising from the substance or mixture**
In case of fire, the following can be released:
Hydrogen chloride (HCl)
- **5.3. Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

6 Accidental release measures

- **6.1. Personal precautions, protective equipment and emergency procedures**
Wear protective clothing.
Ensure adequate ventilation
- **6.2. Environmental precautions:**
Do not allow to enter sewers/ surface or ground water.
Dilute with plenty of water.
- **6.3. Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 12.10.2012

Version number 1

Revision: 12.10.2012

Trade name: Decal

(Contd. of page 2)

- Dispose contaminated material as waste according to item 13.
- **6.4. Reference to other sections**
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling**
- **7.1. Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- **Information about protection against explosions and fires:** No special measures required.
- **7.2. Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** Unsuitable material for receptacle: metal
- **Information about storage in one common storage facility:**
Do not store together with strong oxidizing agents.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **7.3. Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

8.1. Control parameters

- **Components with limit values that require monitoring at the workplace:**

7647-01-0 hydrogen chloride (5-15%)

| | |
|-----|--|
| WEL | Short-term value: 8 mg/m ³ , 5 ppm Long-term value: 2 mg/m ³ , 1 ppm (gas and aerosol mists) |
|-----|--|

- **Additional information:** The lists that were valid during the creation were used as basis.

8.2. Exposure controls

Personal protective equipment

General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.

Breathing equipment:

Short term filter device:
Filter P3.

Protection of hands:

Protective gloves.
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 12.10.2012

Version number 1

Revision: 12.10.2012

Trade name: Decal

(Contd. of page 3)

- **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**
Nitrile rubber, NBR
Chloroprene rubber, CR
- **Eye protection:** Tightly sealed goggles.
- **Body protection:** Protective work clothing.

9 Physical and chemical properties

· 9.1. Information on basic physical and chemical properties

· General Information

· Appearance:

| | |
|------------------|----------------|
| · Form: | Fluid |
| · Colour: | Colourless |
| · Odour: | Characteristic |

· **pH-value at 20°C:** 0 - 0.5

· Change in condition

· **Melting point/Melting range:** undetermined
· **Boiling point/Boiling range:** undetermined

· **Flash point:** Not applicable

· **Self igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Density:** Not determined

· Solubility in / Miscibility with

· **Water:** Fully miscible

· Solvent content:

| | |
|----------------------------|--------|
| · Organic solvents: | 0.0 % |
| · VOC %: | 0.00 % |
| · Water: | 90.0 % |

· **Solids content:** 0.5 %

· **9.2. Other information** No further relevant information available.

10 Stability and reactivity

· **10.1. Reactivity** No further relevant informations available

· **10.2. Chemical stability**

· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

· **10.3. Possibility of hazardous reactions**

Production of Hydrogen in contact with metals (explosion hazard).

explosion hazard in contact with:

Alkali metals
conc. sulphuric acid

· **10.4. Conditions to avoid** No further relevant information available.

· **10.5. Incompatible materials:**

Avoid contact with: metals
Avoid contact with strong oxidizers and reducing agents.

Exothermic reactions with:

Amines
Hydrides
Semi-metal oxides
Strong lyes

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 12.10.2012

Version number 1

Revision: 12.10.2012

Trade name: Decal

Aldehydes

(Contd. of page 4)

· **10.6. Hazardous decomposition products:** Hydrogen chloride (HCl)

11 Toxicological information

· **11.1. Information on toxicological effects**

· **Acute toxicity:**

· **Primary irritant effect:**

· **on the skin:** Irritant to skin and mucous membranes.

· **on the eye:** Strong irritant with the danger of severe eye injury.

· **Sensitization:** No sensitizing effects known.

12 Ecological information

· **12.1. Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **12.2. Persistence and degradability** No further relevant information available.

· **Behaviour in environmental systems:**

· **12.3. Bioaccumulative potential** No further relevant information available.

· **12.4. Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

· **12.5. Results of PBT and vPvB assessment**

· **PBT:** PBT - assessment not available.

· **vPvB:** vPvB - assessment not available.

· **12.6. Other adverse effects** No further relevant information available.

13 Disposal considerations

· **13.1. Waste treatment methods**

· **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· **14.1. UN-Number**

· **ADR, IMDG, IATA**

UN1789

· **14.2. UN proper shipping name**

· **IMDG**

HYDROCHLORIC ACID

· **IATA**

Hydrochloric acid

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 12.10.2012

Version number 1

Revision: 12.10.2012

Trade name: Decal

(Contd. of page 5)

- **14.3. Transport hazard class(es)**

- **ADR, IMDG, IATA**



- **Class** 8 Corrosive substances.
- **Label** 8

- **14.4. Packing group**

- **ADR, IMDG, IATA** III

- **14.5. Environmental hazards:**

- **Marine pollutant:** No

- **14.6. Special precautions for user**

- **Danger code (Kemler):** Warning: Corrosive substances.
80
- **EMS Number:** F-A,S-B
- **Segregation groups** Acids

- **14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

- **Transport/Additional information:**

- **ADR**

- **Tunnel restriction code** E

- **UN "Model Regulation":** -

15 Regulatory information

- **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **National regulations**

- **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

- **15.2. Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

R34 Causes burns.

R37 Irritating to respiratory system.

- **Department issuing MSDS:** Product safety department

- **Contact:** +49 6221 13840-35

- **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organization

PBT: persistent, bioaccumulative, toxic substance (REACH)

vPvB: very persistent, very bioaccumulative substance (REACH)

REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

CLP: Regulation on classification, labelling and packaging of substances and mixtures

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 12.10.2012

Version number 1

Revision: 12.10.2012

Trade name: Decal

IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
· *** Data compared to the previous version altered.**

(Contd. of page 6)

GB