

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.11.2011

Version number 1

Revision: 24.11.2011

## 1 Identification of the substance/mixture and of the company/undertaking

- **1.1. Product identifier**
- **Trade name:** Eastman Instant Adhesive 910
- **Article number:** 20832
- **1.2. Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the preparation** Laboratory chemicals
- **1.3. Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
SERVA Electrophoresis GmbH  
Carl-Benz-Str. 7  
D-69115 Heidelberg  
Tel.: +49 6221 13840-0  
FAX: +49 6221 13840-10  
msds.info@serva.de
- **Information department:** Product Safety department Tel.: +49 6221 13840-35
- **1.4. Emergency telephone number:** +49 6131 19240 (university hospital Mainz)

**SERVA**  
Electrophoresis

## 2 Hazards identification

- **2.1. Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**




Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



R36/37/38: Irritating to eyes, respiratory system and skin.

- **Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

- **Classification system:**

The classification was made according to the latest editions of the EU-lists, and expanded upon from company and literature data.

- **2.2. Label elements**

- **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

- **Hazard pictograms** GHS07

- **Signal word** Warning

- **Hazard statements**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

- **Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P264 Wash thoroughly after handling.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 2)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 24.11.2011

Version number 1

Revision: 24.11.2011

**Trade name: Eastman Instant Adhesive 910**

(Contd. of page 1)



P302+P352 *IF ON SKIN: Wash with plenty of soap and water.*P405 *Store locked up.*

- **2.3. Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **3.2. Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with harmless additions.

- **Dangerous components:**

CAS: 137-05-3	Mecrilate	60-80%
EINECS: 205-275-2	 Xi R36/37/38  Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	

- **Additional information** For the wording of the listed risk phrases refer to section 16.

### 4 First aid measures

- **4.1. Description of first aid measures**
- **After inhalation** Supply fresh air and to be sure call for a doctor.
- **After skin contact** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.
- **After swallowing** Drink copious amounts of water and provide fresh air. Call for doctor immediately.
- **Information for doctor**
- **4.2. Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **4.3. Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Firefighting measures

- **5.1. Extinguishing media**
- **Suitable extinguishing agents**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2. Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3. Advice for firefighters**
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **6.1. Personal precautions, protective equipment and emergency procedures** Wear protective clothing.
- **6.2. Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3. Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.
- **6.4. Reference to other sections**  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

GB

(Contd. on page 3)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 24.11.2011

Version number 1

Revision: 24.11.2011

Trade name: Eastman Instant Adhesive 910

(Contd. of page 2)

## 7 Handling and storage

- **Handling**
- **7.1. Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **7.2. Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **7.3. Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

- **8.1. Control parameters**

- **Components with limit values that require monitoring at the workplace:**

<b>137-05-3 Mecrilate (60-80%)</b>
------------------------------------

WEL ()	Short-term value: 1.4 mg/m <sup>3</sup> , 0.3 ppm
--------	---

- **Additional information:** The lists that were valid during the creation were used as basis.

- **8.2. Exposure controls**

- **Personal protective equipment**

- **General protective and hygienic measures**

Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.

- **Breathing equipment:**

Short term filter device:  
Filter P2.

- **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**

PVC or PE gloves  
Neoprene gloves

- **Eye protection:** Tightly sealed goggles.

(Contd. on page 4)

GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 24.11.2011

Version number 1

Revision: 24.11.2011

Trade name: Eastman Instant Adhesive 910

(Contd. of page 3)

· **Body protection:** Protective work clothing.

## 9 Physical and chemical properties

### · 9.1. Information on basic physical and chemical properties

#### · General Information

#### · Appearance:

· <b>Form:</b>	Fluid
· <b>Colour:</b>	Colourless
· <b>Odour:</b>	Pungent

#### · Change in condition

· <b>Melting point/Melting range:</b>	undetermined
· <b>Boiling point/Boiling range:</b>	50°C (2 mm Hg)

· **Flash point:** 82°C· **Self igniting:** Product is not selfigniting.· **Danger of explosion:** Product does not present an explosion hazard.· **Vapour pressure at 20°C:** 0.4 hPa· **Density at 20°C:** 1.05 g/cm<sup>3</sup>

#### · Solubility in / Miscibility with

· <b>Water:</b>	Insoluble
-----------------	-----------

#### · Viscosity:

· <b>dynamic at 20°C:</b>	85 mPas
---------------------------	---------

#### · Solvent content:

· <b>Organic solvents:</b>	0.0 %
· <b>VOC %:</b>	0.00 %

· **Solids content:** 60.0 %· **9.2. Other information** No further relevant information available.

## 10 Stability and reactivity

### · 10.1. Reactivity

### · 10.2. Chemical stability

#### · **Thermal decomposition / conditions to be avoided:**

To avoid thermal decomposition do not overheat.  
No decomposition if used according to specifications.

· **10.3. Possibility of hazardous reactions** No dangerous reactions known· **10.4. Conditions to avoid** No further relevant information available.· **10.5. Incompatible materials:** No further relevant information available.

#### · 10.6. Hazardous decomposition products:

Carbon monoxide and carbon dioxide  
Nitrogen oxides

## 11 Toxicological information

### · 11.1. Information on toxicological effects

#### · Acute toxicity:

#### · Primary irritant effect:

· **on the skin:** Irritant to skin and mucous membranes.· **on the eye:** Irritating effect.· **Sensitization:** No sensitizing effects known.

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 24.11.2011

Version number 1

Revision: 24.11.2011

Trade name: Eastman Instant Adhesive 910

(Contd. of page 4)

· **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:  
Irritant

\* **12 Ecological information**

- **12.1. Toxicity**
- **Acquatic toxicity:** No further relevant information available.
- **12.2. Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **12.3. Bioaccumulative potential** No further relevant information available.
- **12.4. Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.  
Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.
- **12.5. Results of PBT and vPvB assessment**
- **PBT:** PBT - assessment not available.
- **vPvB:** vPvB - assessment not available.
- **12.6. Other adverse effects** No further relevant information available.

**13 Disposal considerations**

- **13.1. Waste treatment methods**
- **Recommendation**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

**14 Transport information**

- |  |  |
|--|--|
| · <b>14.1. UN-Number</b><br>· ADR, ADN, IMDG, IATA                                     | Void   |
| · <b>14.2. UN proper shipping name</b><br>· ADR, ADN, IMDG, IATA                       | Void   |
| · <b>14.3. Transport hazard class(es)</b><br>· ADR, ADN, IMDG, IATA<br>· Class         | Void   |
| · <b>14.4. Packing group</b><br>· ADR, IMDG, IATA                                      | Void   |
| · <b>14.5. Environmental hazards:</b><br>· Marine pollutant:                           | No   |
| · <b>14.6. Special precautions for user</b>  | Not applicable.                                      |
| · <b>14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable.                                      |
| · <b>Transport/Additional information:</b>   | Not dangerous according to the above specifications. |

(Contd. on page 6)

GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 24.11.2011

Version number 1

Revision: 24.11.2011

Trade name: Eastman Instant Adhesive 910

(Contd. of page 5)

· UN "Model Regulation":

-

### 15 Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
- National regulations
- Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- 15.2. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

R36/37/38 Irritating to eyes, respiratory system and skin.

- **Department issuing MSDS:** Product safety department

- **Contact:** +49 6221 13840-35

- **Abbreviations and acronyms:**

PBT: persistent, bioaccumulative, toxic substance (REACH)

vPvB: very persistent, very bioaccumulative substance (REACH)

REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

CLP: Regulation on classification, labelling and packaging of substances and mixtures

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

- **\* Data compared to the previous version altered.**

GB