

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 28.11.2011

Version number 1

Revision: 27.10.2011

1 Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

- Trade name: Maleic acid
- Synonyma Toxic acid

SERVA
Electrophoresis

- Article number: 28337
- CAS Number:
110-16-7
- EC number:
203-742-5
- Index number:
607-095-00-3

- 1.2. Relevant identified uses of the substance or mixture and uses advised against
- Application of the substance / the preparation *Laboratory chemicals*

1.3. Details of the supplier of the safety data sheet

- Manufacturer/Supplier:
SERVA Electrophoresis GmbH
Carl-Benz-Str. 7
D-69115 Heidelberg
Tel.: +49 6221 13840-0
FAX: +49 6221 13840-10
msds.info@serva.de

- Information department: Product Safety department Tel.: +49 6221 13840-35

- 1.4. Emergency telephone number: +49 6131 19240 (university hospital Mainz)

2 Hazards identification


- 2.1. Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS07


- Acute Tox. 4 H302 Harmful if swallowed.
- Skin Irrit. 2 H315 Causes skin irritation.
- Eye Irrit. 2 H319 Causes serious eye irritation.
- Skin Sens. 1 H317 May cause an allergic skin reaction.
- STOT SE 3 H335 May cause respiratory irritation.

- Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Xn; Harmful

- R22: Harmful if swallowed.



Xi; Irritant

- R36/37/38: Irritating to eyes, respiratory system and skin.

- Classification system:

The classification was made according to the latest editions of the EU-lists, and expanded upon from company and literature data.

2.2. Label elements

- Labelling according to Regulation (EC) No 1272/2008
The substance is classified and labelled according to the CLP regulation.
- Hazard pictograms GHS07
- Signal word Warning
- Hazard statements
H302 Harmful if swallowed.

(Contd. on page 2)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 28.11.2011

Version number 1

Revision: 27.10.2011

Trade name: Maleic acid

(Contd. of page 1)

*H315 Causes skin irritation.**H319 Causes serious eye irritation.**H317 May cause an allergic skin reaction.**H335 May cause respiratory irritation.***· Precautionary statements***P280 Wear protective gloves/protective clothing/eye protection/face protection.**P264 Wash thoroughly after handling.**P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.**P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.**P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.**P405 Store locked up.***· 2.3. Other hazards****· Results of PBT and vPvB assessment****· PBT:** Not applicable.**· vPvB:** Not applicable.**3 Composition/information on ingredients****· 3.1. Chemical characterization: Substances****· CAS No. Description:***110-16-7 maleic acid***· Identification number(s):****· EC number:** 203-742-5**· Index number:** 607-095-00-3**· Description:****· Empirical formula:** $C_4H_4O_4$ **· MW:** 116,07**4 First aid measures****· 4.1. Description of first aid measures****· General information***Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.***· After inhalation** *Supply fresh air and to be sure call for a doctor.***· After skin contact** *Immediately wash with water and soap and rinse thoroughly.***· After eye contact***Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.***· After swallowing** *Drink copious amounts of water and provide fresh air. Call for doctor immediately.***· Information for doctor****· 4.2. Most important symptoms and effects, both acute and delayed***Gastric or intestinal disorders.**Breathing difficulty**Coughing***· 4.3. Indication of any immediate medical attention and special treatment needed***No further relevant information available.***5 Firefighting measures****· 5.1. Extinguishing media****· Suitable extinguishing agents***CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.***· 5.2. Special hazards arising from the substance or mixture***In case of fire, the following can be released:*

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 28.11.2011

Version number 1

Revision: 27.10.2011

Trade name: Maleic acid

(Contd. of page 2)

- Carbon monoxide and carbon dioxide
- **5.3. Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

6 Accidental release measures

- **6.1. Personal precautions, protective equipment and emergency procedures** Wear protective clothing.
- **6.2. Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3. Methods and material for containment and cleaning up:**
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **6.4. Reference to other sections**
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling**
- **7.1. Precautions for safe handling** Prevent formation of dust.
- **Information about protection against explosions and fires:** No special measures required.
- **7.2. Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Keep receptacle tightly sealed.
Protect from heat and direct sunlight.
Protect from humidity and water.
- **7.3. Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **8.1. Control parameters**
- **Components with limit values that require monitoring at the workplace:** Not required.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **8.2. Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
- **Breathing equipment:**
Short term filter device:
Filter P2.
- **Protection of hands:**
Neoprene gloves
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 28.11.2011

Version number 1

Revision: 27.10.2011

Trade name: Maleic acid

(Contd. of page 3)

- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**
Natural rubber, NR
Nitrile rubber, NBR
- **Eye protection:** Safety glasses
- **Body protection:** Protective work clothing.

9 Physical and chemical properties

- **9.1. Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Crystalline
Colour:	White
Odour:	Acidic
- **pH-value (100 g/l) at 20°C:** ca. 1.3
- **Change in condition**

Melting point/Melting range:	138 - 139°C
Boiling point/Boiling range:	undetermined
- **Flash point:** 127°C
- **Flammability (solid, gaseous)** Product is not flammable.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Density at 20°C:** 1.59 g/cm³
- **Bulk density at 20°C:** 750 - 800 kg/m³
- **Solubility in / Miscibility with**

Water at 25°C:	780 g/l
----------------	---------
- **Segregation coefficient (n-octanol/water):** -0.48 log POW
- **9.2. Other information** There are no more data available.

10 Stability and reactivity

- **10.1. Reactivity**
- **10.2. Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3. Possibility of hazardous reactions** Reacts with strong oxidizing agents
- **10.4. Conditions to avoid** No further relevant information available.
- **10.5. Incompatible materials:** No further relevant information available.
- **10.6. Hazardous decomposition products:** Carbon monoxide and carbon dioxide

GB

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 28.11.2011

Version number 1

Revision: 27.10.2011

Trade name: Maleic acid

(Contd. of page 4)

11 Toxicological information

· **11.1. Information on toxicological effects**

· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

Oral	LD50	708 mg/kg (rat)
Dermal	LD50	1560 mg/kg (rabbit)
	LC50/96h	5 mg/l (Fish)

· **Primary irritant effect:**

· **on the skin:** Irritant to skin and mucous membranes.

· **on the eye:** Irritating effect.

· **Sensitization:** No sensitizing effects known.

12 Ecological information

· **12.1. Toxicity**

· **Acquatic toxicity:**

EC50/48h	316.2 mg/l (Daphnia magna)
----------	----------------------------

· **12.2. Persistence and degradability** No further relevant information available.

· **Other information:** The product is easily biodegradable.

· **Behaviour in environmental systems:**

· **12.3. Bioaccumulative potential** No further relevant information available.

· **12.4. Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· **12.5. Results of PBT and vPvB assessment**

· **PBT:** PBT - assessment not available.

· **vPvB:** vPvB - assessment not available.

· **12.6. Other adverse effects** No further relevant information available.

13 Disposal considerations

· **13.1. Waste treatment methods**

· **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· **14.1. UN-Number**

· **ADR, IMDG, IATA** 3261

· **14.2. UN proper shipping name**

· **ADR** 3261 CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. (maleic acid)

· **IMDG** CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. (maleic acid)

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 28.11.2011

Version number 1

Revision: 27.10.2011

Trade name: Maleic acid

(Contd. of page 5)

· **IATA** Corrosive solid, acidic, organic, n.o.s. (Maleic acid)

· **14.3. Transport hazard class(es)**

· **ADR**



· **Class** 8 Corrosive substances.

· **Label** 8

· **IMDG, IATA**



· **Class** 8 Corrosive substances.

· **Label** 8

· **14.4. Packing group**

· **ADR, IMDG, IATA** III

· **14.5. Environmental hazards:** Not applicable.

· **14.6. Special precautions for user**

Warning: Corrosive substances.

· **Danger code (Kemler):** 80

· **EMS Number:** F-A,S-B

· **14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

· **Transport/Additional information:**

· **ADR**

· **Tunnel restriction code** E

· **UN "Model Regulation":** UN3261, CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S., 8, III

15 Regulatory information

· **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **National regulations**

· **Water hazard class:** Water hazard class 1 (Assessment by list): slightly hazardous for water.

· **15.2. Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing MSDS:** Product safety department

· **Contact:** +49 6221 13840-35

· **Abbreviations and acronyms:**

PBT: persistent, bioaccumulative, toxic substance (REACH)

vPvB: very persistent, very bioaccumulative substance (REACH)

REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

CLP: Regulation on classification, labelling and packaging of substances and mixtures

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 28.11.2011

Version number 1

Revision: 27.10.2011

Trade name: Maleic acid

(Contd. of page 6)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

· *** Data compared to the previous version altered.**

GB