

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 01.12.2011

Version number 1

Revision: 01.12.2011

1 Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

· Trade name: Chloroform

· Article number: 39553

· CAS Number:

67-66-3

· EC number:

200-663-8

· Index number:

602-006-00-4

1.2. Relevant identified uses of the substance or mixture and uses advised against

· Application of the substance / the preparation Laboratory chemicals

1.3. Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

SERVA Electrophoresis GmbH

Carl-Benz-Str. 7

D-69115 Heidelberg

Tel.: +49 6221 13840-0

FAX: +49 6221 13840-10

msds.info@serva.de

· Information department: Product Safety department Tel.: +49 6221 13840-35

· 1.4. Emergency telephone number: +49 6131 19240 (university hospital Mainz)

SERVA
Electrophoresis

2 Hazards identification

2.1. Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008



GHS08

Carc. 2 H351 Suspected of causing cancer.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Xn; Harmful

R22-40-48/20/22: Harmful if swallowed. Limited evidence of a carcinogenic effect. Harmful: danger of serious damage to health by prolonged exposure through inhalation and if swallowed.



Xi; Irritant

R38: Irritating to skin.

Carc. Cat. 3

· Classification system:

The classification was made according to the latest editions of the EU-lists, and expanded upon from company and literature data.

2.2. Label elements

· Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

(Contd. on page 2)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 01.12.2011

Version number 1

Revision: 01.12.2011

Trade name: Chloroform



(Contd. of page 1)

- **Hazard pictograms** GHS07, GHS08
- **Signal word** Warning
- **Hazard statements**
H302 Harmful if swallowed.
H315 Causes skin irritation.
H351 Suspected of causing cancer.
H373 May cause damage to organs through prolonged or repeated exposure.
- **Precautionary statements**
P201 Obtain special instructions before use.
P281 Use personal protective equipment as required.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P330 Rinse mouth.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P314 Get medical advice/attention if you feel unwell.
- **2.3. Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **3.1. Chemical characterization: Substances**
- **CAS No. Description:**
67-66-3 trichloromethane
- **Identification number(s):**
- **EC number:** 200-663-8
- **Index number:** 602-006-00-4

- **Impurities and stabilising additives:**

CAS: 64-17-5	ethanol	 F R11  Flam. Liq. 2, H225
EINECS: 200-578-6		

- **Description:**
- **Empirical formula:** C H Cl₃
- **MW:** 119,40

4 First aid measures

- **4.1. Description of first aid measures**
- **General information**
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- **After inhalation** Supply fresh air and to be sure call for a doctor.
- **After skin contact** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact** Rinse opened eye for several minutes under running water.
- **After swallowing** Drink copious amounts of water and provide fresh air. Call for doctor immediately.
- **Information for doctor**
- **4.2. Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **4.3. Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Firefighting measures

- **5.1. Extinguishing media**
- **Suitable extinguishing agents**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 01.12.2011

Version number 1

Revision: 01.12.2011

Trade name: Chloroform

(Contd. of page 2)

- **5.2. Special hazards arising from the substance or mixture**
In case of fire, the following can be released:
Hydrogen chloride (HCl)
Carbon monoxide and carbon dioxide
- **5.3. Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

6 Accidental release measures

- **6.1. Personal precautions, protective equipment and emergency procedures** Wear protective clothing.
- **6.2. Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3. Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
- **6.4. Reference to other sections**
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling**
- **7.1. Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).
- **Information about protection against explosions and fires:** No special measures required.
- **7.2. Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Store under lock and key and with access restricted to technical experts or their assistants only.
- **7.3. Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

8.1. Control parameters

- **Components with limit values that require monitoring at the workplace:**

67-66-3 trichloromethane (80-100%)

WEL ()	Long-term value: 9.9 mg/m ³ , 2 ppm
Sk	

- **Additional information:** The lists that were valid during the creation were used as basis.

8.2. Exposure controls

- **Personal protective equipment**
- **General protective and hygienic measures**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
- **Breathing equipment:**
Short term filter device:
Filter AX.

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 01.12.2011

Version number 1

Revision: 01.12.2011

Trade name: Chloroform

(Contd. of page 3)

· Protection of hands:

Protective gloves.

*The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.**Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.**Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation***· Material of gloves***The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.***· Penetration time of glove material***The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.***· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:***Fluorocarbon rubber (Viton)***· Eye protection:** *Tightly sealed goggles.***· Body protection:** *Protective work clothing.***9 Physical and chemical properties****· 9.1. Information on basic physical and chemical properties****· General Information****· Appearance:****Form:** Liquid**Colour:** Colourless**· Odour:** Characteristic**· Change in condition****Melting point/Melting range:** - 63°C**Boiling point/Boiling range:** 61°C**· Flash point:** Not applicable**· Ignition temperature:** 982°C**· Danger of explosion:** Product does not present an explosion hazard.**· Vapour pressure at 20°C:** 213 hPa**· Density at 20°C:** 1.476 g/cm³**· Solubility in / Miscibility with****Water at 20°C:** 8 g/l**· 9.2. Other information** No further relevant information available.**10 Stability and reactivity****· 10.1. Reactivity****· 10.2. Chemical stability****· Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.**· 10.3. Possibility of hazardous reactions***Reacts spontaneously with alkaline metals**Reacts with strong alkali**Reacts with strong oxidizing agents**Reacts with powdered metals***· 10.4. Conditions to avoid** No further relevant information available.**· 10.5. Incompatible materials:** No further relevant information available.

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 01.12.2011

Version number 1

Revision: 01.12.2011

Trade name: Chloroform

(Contd. of page 4)

10.6. Hazardous decomposition products:

Hydrogen chloride (HCl)
Carbon monoxide and carbon dioxide
Chlorine
Phosgen

11 Toxicological information**11.1. Information on toxicological effects****Acute toxicity:****LD/LC50 values that are relevant for classification:**

Oral	LD50	300 mg/kg (rat)
Dermal	LD50	> 20 000 mg/kg (rabbit)
		75 mg/kg (rat)
Inhalative	LC50/4h	47.7 mg/l (rat)
	LC50/96h	18 mg/l (Fish)

Primary irritant effect:

- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
Carc. 2

12 Ecological information**12.1. Toxicity****Acquatic toxicity:**

EC50/48h	29 mg/l (Daphnia magna)
----------	-------------------------

12.2. Persistence and degradability No further relevant information available.**Behaviour in environmental systems:****12.3. Bioaccumulative potential** No further relevant information available.**12.4. Mobility in soil** No further relevant information available.**Additional ecological information:****General notes:**

Water danger class 3 (German Regulation) (Assessment by list): extremely hazardous for water.
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.

12.5. Results of PBT and vPvB assessment

- **PBT:** PBT - assessment not available.
- **vPvB:** vPvB - assessment not available.

12.6. Other adverse effects No further relevant information available.**13 Disposal considerations****13.1. Waste treatment methods****Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

- **Recommendation:** Disposal must be made according to official regulations.

GB

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 01.12.2011



Version number 1

Revision: 01.12.2011

Trade name: Chloroform

(Contd. of page 5)

14 Transport information

· 14.1. UN-Number · ADR, IMDG, IATA	1888
· 14.2. UN proper shipping name · ADR · IMDG · IATA	1888 CHLOROFORM CHLOROFORM Chloroform
· 14.3. Transport hazard class(es) · ADR	
	
· Class · Label	6.1 Toxic substances. 6.1
· IMDG, IATA	
	
· Class · Label	6.1 Toxic substances. 6.1
· 14.4. Packing group · ADR, IMDG, IATA	III
· 14.5. Environmental hazards: · Marine pollutant:	Not applicable. No
· 14.6. Special precautions for user · Danger code (Kemler): · EMS Number:	Warning: Toxic substances. 60 F-A,S-A
· 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR · Tunnel restriction code	E
· UN "Model Regulation":	UN1888, CHLOROFORM, 6.1, III

15 Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
 - National regulations
 - Technical instructions (air):
- | Class | Share in % |
|-------|------------|
| I | 80-100 |
- Water hazard class: Water danger class 3 (Assessment by list): extremely hazardous for water.
 - 15.2. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

GB

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 01.12.2011

Version number 1

Revision: 01.12.2011

Trade name: Chloroform

(Contd. of page 6)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing MSDS:** Product safety department

· **Contact:** +49 6221 13840-35

· **Abbreviations and acronyms:**

PBT: persistent, bioaccumulative, toxic substance (REACH)

vPvB: very persistent, very bioaccumulative substance (REACH)

REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

CLP: Regulation on classification, labelling and packaging of substances and mixtures

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

· *** Data compared to the previous version altered.**

GB