

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.12.2011

Version number 1

Revision: 08.09.2011

1 Identification of the substance/mixture and of the company/undertaking

- **1.1. Product identifier**
- Trade name: Cathode fluid 10 for IEF
- Article number: 42986
- **1.2. Relevant identified uses of the substance or mixture and uses advised against**
- Application of the substance / the preparation Laboratory chemicals
- **1.3. Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
SERVA Electrophoresis GmbH
Carl-Benz-Str. 7
D-69115 Heidelberg
Tel.: +49 6221 13840-0
FAX: +49 6221 13840-10
msds.info@serva.de
- **Information department:** Product Safety department Tel.: +49 6221 13840-35
- **1.4. Emergency telephone number:** +49 6131 19240 (university hospital Mainz)

SERVA
Electrophoresis

2 Hazards identification

- **2.1. Classification of the substance or mixture**
- Classification according to Regulation (EC) No 1272/2008



GHS08

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.



GHS05

Skin Corr. 1B H314 Causes severe skin burns and eye damage.



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

- Classification according to Directive 67/548/EEC or Directive 1999/45/EC



C; Corrosive

R34: Causes burns.



Xn; Sensitising

R42/43: May cause sensitisation by inhalation and skin contact.

- **Information concerning particular hazards for human and environment:**
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
- **Classification system:**
The classification was made according to the latest editions of the EU-lists, and expanded upon from company and literature data.

- **2.2. Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms** GHS05, GHS08
- **Signal word** Danger

(Contd. on page 2)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.12.2011

Version number 1

Revision: 08.09.2011

Trade name: Cathode fluid 10 for IEF

(Contd. of page 1)

- **Hazard-determining components of labelling:**

- ethylene diamine

- **Hazard statements**

- H314 Causes severe skin burns and eye damage.

- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

- H317 May cause an allergic skin reaction.

- **Precautionary statements**

- P285 In case of inadequate ventilation wear respiratory protection.

- P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

- P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

- P302+P352 IF ON SKIN: Wash with plenty of soap and water.

- **2.3. Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** PBT - assessment not available.








- **vPvB:** vPvB - assessment not available.

3 Composition/information on ingredients

- **3.2. Chemical characterization: Mixtures**

- **Description:** Mixture of the substances listed below with harmless additions.

- **Dangerous components:**

CAS: 107-15-3	ethylene diamine	15-30%
EINECS: 203-468-6	 C R34;  Xn R21/22;  Xn R42/43 R10	
 Flam. Liq. 3, H226;  Resp. Sens. 1, H334;  Skin Corr. 1B, H314;  Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317		

- **Additional information** For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- **4.1. Description of first aid measures**

- **General information** Remove contaminated clothing.

- **After inhalation** Supply fresh air and to be sure call for a doctor.

- **After skin contact** Immediately rinse with water.

- **After eye contact** Rinse opened eye for several minutes under running water. Then consult doctor.

- **After swallowing** Drink copious amounts of water and provide fresh air. Call for doctor immediately.

- **Information for doctor**

- **4.2. Most important symptoms and effects, both acute and delayed**

- No further relevant information available.

- **4.3. Indication of any immediate medical attention and special treatment needed**

- No further relevant information available.

5 Firefighting measures

- **5.1. Extinguishing media**

- **Suitable extinguishing agents**

- CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- **5.2. Special hazards arising from the substance or mixture** No further relevant information available.

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 02.12.2011

Version number 1

Revision: 08.09.2011

Trade name: Cathode fluid 10 for IEF

(Contd. of page 2)

- **5.3. Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

6 Accidental release measures

- **6.1. Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **6.2. Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3. Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Ensure adequate ventilation.
Dispose contaminated material as waste according to item 13.
- **6.4. Reference to other sections**
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling**
- **7.1. Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **7.2. Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** Store at +2 to +8 °C
- **Information about storage in one common storage facility:** Do not store together with oxidizing materials.
- **Further information about storage conditions:**
Keep receptacle tightly sealed.
Store in dry conditions.
- **7.3. Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **8.1. Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **8.2. Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
- **Breathing equipment:**
Short term filter device:
Filter A/P2.
- **Protection of hands:**
Protective gloves.

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 02.12.2011

Version number 1

Revision: 08.09.2011

Trade name: Cathode fluid 10 for IEF

(Contd. of page 3)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**

Butyl rubber, BR

- **Eye protection:** Tightly sealed goggles.

- **Body protection:** Protective work clothing.

9 Physical and chemical properties

- **9.1. Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form:	Solution
Colour:	Colourless
Odour:	Odourless

- **pH-value at 20°C:** 11.5 - 12.5

- **Change in condition**

Melting point/Melting range: undetermined

Boiling point/Boiling range: ca. 100°C

- **Flash point:** Not applicable

- **Self igniting:** Product is not selfigniting.

- **Danger of explosion:** Product does not present an explosion hazard.

- **Density:** Not determined

- **Solubility in / Miscibility with**

Water: Fully miscible

- **Solvent content:**

Organic solvents: 12.0 %

- **VOC %:** 12.00 %

- **VOC g/l:** 120.0 g/l

- **9.2. Other information** There are no more data available.

10 Stability and reactivity

- **10.1. Reactivity** No further relevant informations available

- **10.2. Chemical stability**

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

- **10.3. Possibility of hazardous reactions** No dangerous reactions known

- **10.4. Conditions to avoid** No further relevant information available.

- **10.5. Incompatible materials:** No further relevant information available.

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 02.12.2011

Version number 1

Revision: 08.09.2011

Trade name: Cathode fluid 10 for IEF

(Contd. of page 4)

· **10.6. Hazardous decomposition products:** No dangerous decomposition products known

11 Toxicological information

· **11.1. Information on toxicological effects**

· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

107-15-3 ethylenediamine

Oral	LD50	500 mg/kg (rat)
Dermal	LD50	730 mg/kg (rbt)
Inhalative	LC50/4h	0.3 mg/l (Maus)

· **Primary irritant effect:**

· **on the skin:** Caustic effect on skin and mucous membranes.

· **on the eye:** Strong caustic effect.

· **Sensitization:**

Sensitization possible through inhalation.

Sensitization possible through skin contact.

· **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

12 Ecological information

· **12.1. Toxicity**

· **Acquatic toxicity:** No further relevant information available.

· **12.2. Persistence and degradability** No further relevant information available.

· **Behaviour in environmental systems:**

· **12.3. Bioaccumulative potential** No further relevant information available.

· **12.4. Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

· **12.5. Results of PBT and vPvB assessment**

· **PBT:** PBT - assessment not available.

· **vPvB:** vPvB - assessment not available.

· **12.6. Other adverse effects** No further relevant information available.

13 Disposal considerations

· **13.1. Waste treatment methods**

· **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 02.12.2011

Version number 1



Revision: 08.09.2011

Trade name: Cathode fluid 10 for IEF

(Contd. of page 5)

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· 14.1. UN-Number · ADR, IMDG, IATA	UN3267
· 14.2. UN proper shipping name · ADR · IMDG · IATA	3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHYLENEDIAMINE) CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHYLENEDIAMINE) Corrosive liquid, basic, organic, n.o.s. (Ethylenediamine)
· 14.3. Transport hazard class(es) · ADR  · Class · Label	8 Corrosive substances. 8
· IMDG, IATA  · Class · Label	8 Corrosive substances. 8
· 14.4. Packing group · ADR, IMDG, IATA	III
· 14.5. Environmental hazards: · Marine pollutant:	No
· 14.6. Special precautions for user · Danger code (Kemler): · EMS Number: · Segregation groups	Warning: Corrosive substances. 80 F-A,S-B Alkalis
· 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information: · ADR · Tunnel restriction code	E
· UN "Model Regulation":	UN3267, CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S., 8, III

GB

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.12.2011

Version number 1

Revision: 08.09.2011

Trade name: Cathode fluid 10 for IEF

(Contd. of page 6)

15 Regulatory information

· **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **National regulations**

· **Technical instructions (air):**

Class	Share in %
I	15-30

· **Water hazard class:** Water hazard class 2 (Self-assessment): hazardous for water.

· **15.2. Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

R10 Flammable.

R21/22 Harmful in contact with skin and if swallowed.

R34 Causes burns.

R42/43 May cause sensitisation by inhalation and skin contact.

· **Department issuing MSDS:** Product safety department

· **Contact:** +49 6221 13840-35

· **Abbreviations and acronyms:**

PBT: persistent, bioaccumulative, toxic substance (REACH)

vPvB: very persistent, very bioaccumulative substance (REACH)

REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

CLP: Regulation on classification, labelling and packaging of substances and mixtures

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

· *** Data compared to the previous version altered.**