

**A N A L Y S E N Z E R T I F I K A T**  
CERTIFICATE OF ANALYSIS

<b>Adenosin-5'-triphosphat·Na<sub>2</sub>-Salz</b> reinst	<b>Kat.Nr./Cat.No. :</b>	<b>10920</b>
ATP research grade	<b>Lot/Contr.No. :</b>	<b>180582</b>

<b>Parameter</b> parameter	<b>Methode</b> method	<b>Spezifikation</b> specification	<b>Ergebnis</b> result
<b>Summenformel</b> formula		C <sub>10</sub> H <sub>14</sub> N <sub>5</sub> O <sub>13</sub> P <sub>3</sub> ·Na <sub>2</sub>	
<b>Molekulargewicht</b> molecular weight		551.1	
<b>Aussehen</b> appearance		weißes Pulver white powder	entspricht corresponds
<b>Gehalt (%)</b> assay	HPLC	min. 98	99.68
<b>Wasser (%)</b> water	KF	max. 10.0	6.6
<b>Mindesthaltbarkeit</b> minimum shelf life			15.04.2021
<b>Lagerung (°C)</b> storage			-15 bis/ to -25

**Die Eignung des Produktes für spezielle Anwendungszwecke wird nicht zugesichert.**  
**Dieses Dokument entbindet nicht von einer branchenüblichen Eingangskontrolle.**  
We do not guarantee that the product can be used for a special application.  
This document does not release you from performing the standard control upon receipt of incoming goods.

**SERVA Electrophoresis GmbH**  
**Qualitätskontrolle/ Quality Control**

**Druckdatum/ printing date:** 19.06.2018

Dipl.-Ing. (FH) Bernhard Göckel

Marina Konter

**Dieses Dokument ist ein Computerausdruck und deshalb ohne Unterschrift gültig.**  
This report has been computer generated and does not contain a signature.