

ANALYSENZERTIFIKAT
CERTIFICATE OF ANALYSIS

Agar Agar SERVA Pulver p.A.	Kat.Nr./Cat.No. : 11393
Agar Agar SERVA powder analytical grade	Lot/Contr.No. : 190970

Parameter parameter	Methode method	Spezifikation specification	Ergebnis result
Aussehen appearance		perlweißes Pulver pearl-white powder	entspricht corresponds
Gelstärke (g/ cm²) gel strength	1.5 % Gel 1.5 % gel	min. 600	700
Geliertemperatur (°C) point of solidification	1.5 % Lösung 1.5 % solution	39 – 43	41
pH	1.5 % in H ₂ O (60 °C)	6.5 – 7.5	6.5
Trocknungsverlust (%) loss on drying	4 h, 105 °C	max. 10.0	4.8
Asche (%) ash		max. 4.0	1.6
Mindesthaltbarkeit minimum shelf life			07.10.2024
Lagerung (°C) storage			+15 bis/ to +30

Die Eignung des Produktes für spezielle Anwendungszwecke wird nicht zugesichert.
Dieses Dokument entbindet nicht von einer branchenüblichen Eingangskontrolle.
We do not guarantee that the product can be used for a special application.
This document does not release you from performing the standard control upon receipt of incoming goods.

SERVA Electrophoresis GmbH
Qualitätskontrolle/ Quality Control

Druckdatum/ printing date: 15.10.2019

Christian Monsler

Daniela Lux-Helmstetter

Dieses Dokument ist ein Computerausdruck und deshalb ohne Unterschrift gültig.
This report has been computer generated and does not contain a signature.