

ANALYSENZERTIFIKAT
CERTIFICATE OF ANALYSIS

Alcianblau 8 GS	Kat.Nr./Cat.No.:	12021
Alcian blue 8 GS	Lot/Contr.No. :	150007

Parameter parameter	Methode method	Spezifikation specification	Ergebnis result
Molekulargewicht molecular weight		ca. 1 300	
Aussehen appearance		schwarzblaues Pulver blue black powder	entspricht corresponds
$\lambda_{\max.}(\text{nm})$		610 – 625	612
A 1 cm/$\lambda_{\max.}$	0.001 % in H ₂ O	min. 0.18	0.219
Wasser (%) water	KF	max. 10.0	7.5
Gehalt (%) dye content	BSC procedure	min. 50	57
Mindesthaltbarkeit minimum shelf life			10/ 2017
Lagerung (°C) storage			+15 bis / to +30

Die Eignung des Produktes für spezielle Anwendungszwecke wird nicht zugesichert.
Dieses Dokument entbindet nicht von einer branchenüblichen Eingangskontrolle.
We do not guarantee that the product can be used for a special application.
This document does not release you from performing the standard control upon receipt of incoming goods.

SERVA Electrophoresis GmbH
Qualitätskontrolle/ Quality Control

Druckdatum/ printing date: 07.01.2015

Dipl.-Ing. (FH) Bernhard Göckel

Patricia Milford

Dieses Dokument ist ein Computerausdruck und deshalb ohne Unterschrift gültig.
This report has been computer generated and does not contain a signature.