

**A N A L Y S E N Z E R T I F I K A T**  
 CERTIFICATE OF ANALYSIS

<b>Alcianblau 8 GS</b>	<b>Kat.Nr./Cat.No. : 12021</b>
Alcian blue 8 GS	<b>Lot/Contr.No. : 170733</b>

Parameter parameter	Methode method	Spezifikation specification	Ergebnis result
<b>Molekulargewicht</b> molecular weight		ca. 1 300	
<b>Aussehen</b> appearance		schwarzblaues Pulver blue black powder	entspricht corresponds
$\lambda_{\max.}(\text{nm})$		610 – 625	612
<b>A 1 cm/<math>\lambda_{\max.}</math></b>	0.001 % in H <sub>2</sub> O	min. 0.14	0.164
<b>Gehalt (%)</b> dye content	BSC procedure	min. 50	57
<b>Mindesthaltbarkeit</b> minimum shelf life			11.07.2020
<b>Lagerung (°C)</b> storage			+15 bis / to +30

<p><b>Die Eignung des Produktes für spezielle Anwendungszwecke wird nicht zugesichert.</b>  <b>Dieses Dokument entbindet nicht von einer branchenüblichen Eingangskontrolle.</b>          We do not guarantee that the product can be used for a special application.          This document does not release you from performing the standard control upon receipt of incoming goods.</p>
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**SERVA Electrophoresis GmbH**  
**Qualitätskontrolle/ Quality Control**
**Druckdatum/ printing date: 08.01.2019**

Christian Monsler

Patricia Milford

**Dieses Dokument ist ein Computerausdruck und deshalb ohne Unterschrift gültig.**  
 This report has been computer generated and does not contain a signature.