

**ANALYSENZERTIFIKAT**  
 CERTIFICATE OF ANALYSIS

<b>Bestatin</b> reinst	<b>Kat.Nr./Cat.No. :</b>	<b>14980</b>
research grade	<b>Lot/Contr.No. :</b>	<b>170403</b>

Parameter parameter	Methode method	Spezifikation specification	Ergebnis result
<b>Summenformel</b> formula		C <sub>16</sub> H <sub>24</sub> N <sub>2</sub> O <sub>4</sub> HCl	
<b>Molekulargewicht</b> molecular weight		344.8	
<b>Aussehen</b> appearance		weißes Pulver white powder	entspricht corresponds
<b>Gehalt (%)</b> assay	HPLC	min. 98.0	≥ 99.0
<b>Mindesthaltbarkeit</b> minimum shelf life			30.04.2022
<b>Lagerung (°C)</b> storage			-15 bis/ to -25

**Die Eignung des Produktes für spezielle Anwendungszwecke wird nicht zugesichert.**  
**Dieses Dokument entbindet nicht von einer branchenüblichen Eingangskontrolle.**  
 We do not guarantee that the product can be used for a special application.  
 This document does not release you from performing the standard control upon receipt of incoming goods.

**SERVA Electrophoresis GmbH**  
**Qualitätskontrolle/ Quality Control**
**Druckdatum/ printing date: 06.07.2020**

Christian Monsler

Patricia Milford

**Dieses Dokument ist ein Computerausdruck und deshalb ohne Unterschrift gültig.**  
 This report has been computer generated and does not contain a signature.