

**ANALYSENZERTIFIKAT**  
CERTIFICATE OF ANALYSIS

<b>Brij 35</b> pract.	<b>Kat.Nr./Cat.No. :</b>	<b>15230</b>
Polyoxyethylene monolauryl ether; n ca. 23	<b>Lot/Contr.No. :</b>	<b>140292</b>

<b>Parameter</b> parameter	<b>Methode</b> method	<b>Spezifikation</b> specification	<b>Ergebnis</b> result
<b>Molekulargewicht</b> molecular weight		ca. 1 200	
<b>Aussehen</b> appearance		weiße, wachsartige Schuppen white, wax-like flakes	entspricht corresponds
<b>Wasser (%)</b> water		max. 1.0	0
<b>Hydroxylzahl (mg KOH/ g)</b> hydroxyl value		40 – 60	48
<b>Säurezahl (mg KOH/ g)</b> acid value		max. 1.0	0.0
<b>Verseifungszahl (mg KOH/ g)</b> saponification value		max. 3.0	1
<b>Mindesthaltbarkeit</b> minimum shelf life			02/ 2016
<b>Lagerung (°C)</b> storage			+15 bis/ to +30

**Die Eignung des Produktes für spezielle Anwendungszwecke wird nicht zugesichert.**  
**Dieses Dokument entbindet nicht von einer branchenüblichen Eingangskontrolle.**  
We do not guarantee that the product can be used for a special application.  
This document does not release you from performing the standard control upon receipt of incoming goods.

**SERVA Electrophoresis GmbH**  
**Qualitätskontrolle/ Quality Control**

**Druckdatum/ printing date: 07.03.2014**

Dipl.-Ing. (FH) Bernhard Göckel

Patricia Milford

**Dieses Dokument ist ein Computerausdruck und deshalb ohne Unterschrift gültig.**  
This report has been computer generated and does not contain a signature.