

**A N A L Y S E N Z E R T I F I K A T**  
CERTIFICATE OF ANALYSIS

<b>Cetyltrimethylammonium-bromid</b> krist. rein	<b>Kat.Nr./Cat.No. :</b>	<b>16530</b>
CTAB cryst. pure	<b>Lot/Contr.No. :</b>	<b>141113</b>

Parameter parameter	Methode method	Spezifikation specification	Ergebnis result
<b>Summenformel</b> formula		$C_{19}H_{42}N^+Br^-$	
<b>Molmasse</b> molecular weight		364.46	
<b>Aussehen</b> appearance		weißes bis fast weißes Pulver white to almost white powder	entspricht corresponds
<b>Gehalt (%)</b> assay	Titration	min. 99.0	99.1
<b>Ursprung</b> origin		chemisch synthetisiert chemical synthesis	entspricht corresponds
<b>Mindesthaltbarkeit</b> minimum shelf life			07/ 2019
<b>Lagerung (°C)</b> storage			+15 bis / to +30

**Die Eignung des Produktes für spezielle Anwendungszwecke wird nicht zugesichert.**  
**Dieses Dokument entbindet nicht von einer branchenüblichen Eingangskontrolle.**  
We do not guarantee that the product can be used for a special application.  
This document does not release you from performing the standard control upon receipt of incoming goods.

**SERVA Electrophoresis GmbH**  
**Qualitätskontrolle/ Quality Control**

**Druckdatum/ printing date:** 23.10.2014

Dipl.-Ing. (FH) Bernhard Göckel

Daniela Lux-Helmstetter

**Dieses Dokument ist ein Computerausdruck und deshalb ohne Unterschrift gültig.**  
This report has been computer generated and does not contain a signature.