

ANALYSENZERTIFIKAT
CERTIFICATE OF ANALYSIS

Coomassie®Brilliant Blau G 250 rein	Kat.Nr./Cat.No. :	17524
Coomassie®Brilliant Blue G 250 pure	Lot/Contr.No. :	190781

Parameter parameter	Methode method	Spezifikation specification	Ergebnis result
Summenformel formula		$C_{47}H_{48}N_3O_7S_2 \cdot Na$	
Molekulargewicht molecular weight		854.0	
Aussehen appearance		dunkelblaues Pulver dark blue powder	entspricht corresponds
λ max (nm)	0.001% in Puffer/ buffer pH 7	580 – 590	582
A 1cm/ λmax	1% in Puffer/ buffer pH 7	min. 450	461
Mindesthaltbarkeit minimum shelf life			23.07.2024
Lagerung (°C) storage			+15 bis / to +30

Die Eignung des Produktes für spezielle Anwendungszwecke wird nicht zugesichert.
Dieses Dokument entbindet nicht von einer branchenüblichen Eingangskontrolle.
We do not guarantee that the product can be used for a special application.
This document does not release you from performing the standard control upon receipt of incoming goods.

SERVA Electrophoresis GmbH
Qualitätskontrolle/ Quality Control

Druckdatum/ printing date: 30.07.2019

Christian Monsler

Daniela Lux-Helmstetter

Dieses Dokument ist ein Computerausdruck und deshalb ohne Unterschrift gültig.
This report has been computer generated and does not contain a signature.