

ANALYSENZERTIFIKAT
CERTIFICATE OF ANALYSIS

Coomassie® Brilliant Blau R 250 rein	Kat.Nr./Cat.No. : 17525
Coomassie® Brilliant Blue R 250 pure	Lot/Contr.No. : 200599

Parameter parameter	Methode method	Spezifikation specification	Ergebnis result
Summenformel formula		C ₄₅ H ₄₄ N ₃ O ₇ S ₂ Na	
Molekulargewicht molecular weight		826.0	
Aussehen appearance		schwarz-rotes Pulver black to red-colored powder	entspricht corresponds
Gehalt (%) assay	UV	min. 75.0	121
Mindesthaltbarkeit minimum shelf life			03.06.2025
Lagerung (°C) storage			+15 bis/ to +30

Die Eignung des Produktes für spezielle Anwendungszwecke wird nicht zugesichert.
Dieses Dokument entbindet nicht von einer branchenüblichen Eingangskontrolle.
We do not guarantee that the product can be used for a special application.
This document does not release you from performing the standard control upon receipt of incoming goods.

SERVA Electrophoresis GmbH
Qualitätskontrolle/ Quality Control

Druckdatum/ printing date: 15.06.2020

Christian Monsler

Daniela Lux-Helmstetter

Dieses Dokument ist ein Computerausdruck und deshalb ohne Unterschrift gültig.
This report has been computer generated and does not contain a signature.