CERTIFICATE OF ANALYSIS



Hyaluronidase from ovine testes lyophil. EC 3.2.1.35		Cat.No. : 25118 Contr.No.: 120972	
Parameter	Method	Specification	Result
Molecular weight		ca. 55 000	
Appearance		white lyophilisate	corresponds
Solubility	1 mg/ml 0.02 M Phosphate buffer pH 6.9 cont. 0.45 % NaCl and 0.01 % BSA	clear and colorless	corresponds
Activity (U/mg)	Hyaluronidase	min. 1 000	1 200
Minimum shelf life	and and a second s)`	07/ 2015
Storage (°C)	×roy		-15 to -25
Unit definition	Elect.		

1 Unit is that amount of enzymatic activity which produces the same reduction in turbidity in a mixture of hyaluronic acid and albumin as one I.U. (International Unit) of a standard hyaluronidase preparation. 1 I-unit = 1 USP-unit = 1 NF-unit.

The product was prepared from ovine testes of New Zealand origin, collected from healthy animals intended for human consumption, and slaughtered in abattoirs under veterinary control.

The raw material was frozen at below minus 15°C immediately after slaughter and kept at this temperature until the time of manufacture.

Furthermore, the preparation was exposed to a pH of less than 4.0 for greater than 24 hours during the purification, and all reasonable precautions were taken to prevent contamination of the product during and after processing.

We do not guarantee that the product can be used for a special application. This document does not release you from performing the standard control upon receipt of incoming goods.

SERVA Electrophoresis GmbH Quality Control **Printing date**: 15.08.2012

Dipl.-Ing. (FH) Bernhard Göckel

Patricia Steinmann

This report has been computer generated and does not contain a signature.

SERVA Electrophoresis GmbH • D-69115 Heidelberg • Carl-Benz-Str. 7 • Tel.: +49 6221 138 40-0 • Fax +49 6221 138 40-10 Geschäftsführer: Dr. Barbara Müller, Dr. Manfred Kurfürst • HRB 336136 AG Mannheim • E-Mail: info.serva.de • http://www.serva.de COMMERZBANK BLZ: 672 400 39 Kto: 190 38 30 00 • IBAN: DE90 6724 0039 0190 3830 00 • BIC: COBADEFFXXX • Ust.ID-Nr.: DE 812 517 285