

**ANALYSENZERTIFIKAT**  
CERTIFICATE OF ANALYSIS

Norit® A pract.	<b>Kat.Nr./Cat.No. :</b>	<b>30890</b>
Norit® A pract.	<b>Lot/Contr.No. :</b>	<b>120969</b>

<b>Parameter</b> parameter	<b>Spezifikation</b> specification	<b>Ergebnis</b> result
<b>Beschreibung</b> description	Aktivkohle aus Torf, säuregewaschen activated charcoal from peat, acid washed	entspricht corresponds
<b>Aussehen</b> appearance	feines schwarzes Pulver fine black powder	entspricht corresponds
<b>Wasser (%)</b> water	max. 10.0	4.0
<b>Asche (%)</b> ash		7.0
<b>Salzsäurelösliche Bestandteile (%)</b> hydrochloric acid soluble components	max. 1.0	0.2
<b>Methylenblau-Adsorption (g/100g)</b> methylene blue adsorption		13
<b>Molassezahl</b> molasses number	max. 380	310
<b>Mindesthaltbarkeit</b> minimum shelf life		05/ 2017
<b>Lagerung (°C)</b> storage		+15 bis/ to +30

**Die Eignung des Produktes für spezielle Anwendungszwecke wird nicht zugesichert.**  
**Dieses Dokument entbindet nicht von einer branchenüblichen Eingangskontrolle.**  
We do not guarantee that the product can be used for a special application.  
This document does not release you from performing the standard control upon receipt of incoming goods.

**SERVA Electrophoresis GmbH**  
**Qualitätskontrolle/ Quality Control**

**Druckdatum/ printing date: 23.08.2012**

Dipl.-Ing. (FH) Bernhard Göckel

Patricia Steinmann

**Dieses Dokument ist ein Computerausdruck und deshalb ohne Unterschrift gültig.**  
This report has been computer generated and does not contain a signature.