

**ANALYSENZERTIFIKAT**  
CERTIFICATE OF ANALYSIS

Norit® A pract.	<b>Kat.Nr./Cat.No. :</b>	<b>30890</b>
Norit® A pract.	<b>Lot/Contr.No. :</b>	<b>140568</b>

Parameter parameter	Spezifikation specification	Ergebnis result
<b>Beschreibung</b> description	Aktivkohle aus Torf, säuregewaschen activated charcoal from peat, acid washed	entspricht corresponds
<b>Aussehen</b> appearance	feines schwarzes Pulver fine black powder	entspricht corresponds
<b>Wasser (%)</b> water	max. 10.0	6.0
<b>Asche (%)</b> ash		5.0
<b>Salzsäurelösliche Bestandteile (%)</b> hydrochloric acid soluble components	max. 1.0	0.3
<b>Methylenblau-Adsorption (g/100g)</b> methylene blue adsorption		18
<b>Molassezahl</b> molasses number	max. 380	290
<b>Mindesthaltbarkeit</b> minimum shelf life		05/ 2019
<b>Lagerung (°C)</b> storage		+15 bis/ to +30

<p><b>Die Eignung des Produktes für spezielle Anwendungszwecke wird nicht zugesichert.</b>  <b>Dieses Dokument entbindet nicht von einer branchenüblichen Eingangskontrolle.</b>          We do not guarantee that the product can be used for a special application.          This document does not release you from performing the standard control upon receipt of incoming goods.</p>
--

**SERVA Electrophoresis GmbH**  
**Qualitätskontrolle/ Quality Control**

**Druckdatum/ printing date:** 21.05.2014

Dipl.-Ing. (FH) Bernhard Göckel

Daniela Lux-Helmstetter

**Dieses Dokument ist ein Computerausdruck und deshalb ohne Unterschrift gültig.**

This report has been computer generated and does not contain a signature.