

**ANALYSENZERTIFIKAT**  
CERTIFICATE OF ANALYSIS

**PEFABLOC® SC**

**Kat.Nr./Cat.No. : 31682**

**Lot/Contr.No. : 150858**

<b>Parameter</b> parameter	<b>Methode</b> method	<b>Spezifikation</b> specification	<b>Ergebnis</b> result
<b>Summenformel</b> formula		C <sub>8</sub> H <sub>10</sub> NSO <sub>2</sub> F·HCl	
<b>Molekulargewicht</b> molecular weight		239.7	
<b>Aussehen</b> appearance		weißes, krist. Pulver white, cryst. powder	entspricht corresponds
<b>Reinheit (%)</b> purity	HPLC	min. 95.0	100
<b>Schmelzpunkt (°C)</b> melting point		175 – 185	183
<b>Löslichkeit</b> solubility	20 g/ 100 ml H <sub>2</sub> O	klar und farblos clear and colorless	entspricht corresponds
<b>Identität</b> identity	IR	entspricht corresponds	entspricht corresponds
<b>Mindesthaltbarkeit</b> minimum shelf life			09/ 2018
<b>Lagerung (°C)</b> storage			+2 bis/ to +8

**Die Eignung des Produktes für spezielle Anwendungszwecke wird nicht zugesichert.**

**Dieses Dokument entbindet nicht von einer branchenüblichen Eingangskontrolle.**

We do not guarantee that the product can be used for a special application.

This document does not release you from performing the standard control upon receipt of incoming goods.

**SERVA Electrophoresis GmbH**  
**Qualitätskontrolle/ Quality Control**

**Druckdatum/ printing date: 20.07.2015**

Dipl.-Ing. (FH) Bernhard Göckel

Patricia Milford

**Dieses Dokument ist ein Computerausdruck und deshalb ohne Unterschrift gültig.**

This report has been computer generated and does not contain a signature.