

**A N A L Y S E N Z E R T I F I K A T**  
CERTIFICATE OF ANALYSIS

<b>MycoDecon</b>	<b>Kat.Nr./Cat.No. :</b>	<b>34206</b>
	<b>Lot/Contr.No. :</b>	<b>231044</b>

<b>Parameter</b> parameter	<b>Methode</b> method	<b>Spezifikation</b> specification	<b>Ergebnis</b> result
<b>Anwendung</b> application	Hocheffektives Desinfektionsmittel, besonders aktiv gegen Mykoplasmen, aber auch gegen Bakterien, Pilze und Viren. Highly effective disinfectant, particularly active against mycoplasma, but also against bacteria, virus and fungus.		
<b>Aussehen</b> appearance		farblose Lösung colourless solution	entspricht corresponds
<b>Mindesthaltbarkeit</b> minimum shelf life			31.03.2025
<b>Lagerung (°C)</b> storage			+15 bis/ to +30

**Die Eignung des Produktes für spezielle Anwendungszwecke wird nicht zugesichert.  
Dieses Dokument entbindet nicht von einer branchenüblichen Eingangskontrolle.**  
We do not guarantee that the product can be used for a special application.  
This document does not release you from performing the standard control upon receipt of incoming goods.

**SERVA Electrophoresis GmbH**  
**Qualitätskontrolle/ Quality Control**

**Druckdatum/ printing date:** 26.10.2023

Dr. Judith Koch

Daniela Lux-Helmstetter

**Dieses Dokument ist ein Computerausdruck und deshalb ohne Unterschrift gültig.**  
This report has been computer generated and does not contain a signature.