

ANALYSENZERTIFIKAT

CERTIFICATE OF ANALYSIS

Serva Blau G reinst	Kat.Nr./Cat.No. :	35050
Serva Blue G research grade	Lot/Contr.No. :	140728

Parameter parameter	Methode method	Spezifikation specification	Ergebnis result
Summenformel formula		C ₄₇ H ₄₈ N ₃ O ₇ S ₂ ·Na	
Molekulargewicht molecular weight		854.0	
Aussehen appearance		dunkelblaues Pulver dark blue powder	entspricht corresponds
λ max (nm)	0.001 % in Puffer/buffer pH 7	580 – 590	584
A 1cm/ λmax	1 % in Puffer/buffer pH 7	min. 450	477
Wasser (%) water	KF	max. 10	5.6
TLC	Kieselgel/silicagel 60 F ₂₅₄ n-Butanol/n-butanol Ethanol/ethanol Eisessig/glacial acetic acid Wasser/water	1 Hauptbande/main spot 5 Rf ca. 0.71 2 3 Nebenbanden/ secondary spots 2 Rf ca. 0.69; 0.75; 0.85	entspricht corresponds
Mindesthaltbarkeit minimum shelf life			06/ 2019
Lagerung (°C) storage			+15 bis / to +30

Die Eignung des Produktes für spezielle Anwendungszwecke wird nicht zugesichert.
Dieses Dokument entbindet nicht von einer branchenüblichen Eingangskontrolle.
We do not guarantee that the product can be used for a special application.
This document does not release you from performing the standard control upon receipt of incoming goods.

SERVA Electrophoresis GmbH
Qualitätskontrolle/ Quality Control

Druckdatum/ printing date: 30.06.2014

Dipl.-Ing. (FH) Bernhard Göckel

Patricia Milford

Dieses Dokument ist ein Computerausdruck und deshalb ohne Unterschrift gültig.
This report has been computer generated and does not contain a signature.