

**ANALYSENZERTIFIKAT**  
CERTIFICATE OF ANALYSIS

<b>Zitronensäure p. A.</b> Citric acid analytical grade	<b>Kat.Nr./Cat.No. :</b> 38640 <b>Lot/Contr.No. :</b> 130848
--	---

Parameter parameter	Methode method	Spezifikation specification	Ergebnis result
<b>Summenformel</b> formula		C <sub>6</sub> H <sub>8</sub> O <sub>7</sub> ·H <sub>2</sub> O	
<b>Molekulargewicht</b> molecular weight		210.14	
<b>Aussehen</b> appearance		weiße Kristalle white crystals	entspricht corresponds
<b>Gehalt (%)</b> assay	Titration	99.5 – 101.0	100.0
<b>Wasser (%)</b> water	KF	7.5 – 9.0	7.8
<b>Sulfatasche (%)</b> sulfated ash		max. 0.1	0.03
<b>Identität</b> identity	IR	entspricht corresponds	entspricht corresponds
<b>Mindesthaltbarkeit</b> minimum shelf life			02/ 2016
<b>Lagerung (°C)</b> storage			+15 bis/ to +30

**Die Eignung des Produktes für spezielle Anwendungszwecke wird nicht zugesichert.**  
**Dieses Dokument entbindet nicht von einer branchenüblichen Eingangskontrolle.**  
We do not guarantee that the product can be used for a special application.  
This document does not release you from performing the standard control upon receipt of incoming goods.

**SERVA Electrophoresis GmbH**  
**Qualitätskontrolle/ Quality Control**

**Druckdatum/ printing date:** 25.11.2014

Dipl.-Ing. (FH) Bernhard Göckel

Patricia Milford

**Dieses Dokument ist ein Computerausdruck und deshalb ohne Unterschrift gültig.**  
This report has been computer generated and does not contain a signature.