

IEF Markers 3-10, SERVA Liquid Mix			Cat.No.: 39212 Lot No.: P180013
Protein Components	pI	Country of origin (for animals)	Molecular weight (kDa)
Cytochrome C (horse, heart)	10.7	Canada	12.4
Ribonuclease A (bovine pancreas)	9.5	New Zealand	13.7
Lectin (Lens culinaris)	8.3, 8.0, 7.8	Grador	2 x 17.0 / 2 x 8.0
Myoglobin (horse, muscle)	7.4, 6.9	Mexico	17.8
Carbonic anhydrase (bovine erythrocytes)	6.0	USA	29.0
β -Lactoglobulin (bovine, milk)	5.3, 5.2	USA	14.0
Trypsin inhibitor (soybean)	4.5		21.5
Glucose oxidase (Aspergillus niger)	4.2		150.0
Amyloglucosidase (Aspergillus niger)	3.5		97.0
Storage (°C)			-15 to -25
Minimum shelf life			16.01.2020
Handling ready-to-use			

ready-to-use Apply 5µl (50µg protein) per lane when staining with SERVA Violet 17 SERVA Blue R, SERVA Blue G or Coomassie. For silver staining, dilute 1:10 and apply 5µl (5µg protein) per lane.

We do not guarantee that the product can be used for a special application. This document does not release you from performing the standard control upon receipt of incoming goods.

SERVA Electrophoresis GmbH Quality Control

Dipl.-Ing. (FH) Bernhard Göckel

This report has been computer generated and does not contain a signature.

Printing date: 03.05.2018

Daniela Lux-Helmstetter