

ANALYSENZERTIFIKAT
CERTIFICATE OF ANALYSIS

SERVALYT® 4 - 7

Kat.Nr./Cat.No. : 42948

Lot / Contr.No. : P220015

Parameter parameter	Methode method	Spezifikation specification	Ergebnis result
Beschreibung description	Klare Lösung von Polyamino-polysulfon-polycarboxylsäuren, 40% (w/v) in Wasser, sterilfiltriert Clear solution of polyamino-polysulfonic-polycarboxylic acids, 40% (w/v) in water, sterile filtered		
pH	2% in H ₂ O, RT	5.2 – 6.0	5.32
Leitfähigkeit (mS/cm) conductivity	2% in H ₂ O, RT	0.15 – 0.55	0.280
pH-Bereich pH-range	IEF ⁽¹⁾ , 150 µm-Gel, 5 °C, 5 000 Vh	4.0 ± 0.3 – 7.0 ± 0.4	3.8 – 7.1
ausgebildeter pH-Gradient (%) pH-gradient formed	IEF, 150 µm-Gel, 5 °C, 5 000 Vh	min. 75	91
Mindesthaltbarkeit minimum shelf life			14.01.2027
Lagerung (°C) storage			+2 bis/ to +8

⁽¹⁾ Gelelektrophorese wird auf Standard-Polyacrylamid-Gelen durchgeführt.
Gel electrophoresis is performed using a standard-polyacrylamide-gel.
(5% T, 3% C, 4% Servalyt®, 0.1% (w/v) APS, 0.078% (w/v) TEMED,
standard electrode solution # 42984 and # 42986)

Die Eignung des Produktes für spezielle Anwendungszwecke wird nicht zugesichert.

Dieses Dokument entbindet nicht von einer branchenüblichen Eingangskontrolle.

We do not guarantee that the product can be used for a special application.

This document does not release you from performing the standard control upon receipt of incoming goods.

SERVA Electrophoresis GmbH
Qualitätskontrolle/ Quality Control

Druckdatum/ printing date: 19.01.2022

Dr. Judith Koch

Daniela Lux-Helmstetter

Dieses Dokument ist ein Computerausdruck und deshalb ohne Unterschrift gültig.

This report has been computer generated and does not contain a signature.