

# Safety data sheet according to UK REACH

Printing date 11.07.2025

Version number 4

Revision: 11.07.2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### · 1.1 Product identifier

- Trade name: Acrylamide
- Synonyma 2-Propenamide



- Article number: 10674, 10675, 10678

- CAS Number:  
79-06-1

- EC number:  
201-173-7

- Index number:  
616-003-00-0

- Registration number 01-2119463260-48

### · 1.2 Relevant identified uses of the substance or mixture and uses advised against

- Sector of Use SU24 Scientific research and development

#### · Product category

PC19 Intermediate

PC21 Laboratory chemicals

#### · Process category

PROC15 Use as laboratory reagent

PROC 0: Other: Monomer for polymerisation

- Environmental release category ERC 0: Other: Laboratory Use

- Application of the substance / the mixture: Laboratory chemicals

### · 1.3 Details of the supplier of the safety data sheet

#### · Manufacturer/Supplier:

SERVA Electrophoresis GmbH

Carl-Benz-Str. 7

D-69115 Heidelberg

Tel.: +49/6221/13840-0

FAX: +49/6221/13840-10

msds.info@serva.de

- Information department: Security Department Phone: +49 6221 13840-34

### · 1.4 Emergency telephone number:

Emergency medical information in case of poisoning

Poison Information Centre Mainz-Tel: +49 (0) 6131 19240

(Counselling in German and English)

## SECTION 2: Hazards identification

### · 2.1 Classification of the substance or mixture

- Classification according to Regulation (EC) No 1272/2008:



GHS06

Acute Tox. 3 H301 Toxic if swallowed.



GHS08

Muta. 1B H340 May cause genetic defects.

Carc. 1B H350 May cause cancer.

Repr. 2 H361f Suspected of damaging fertility.

STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.

(Contd. on page 2)

## Safety data sheet according to UK REACH

Printing date 11.07.2025

Version number 4

Revision: 11.07.2025

Trade name: Acrylamide

(Contd. of page 1)



GHS07

Acute Tox. 4 H312 Harmful in contact with skin.  
 Acute Tox. 4 H332 Harmful if inhaled.  
 Skin Irrit. 2 H315 Causes skin irritation.  
 Eye Irrit. 2 H319 Causes serious eye irritation.  
 Skin Sens. 1 H317 May cause an allergic skin reaction.

### · 2.2 Label elements

#### · Labelling according to Regulation (EC) No 1272/2008:

The substance is classified and labelled according to the GB CLP regulation.

· **Hazard pictograms:** GHS06, GHS08

· **Signal word:** Danger

#### · Hazard statements:

H301 Toxic if swallowed.  
 H312+H332 Harmful in contact with skin or if inhaled.  
 H315 Causes skin irritation.  
 H319 Causes serious eye irritation.  
 H317 May cause an allergic skin reaction.  
 H340 May cause genetic defects.  
 H350 May cause cancer.  
 H361f Suspected of damaging fertility.  
 H372 Causes damage to organs through prolonged or repeated exposure.

#### · Precautionary statements

P201 Obtain special instructions before use.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
 P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
 P302+P352 IF ON SKIN: Wash with plenty of water.  
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### · Labelling of packages where the contents do not exceed 125 ml

· **Hazard pictograms** GHS06, GHS08

· **Signal word** Danger

#### · Hazard statements

H301 Toxic if swallowed.  
 H317 May cause an allergic skin reaction.  
 H340 May cause genetic defects.  
 H350 May cause cancer.  
 H361f Suspected of damaging fertility.  
 H372 Causes damage to organs through prolonged or repeated exposure.

#### · Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
 P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
 P302+P352 IF ON SKIN: Wash with plenty of water.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

### · 2.3 Other hazards

#### · Results of PBT and vPvB assessment:

- **PBT:** Concentration of substances classified as PBT: < 0,1%
- **vPvB:** concentration of substances classified as vPvB: < 0,1%

(Contd. on page 3)

## Safety data sheet according to UK REACH

Printing date 11.07.2025

Version number 4

Revision: 11.07.2025

Trade name: Acrylamide

(Contd. of page 2)

· **Determination of endocrine-disrupting properties** No further relevant information available.

### SECTION 3: Composition/information on ingredients

- **3.1 Substances**
- **CAS No. Description:**  
79-06-1 acrylamide
- **Identification number(s):**
- **EC number:** 201-173-7
- **Index number:** 616-003-00-0
- **Description:**
- **Empirical formula:** C<sub>3</sub>H<sub>5</sub>N O
- **MW:** 71.1

- **SVHC**

79-06-1	acrylamide
---------	------------

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:**  
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.  
Remove contaminated clothing.
- **After inhalation:** Supply fresh air and to be sure call for a doctor.
- **After skin contact:**  
Wash off immediately with soap and water and rinse thoroughly. In case of complaints, consult a doctor.
- **After eye contact:**  
Rinse opened eye for several minutes with running water. Remove contact lenses, if possible, and continue rinsing. In case of complaints, consult an ophthalmologist.
- **After swallowing:**  
Rinse out mouth. Call a doctor immediately.  
Do not induce vomiting!
- **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture:**  
Formation of hazardous vapours and gases possible during heating or in case of fire.  
In case of fire, the following can be formed, but not limited to:  
Nitrogen oxides (NOx)  
Carbon monoxide and carbon dioxide
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained breathing apparatus.
- **Additional information**  
Collect contaminated fire fighting water separately. It must not enter the sewage system.  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

GB

(Contd. on page 4)

## Safety data sheet according to UK REACH

Printing date 11.07.2025

Version number 4

Revision: 11.07.2025

Trade name: Acrylamide

(Contd. of page 3)

### SECTION 6: Accidental release measures

#### · 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

Ensure adequate ventilation

Avoid formation of dust.

Avoid contact with eyes and skin.

#### · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

#### · 6.3 Methods and material for containment and cleaning up

Dispose contaminated material as waste according to section 13.

Pick up mechanically.

#### · 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

#### · 7.1 Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Residues sublime easily. Do not inhale vapours.

Skin absorbable. Avoid contact with eyes and skin.

Open and handle receptacle with care.

Restrict the quantity stored at the work place.

Prevent formation of dust.

#### · Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Keep respiratory protective device available.

#### · 7.2 Conditions for safe storage, including any incompatibilities

##### · Storage

##### · Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Storage at +2 to +8 °C

##### · Information about storage in one common storage facility: Store away from oxidising agents.

##### · Further information about storage conditions:

Store under lock and key and with access restricted to technical experts or their assistants only.

Store containers tightly closed and dry.

Protect from exposure to the light.

#### · 7.3 Specific end use(s): No other specific uses as mentioned in section 1.2..

### SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

DMEL systemic long-term effects by inhalation: 0,07 mg/m<sup>3</sup>

DMEL systemic long-term effects , dermal: 0,1 mg/kg/day

#### · Components with limit values that require monitoring at the workplace:

no further relevant information available

#### 79-06-1 acrylamide (80-100%)

WEL Long-term value: 0,1 mg/m<sup>3</sup>

Carc; Sk

#### · PNECs

PNEC fresh water: 0.32 mg/l

PNEC seawater: 2 mg/l

PNEC sewage treatment plant: 2 mg/l

(Contd. on page 5)

## Safety data sheet according to UK REACH

Printing date 11.07.2025

Version number 4

Revision: 11.07.2025

**Trade name: Acrylamide**

(Contd. of page 4)

- **Additional information:**  
skin absorbable  
The lists that were valid during the creation were used as basis.
- **8.2 Exposure controls**
- **Appropriate engineering controls:** No further data; see section 7.
- **Individual protection measures, such as personal protective equipment:**
- **General protective and hygienic measures:**  
Collect residual Acrylamide separately.  
Disposal considerations see section 13.  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Store protective clothing separately.  
Avoid contact with the eyes and skin.  
Wash hands before breaks and at the end of work.
- **Breathing equipment:**  
Short term filter device:  
Filter P3.
- **Hand protection:**  
PVC gloves  
Neoprene gloves  
Internal tests have shown that some rubber gloves may be subject to permeability to acrylamide. We suggest using neoprene gloves.  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Protective gloves.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves:**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material:**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**  
PVC gloves  
Neoprene gloves
- **Eye/face protection:** Tightly sealed goggles.
- **Body protection:** Protective work clothing.
- **Environmental exposure controls**  
Ecological informations see section 12.  
Do not exceed PNEC.

### SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information:**
- **Physical state:** Solid.
- **Colour:** White
- **Odour:** Odourless
- **Odour threshold:** not determined.
- **Melting point/freezing point:** 82-86 °C

(Contd. on page 6)

GB

## Safety data sheet according to UK REACH

Printing date 11.07.2025

Version number 4

Revision: 11.07.2025

**Trade name: Acrylamide**

(Contd. of page 5)

· <b>Boiling point or initial boiling point and boiling range:</b>	125 °C (33 hPa)
· <b>Flammability:</b>	Based on available data, the classification criteria for flammable solids are not met.
· <b>Lower and upper explosion limit:</b>	
· <b>Lower:</b>	No information available
· <b>Upper:</b>	No information available
· <b>Flash point:</b>	138 °C
· <b>Decomposition temperature:</b>	No information available
· <b>pH:</b>	5-8
· <b>Viscosity:</b>	
· <b>Kinematic viscosity:</b>	No information available
· <b>Dynamic viscosity:</b>	No information available
· <b>Solubility:</b>	
· <b>Water at 25 °C:</b>	2040 g/l
· <b>Partition coefficient n-octanol/water (log value):</b>	Log P <sub>ow</sub> = -0.67
· <b>Vapour pressure at 25 °C:</b>	0.09 hPa
· <b>Density and/or relative density:</b>	
· <b>Density at 20 °C:</b>	1.13 g/cm <sup>3</sup>
· <b>Relative density:</b>	No information available
· <b>Particle characteristics</b>	No information available

### · 9.2 Other information

· <b>Appearance:</b>	
· <b>Form:</b>	Crystalline
· <b>Important information on protection of health and environment, and on safety:</b>	
· <b>Explosive properties:</b>	The product is not explosive, but the formation of explosive dust/air mixtures is possible.
· <b>Molecular weight</b>	71.1 g/mol

## SECTION 10: Stability and reactivity

- **10.1 Reactivity:** No further relevant information available.
- **10.2 Chemical stability:**
- **Thermal decomposition / conditions to be avoided:** polymerizes when heated.
- **10.3 Possibility of hazardous reactions:**  
As the product is supplied it is not capable of dust explosion; however enrichment with fine dust causes risk of dust explosion  
Exothermic polymerisation  
Reacts with oxidizing agents
- **10.4 Conditions to avoid:**  
High temperatures  
Exposure to light
- **10.5 Incompatible materials:**  
Avoid contact with:  
Oxidising agents, acids, bases
- **10.6 Hazardous decomposition products:** In case of fire: see section 5

## SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:**
- **Acute toxicity:**  
Toxic if swallowed.  
Harmful in contact with skin or if inhaled.

(Contd. on page 7)

## Safety data sheet according to UK REACH

Printing date 11.07.2025

Version number 4

Revision: 11.07.2025

**Trade name: Acrylamide**

(Contd. of page 6)

**· LD/LC50 values that are relevant for classification:**

Oral	LD50	177 mg/kg (rat)
Dermal	LD50	1,141 mg/kg (rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation:** Causes skin irritation.
- **Serious eye damage/irritation:**  
Eye irritant because of test results according to OECD Test Guideline 405.  
Causes serious eye irritation.
- **Respiratory or skin sensitisation:**  
Skin sensitizer because of test results according to OECD TG 406.  
May cause an allergic skin reaction.
- **Germ cell mutagenicity:** May cause genetic defects.
- **Carcinogenicity:** May cause cancer.
- **Reproductive toxicity:** Suspected of damaging fertility.
- **STOT-single exposure:** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure:** Causes damage to organs through prolonged or repeated exposure.
- **Aspiration hazard:** Based on available data, the classification criteria are not met.
- **Other information (about experimental toxicology)**  
Acrylamide, EC Number: 201-173-7, CAS number: 79-06-1, is identified as a carcinogenic and mutagenic substance according to Article 57 (a) and (b) of Regulation (EC) No 1907/2006 (UK REACH).  
This corresponds to a classification as carcinogen (1B) and mutagen (1B) in Annex VI, part 3, Table 3.1 of Regulation (EC) No 1272/2008 (list of harmonised classification and labelling of hazardous substances).  
(ECHA SVHC Support Document - Acrylamide; Page 2)  
STOT RE: long-term toxicity (OECD TG 453, two-year study, rat, oral) NOAEL: 0,5 mg/kg bw/d
- **Additional toxicological information:**
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction):**  
Carcinogenicity Category 2 because of positive effects in 2-year study (oral, rat), NOAEL: 0,5 mg/kg bw/d.  
Mutagenicity Category 2 because of positive effects according to in vivo and in vitro tests.  
Reproductive toxicity Category 3: Fertility: NOAEL: 2 mg/kg bw/d (rat); Teratogenicity: NOAEL: 2,5 mg/kg bw/d (rat).
- **11.2 Information on other hazards:**
- **Endocrine disrupting properties:** No relevant information available

### SECTION 12: Ecological information

- **12.1 Toxicity:**
- **Aquatic toxicity:**  
Acute toxicity to fish: LC50/96h: 180 mg/l (oncorhynchus mykiss)  
Long-term toxicity to fish: NOEC: >5 mg/l (28 d)  
Acute toxicity to daphnia magna: NOEC: 60 mg/l 48h (behaviour)  
Toxicity to algae: IC50: 33,8 mg/l 72h (biomass)
- **12.2 Persistence and degradability:**  
Easily biodegradable  
Screening test (closed bottle test, OECD test method 301D): Approximately 100 % biodegradable after 28 days.
- **12.3 Bioaccumulative potential:** No relevant bioaccumulation is expected because of log POW = -0,9.
- **12.4 Mobility in soil:** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment:**
- **PBT:** Concentration of substances classified as PBT: < 0,1%
- **vPvB:** Concentration of substances classified as vPvB: < 0,1%
- **12.6 Endocrine disrupting properties:** For information on endocrine disrupting properties see section 11.
- **12.7 Other adverse effects:**
- **Additional ecological information:**
- **General notes:**  
Do not allow product to reach ground water, water course or sewage system.

(Contd. on page 8)

GB

## Safety data sheet according to UK REACH

Printing date 11.07.2025

Version number 4

Revision: 11.07.2025

Trade name: Acrylamide


(Contd. of page 7)

Water danger class 3 (German Regulation) (Assessment by list): extremely hazardous for water.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Dispose of in accordance with official regulations.  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:**  
Uncleaned packaging must be disposed of in the same way as the product in accordance with official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

### SECTION 14: Transport information

- |  |  |
|--|--|
| <ul style="list-style-type: none"> <li>· <b>14.1 UN number or ID number</b></li> <li>· <b>ADR, IMDG, IATA</b></li> </ul>   | UN2074   |
| <ul style="list-style-type: none"> <li>· <b>14.2 UN proper shipping name</b></li> <li>· <b>ADR</b></li> <li>· <b>IMDG, IATA</b></li> </ul>   | 2074 ACRYLAMIDE, SOLID<br>ACRYLAMIDE, SOLID  |
| <ul style="list-style-type: none"> <li>· <b>14.3 Transport hazard class(es)</b></li> <li>· <b>ADR, IMDG, IATA</b></li> </ul> <div style="text-align: center; margin: 10px 0;">  </div> <ul style="list-style-type: none"> <li>· <b>Class:</b></li> <li>· <b>Label:</b></li> </ul> | 6.1 Toxic substances.<br>6.1   |
| <ul style="list-style-type: none"> <li>· <b>14.4 Packing group</b></li> <li>· <b>ADR, IMDG, IATA</b></li> </ul>  | III  |
| <ul style="list-style-type: none"> <li>· <b>14.5 Environmental hazards</b></li> <li>· <b>Marine pollutant:</b></li> </ul>  | No   |
| <ul style="list-style-type: none"> <li>· <b>14.6 Special precautions for user</b></li> <li>· <b>Hazard identification number (Kemler code):</b></li> <li>· <b>EMS Number:</b></li> <li>· <b>Stowage Category</b></li> <li>· <b>Stowage Code</b></li> <li>· <b>Handling Code</b></li> </ul>   | Warning: Toxic substances.<br>60<br>F-A,S-A<br>A<br>SW1 Protected from sources of heat.<br>H2 Keep as cool as reasonably practicable |
| <ul style="list-style-type: none"> <li>· <b>14.7 Maritime transport in bulk according to IMO instruments</b></li> </ul>  | Not applicable.  |
| <ul style="list-style-type: none"> <li>· <b>Transport/Additional information:</b></li> </ul>   |  |
| <ul style="list-style-type: none"> <li>· <b>ADR</b></li> <li>· <b>Limited quantities (LQ)</b></li> <li>· <b>Excepted quantities (EQ)</b></li> </ul>  | 5 kg<br>Code: E1<br>Maximum net quantity per inner packaging: 30 g<br>Maximum net quantity per outer packaging: 1000 g               |
| <ul style="list-style-type: none"> <li>· <b>Transport category</b></li> <li>· <b>Tunnel restriction code</b></li> </ul>  | 2<br>E   |

(Contd. on page 9)

GB

## Safety data sheet according to UK REACH

Printing date 11.07.2025

Version number 4

Revision: 11.07.2025

Trade name: Acrylamide

(Contd. of page 8)

- |  |   |
|--|---|
| <ul style="list-style-type: none"> <li>· <b>IMDG</b></li> <li>· <b>Limited quantities (LQ)</b></li> <li>· <b>Excepted quantities (EQ)</b></li> </ul> | <p>5 kg</p> <p>Code: E1</p> <p>Maximum net quantity per inner packaging: 30 g</p> <p>Maximum net quantity per outer packaging: 1000 g</p> |
| <ul style="list-style-type: none"> <li>· <b>UN "Model Regulation":</b></li> </ul>  | <p>UN 2074 ACRYLAMIDE, SOLID, 6.1, III</p>  |

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**
- **Regulated explosives precursors** Substance is not listed.
- **Regulated poisons** Substance is not listed.
- **Reportable explosives precursors** Substance is not listed.
- **Reportable poisons** Substance is not listed.
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** Substance is not listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 28, 29, 60, 75
- **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**  
Substance is not listed.
- **REGULATION (EU) 2019/1148**
- **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**  
Substance is not listed.
- **Annex II - REPORTABLE EXPLOSIVES PRECURSORS** Substance is not listed.
- **Regulation (EC) No 273/2004 on drug precursors** Substance is not listed.
- **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**  
Substance is not listed.
- **National regulations:**
- **Information about limitation of use:**  
Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.
- **Technical instructions (air):**

Class	Share in %
II	80-100
- **Water hazard class:** Water danger class 3 (Assessment by list): extremely hazardous for water.
- **Substances of very high concern (SVHC) according to UK REACH**

79-06-1	acrylamide
---------	------------
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Product Safety Department
- **Contact:** +49 6221 13840-34
- **Date of previous version:** 27.10.2022

(Contd. on page 10)

## Safety data sheet according to UK REACH

Printing date 11.07.2025

Version number 4

Revision: 11.07.2025

**Trade name: Acrylamide**

(Contd. of page 9)

**· Abbreviations and acronyms:**

*RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)*  
*ICAO: International Civil Aviation Organisation*  
*SVHC: Substance of Very High Concern (UK REACH)*  
*DMEL: Derived Minimal Effect Level*  
*NOAEL: No observed adverse effect level*  
*NOEC: no observed effect level concentration*  
*PBT: persistent, bioaccumulative, toxic substance (UK REACH)*  
*vPvB: very persistent, very bioaccumulative substance (UK REACH)*  
*IC50: inhibitory concentration, 50 percent*  
*EC50: effective concentration, 50 percent*  
*UK REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals*  
*GB CLP: Regulation on classification, labelling and packaging of substances and mixtures*  
*bw: body weight*  
*ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)*  
*IMDG: International Maritime Code for Dangerous Goods*  
*IATA: International Air Transport Association*  
*GHS: Globally Harmonised System of Classification and Labelling of Chemicals*  
*EINECS: European Inventory of Existing Commercial Chemical Substances*  
*CAS: Chemical Abstracts Service (division of the American Chemical Society)*  
*PNEC: Predicted No-Effect Concentration (UK REACH)*  
*LC50: Lethal concentration, 50 percent*  
*LD50: Lethal dose, 50 percent*  
*PBT: Persistent, Bioaccumulative and Toxic*  
*vPvB: very Persistent and very Bioaccumulative*  
*Acute Tox. 3: Acute toxicity – Category 3*  
*Acute Tox. 4: Acute toxicity – Category 4*  
*Skin Irrit. 2: Skin corrosion/irritation – Category 2*  
*Eye Irrit. 2: Serious eye damage/eye irritation – Category 2*  
*Skin Sens. 1: Skin sensitisation – Category 1*  
*Muta. 1B: Germ cell mutagenicity – Category 1B*  
*Carc. 1B: Carcinogenicity – Category 1B*  
*Repr. 2: Reproductive toxicity – Category 2*  
*STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1*

GB