Reviewed on 02/07/2023 Printing date 02/07/2023

#### 1 Identification

· Product identifier

· Trade name: Benzyl dimethylamine

· Article number: 14835

· CAS Number: 103-83-3

· EC number: 203-149-1 · Index number:

612-074-00-7

· Application of the substance / the mixture: Laboratory chemicals

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

SERVA Electrophoresis GmbH

Carl-Benz-Str. 7 D-69115 Heidelberg Tel.: +49 6221 13840-0 FAX: +49 6221 13840-10 msds.info@serva.de

· Information department: Product Safety department Tel.: +49 6221 13840-35

· Emergency telephone number:

Medical Emergency Information in case of poisoning:

Poison Information Center Mainz - Phone: +49 (0) 6131 19240

(advisory service in German or English language)

## 2 Hazard(s) identification

· Classification of the substance or mixture



GHS02

Flammable Liquids 3 H226 Flammable liquid and vapor.



GHS05

Skin Corrosion 1B H314 Causes severe skin burns and eye damage.



GHS07

Acute Toxicity - Oral 4 H302 Harmful if swallowed.

Acute Toxicity - Dermal 4 H312 Harmful in contact with skin.

Acute Toxicity - Inhalation 4 H332 Harmful if inhaled.

· Label elements

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms: GHS02, GHS05, GHS07
- · Signal word: Danger
- · Hazard statements:

Flammable liquid and vapor.

Harmful if swallowed, in contact with skin or if inhaled.

(Contd. on page 2)

Reviewed on 02/07/2023 Printing date 02/07/2023

Trade name: Benzyl dimethylamine

(Contd. of page 1)

Causes severe skin burns and eye damage.

#### · Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3Fire = 2Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 3Fire = 2

- · Other hazards
- · Results of PBT and vPvB assessment:
- · PBT: PBT assessment not available.
- · vPvB: vPvB assessment not available.

## 3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description:

103-83-3 benzyldimethylamine

- · Identification number(s):
- · EC number: 203-149-1
- · Index number: 612-074-00-7
- · Description:
- · Empirical formula: C<sub>9</sub> H<sub>13</sub> N
- · MW: 135.2

#### 4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

*In case of unconsciousness place patient stably in side position for transportation.* 

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

· After skin contact:

Immediate wash with copious amounts of water and soap; rinse thoroughly; seek medical advice.

· After eye contact:

Rinse opened eye for several minutes under running water. Remove present contact lenses, if easy to do, and continue rinsing. Consult ophthalmologist immediately.

(Contd. on page 3)

Printing date 02/07/2023 Reviewed on 02/07/2023

Trade name: Benzyl dimethylamine

(Contd. of page 2)

· After swallowing:

Wash out mouth instantly. Drink copious amounts of water and provide fresh air. Call for doctor immediately.

- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

 $CO_2$  extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Nitrogen oxides (NOx)

Carbon monoxide and carbon dioxide

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

## 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

Ensure adequate ventilation

· Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up

Dispose contaminated material as waste according to item 13.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

- · Protective Action Criteria for Chemicals
- · PAC-1: 0.62 mg/m3
- · **PAC-2:** 6.8 mg/m<sup>3</sup>
- · **PAC-3:** 41 mg/m<sup>3</sup>
- · Reference to other sections

*See Section 7 for information on safe handling.* 

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and storage

- · Precautions for safe handling: Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires:

Protect against electrostatic charges.

Keep ignition sources away - Do not smoke.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed and store in dry conditions.
- · Specific end use(s): No further relevant information available.

HS

Reviewed on 02/07/2023 Printing date 02/07/2023

Trade name: Benzyl dimethylamine

(Contd. of page 3)

#### 8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Additional information about design of technical systems: No further data; see item 7.
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

Short term filter device:

Filter P2

· Protection of hands:

Neoprene gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Protective gloves

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material:

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Nitrile rubber, NBR Butyl rubber, BR

· Eye protection: Tightly sealed goggles · **Body protection:** Protective work clothing

## 9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information:

· Color: Colorless · Odor: Characteristic · Odor threshold: Not determined.

no information available · Melting point/Melting range: ~176 °C (~348.8 °F) · Boiling point/Boiling range:

· Flammability (solid, gaseous): Flammable liquid and vapour according to CLP

Regulation (EC) No. 1272/2008: Flam. Liq. 3 H226.

· Explosion limits:

· Lower: no information available no information available · Upper: · Flash point: ≤60 °C (≤140 °F)

· Decomposition temperature: no information available

· Viscosity:

· Kinematic viscosity: no information available

(Contd. on page 5)

Printing date 02/07/2023 Reviewed on 02/07/2023

Trade name: Benzyl dimethylamine

(Contd. of page 4)

· Dynamic viscosity: no information available

· Solubility in / Miscibility with:

· Water: Slightly soluble.

Partition coefficient (n-octanol/water):
Vapor pressure:
Density:
Relative density:
no information available no information available no information available

· Other information

· Appearance:

· Form: Fluid

Important information on protection of health and

environment, and on safety:

Danger of explosion: Product is not explosive. However, formation of

explosive air/vapor mixtures are possible.

· Molecular weight 135.2 g/mol

#### 10 Stability and reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability:
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: Vapours can form flammable and explosive mixtures with air.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: Avoid contact with oxidizers.
- · Hazardous decomposition products: In case of fire: See Section 5

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity: Harmful if swallowed, in contact with skin or if inhaled.
- · LD/LC50 values that are relevant for classification:

Oral	<i>LD50</i>	650 mg/kg (rat)
Dermal	<i>LD50</i>	1,660 mg/kg (rabbit)
Inhalative	LC50/4h	2.05 mg/l (rat)

- · on the skin: Causes severe skin burns and eye damage.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

## 12 Ecological information

- · Toxicity:
- · Aquatic toxicity: Toxic to aquatic life with long lasting effects.
- · Persistence and degradability: No further relevant information available.
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- · Results of PBT and vPvB assessment:
- · **PBT**: Not applicable.
- · **vPvB:** Not applicable.

(Contd. on page 6)

Printing date 02/07/2023 Reviewed on 02/07/2023

Trade name: Benzyl dimethylamine

(Contd. of page 5)

- · Other adverse effects:
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Water hazard class 2 (Assessment by list): hazardous for water

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Disposal must be made according to official regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation:

· Class

Disposal of uncleaned packagings must be made according to official regulations in the same manner as the product.

UN-Number DOT, ADR, IMDG, IATA	UN2619	
UN proper shipping name		
DOT	Benzyldimethylamine	
ADR	2619 BENZYLDIMETHYLAMINE	
IMDG, IATA	BENZYLDIMETHYLAMINE	
Transport hazard class(es)		
DOT		
CORROSVE RAMMAL COUR		
Class	8 Corrosive substances	
Label	8, 3	
ADR		
Class:	8 Corrosive substances	
Label:	8+3	
<i>IMDG</i>		

8 Corrosive substances

(Contd. on page 7)

Printing date 02/07/2023 Reviewed on 02/07/2023

Trade name: Benzyl dimethylamine

	(Contd. of page
Label	8/3
IATA	
Class	8 Corrosive substances
Label	8 (3)
Packing group	
DOT, ADR, IMDG, IATA	II
Environmental hazards	
Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code):	
EMS Number:	F-E,S-C A
Stowage Category Stowage Code	SWI Protected from sources of heat.
Slowage Code	SW2 Clear of living quarters.
Segregation Code	SG35 Stow "separated from" SGG1-acids
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
IMDG	
Limited quantities (LQ)	IL
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 2619 BENZYLDIMETHYLAMINE, 8 (3), II

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Section 355 (extremely hazardous substances): Substance is not listed.
- · Section 313 (Specific toxic chemical listings): Substance is not listed.
- · TSCA (Toxic Substances Control Act): ACTIVE
- · Hazardous Air Pollutants Substance is not listed.
- · Proposition 65 Substance is not listed.
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Cancerogenity categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- · TLV (Threshold Limit Value) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.

(Contd. on page 8)

(Contd. of page 7)

# Safety Data Sheet acc. to OSHA HCS

Printing date 02/07/2023 Reviewed on 02/07/2023

Trade name: Benzyl dimethylamine

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms GHS02, GHS05, GHS07
- · Signal word Danger
- · Hazard statements

Flammable liquid and vapor.

Harmful if swallowed, in contact with skin or if inhaled.

Causes severe skin burns and eye damage.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: +49 6221 13840-35
- · Date of preparation / last revision 02/07/2023
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

PBT: persistent, bioaccumulative, toxic substance (REACH)

vPvB: very persistent, very bioaccumulative substance (REACH)

REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

CLP: Regulation on classification, labelling and packaging of substances and mixtures

bw: body weight

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

 ${\it HMIS: Hazardous\ Materials\ Identification\ System\ (USA)}$ 

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flammable Liquids 3: Flammable liquids – Category 3

Acute Toxicity - Oral 4: Acute toxicity - Category 4

Skin Corrosion 1B: Skin corrosion/irritation - Category 1B

HS