Printing date 05/03/2018

\*

\*

Reviewed on 04/18/2018

I Identification	
v v	
· Product identifier	SERVA
• Trade name: <u>Dithioerythritol</u>	serving scientists
Article number: 20697	
CAS Number:	
6892-68-8	
• EC number:	
229-998-8 • Application of the substance / the mixture Laboratory chemic	
	uis
Details of the supplier of the safety data sheet	
Manufacturer/Supplier:	
SERVA Electrophoresis GmbH Carl-Benz-Str. 7	
D-69115 Heidelberg	. 6
Tel.: +49 6221 13840-0	
FAX: +49 6221 13840-10	5
msds.info@serva.de	.05
<b>Information department:</b> Product Safety department Tel.: +4	9 6221 13840-35
• Emergency telephone number:	
Medical Emergency Information in case of poisoning:	
Poison Information Center Mainz - Phone: +49 (0) 6131 1924	0
(advisory service in German or English language)	
The second (s) the set for second	
2 Hazard(s) identification Classification of the substance or mixture	
• Classification of the substance or mixture GHS07	
Classification of the substance or mixture GHS07 Skin Irrit. 2 H315 Causes skin irritation.	
Classification of the substance or mixture GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation.	
Classification of the substance or mixture GHS07 Skin Irrit. 2 H315 Causes skin irritation.	
Classification of the substance or mixture GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. Label elements	
Classification of the substance or mixture GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. Label elements GHS label elements	
Classification of the substance or mixture GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. • Label elements • GHS label elements The substance is classified and labeled according to the Global	ılly Harmonized System (GHS).
Classification of the substance or mixture GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. Label elements GHS label elements The substance is classified and labeled according to the Globe Hazard pictograms GHS07	ılly Harmonized System (GHS).
<ul> <li>Classification of the substance or mixture</li> <li>GHS07</li> <li>Skin Irrit. 2 H315 Causes skin irritation.</li> <li>Eye Irrit. 2A H319 Causes serious eye irritation.</li> <li>STOT SE 3 H335 May cause respiratory irritation.</li> <li>Label elements</li> <li>GHS label elements</li> <li>The substance is classified and labeled according to the Global Hazard pictograms GHS07</li> <li>Signal word Warning</li> </ul>	ılly Harmonized System (GHS).
<ul> <li>Classification of the substance or mixture</li> <li>GHS07</li> <li>Skin Irrit. 2 H315 Causes skin irritation.</li> <li>Eye Irrit. 2A H319 Causes serious eye irritation.</li> <li>STOT SE 3 H335 May cause respiratory irritation.</li> <li>Label elements</li> <li>GHS label elements</li> <li>The substance is classified and labeled according to the Globel Hazard pictograms GHS07</li> <li>Signal word Warning</li> <li>Hazard statements</li> </ul>	ılly Harmonized System (GHS).
<ul> <li>Classification of the substance or mixture</li> <li>GHS07</li> <li>Skin Irrit. 2 H315 Causes skin irritation.</li> <li>Eye Irrit. 2A H319 Causes serious eye irritation.</li> <li>STOT SE 3 H335 May cause respiratory irritation.</li> <li>Label elements</li> <li>GHS label elements</li> <li>The substance is classified and labeled according to the Globe Hazard pictograms GHS07</li> <li>Signal word Warning</li> <li>Hazard statements</li> <li>Causes skin irritation.</li> </ul>	ılly Harmonized System (GHS).
Classification of the substance or mixture GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. Label elements GHS label elements The substance is classified and labeled according to the Globe Hazard pictograms GHS07 Signal word Warning Hazard statements Causes skin irritation. Causes serious eye irritation.	ılly Harmonized System (GHS).
<ul> <li>Classification of the substance or mixture</li> <li>GHS07</li> <li>Skin Irrit. 2 H315 Causes skin irritation.</li> <li>Eye Irrit. 2A H319 Causes serious eye irritation.</li> <li>STOT SE 3 H335 May cause respiratory irritation.</li> <li>Label elements</li> <li>GHS label elements</li> <li>The substance is classified and labeled according to the Globe Hazard pictograms GHS07</li> <li>Signal word Warning</li> <li>Hazard statements</li> <li>Causes skin irritation.</li> </ul>	ılly Harmonized System (GHS).
<ul> <li>Classification of the substance or mixture</li> <li>GHS07</li> <li>Skin Irrit. 2 H315 Causes skin irritation.</li> <li>Eye Irrit. 2A H319 Causes serious eye irritation.</li> <li>STOT SE 3 H335 May cause respiratory irritation.</li> <li>Label elements</li> <li>GHS label elements</li> <li>The substance is classified and labeled according to the Globe</li> <li>Hazard pictograms GHS07</li> <li>Signal word Warning</li> <li>Hazard statements</li> <li>Causes skin irritation.</li> <li>Causes serious eye irritation.</li> <li>May cause respiratory irritation.</li> <li>May cause respiratory irritation.</li> <li>Precautionary statements</li> <li>Wear protective gloves/protective clothing/eye protection/face</li> </ul>	
<ul> <li>Classification of the substance or mixture</li> <li>GHS07</li> <li>Skin Irrit. 2 H315 Causes skin irritation.</li> <li>Eye Irrit. 2A H319 Causes serious eye irritation.</li> <li>STOT SE 3 H335 May cause respiratory irritation.</li> <li>Label elements</li> <li>GHS label elements</li> <li>The substance is classified and labeled according to the Globe</li> <li>Hazard pictograms GHS07</li> <li>Signal word Warning</li> <li>Hazard statements</li> <li>Causes skin irritation.</li> <li>Causes serious eye irritation.</li> <li>May cause respiratory irritation.</li> <li>Precautionary statements</li> <li>Wear protective gloves/protective clothing/eye protection/face</li> <li>IF ON SKIN: Wash with plenty of water.</li> </ul>	protection.
<ul> <li>Classification of the substance or mixture</li> <li>GHS07</li> <li>Skin Irrit. 2 H315 Causes skin irritation.</li> <li>Eye Irrit. 2A H319 Causes serious eye irritation.</li> <li>STOT SE 3 H335 May cause respiratory irritation.</li> <li>Label elements</li> <li>GHS label elements</li> <li>The substance is classified and labeled according to the Globe</li> <li>Hazard pictograms GHS07</li> <li>Signal word Warning</li> <li>Hazard statements</li> <li>Causes serious eye irritation.</li> <li>Causes serious eye irritation.</li> <li>May cause respiratory irritation.</li> <li>Precautionary statements</li> <li>Wear protective gloves/protective clothing/eye protection/face</li> <li>IF ON SKIN: Wash with plenty of water.</li> <li>IF INHALED: Remove person to fresh air and keep comfortable</li> </ul>	protection. le for breathing.
<ul> <li>Classification of the substance or mixture</li> <li>GHS07</li> <li>Skin Irrit. 2 H315 Causes skin irritation.</li> <li>Eye Irrit. 2A H319 Causes serious eye irritation.</li> <li>STOT SE 3 H335 May cause respiratory irritation.</li> <li>Label elements</li> <li>GHS label elements</li> <li>The substance is classified and labeled according to the Globe</li> <li>Hazard pictograms GHS07</li> <li>Signal word Warning</li> <li>Hazard statements</li> <li>Causes skin irritation.</li> <li>Causes serious eye irritation.</li> <li>May cause respiratory irritation.</li> <li>Precautionary statements</li> <li>Wear protective gloves/protective clothing/eye protection/face</li> <li>IF ON SKIN: Wash with plenty of water.</li> <li>IF INHALED: Remove person to fresh air and keep comfortate</li> <li>If in eyes: Rinse cautiously with water for several minutes. Re</li> </ul>	protection. le for breathing.
<ul> <li>Classification of the substance or mixture</li> <li>GHS07</li> <li>Skin Irrit. 2 H315 Causes skin irritation.</li> <li>Eye Irrit. 2A H319 Causes serious eye irritation.</li> <li>STOT SE 3 H335 May cause respiratory irritation.</li> <li>Label elements</li> <li>GHS label elements</li> <li>The substance is classified and labeled according to the Globe</li> <li>Hazard pictograms GHS07</li> <li>Signal word Warning</li> <li>Hazard statements</li> <li>Causes skin irritation.</li> <li>Causes serious eye irritation.</li> <li>May cause respiratory irritation.</li> <li>Precautionary statements</li> <li>Wear protective gloves/protective clothing/eye protection/face</li> <li>IF INHALED: Remove person to fresh air and keep comfortable</li> <li>If in eyes: Rinse cautiously with water for several minutes. Recontinue rinsing.</li> </ul>	protection. le for breathing.
<ul> <li>Classification of the substance or mixture</li> <li>GHS07</li> <li>Skin Irrit. 2 H315 Causes skin irritation.</li> <li>Eye Irrit. 2A H319 Causes serious eye irritation.</li> <li>STOT SE 3 H335 May cause respiratory irritation.</li> <li>Label elements</li> <li>GHS label elements</li> <li>The substance is classified and labeled according to the Globe</li> <li>Hazard pictograms GHS07</li> <li>Signal word Warning</li> <li>Hazard statements</li> <li>Causes serious eye irritation.</li> <li>Causes serious eye irritation.</li> <li>May cause respiratory irritation.</li> <li>Precautionary statements</li> <li>Wear protective gloves/protective clothing/eye protection/face</li> <li>IF INHALED: Remove person to fresh air and keep comfortal</li> <li>If in eyes: Rinse cautiously with water for several minutes. Re</li> <li>Continue rinsing.</li> <li>If skin irritation occurs: Get medical advice/attention.</li> </ul>	protection. le for breathing.
<ul> <li>Classification of the substance or mixture</li> <li>GHS07</li> <li>Skin Irrit. 2 H315 Causes skin irritation.</li> <li>Eye Irrit. 2A H319 Causes serious eye irritation.</li> <li>STOT SE 3 H335 May cause respiratory irritation.</li> <li>STOT SE 3 H335 May cause respiratory irritation.</li> <li>Label elements</li> <li>GHS label elements</li> <li>The substance is classified and labeled according to the Globe</li> <li>Hazard pictograms GHS07</li> <li>Signal word Warning</li> <li>Hazard statements</li> <li>Causes skin irritation.</li> <li>Causes serious eye irritation.</li> <li>May cause respiratory irritation.</li> <li>Precautionary statements</li> <li>Wear protective gloves/protective clothing/eye protection/face</li> <li>IF INHALED: Remove person to fresh air and keep comfortab</li> <li>If in eyes: Rinse cautiously with water for several minutes. Re</li> <li>Continue rinsing.</li> <li>If skin irritation occurs: Get medical advice/attention.</li> </ul>	protection. le for breathing. move contact lenses, if present and easy to a
<ul> <li>Classification of the substance or mixture</li> <li>GHS07</li> <li>Skin Irrit. 2 H315 Causes skin irritation.</li> <li>Eye Irrit. 2A H319 Causes serious eye irritation.</li> <li>STOT SE 3 H335 May cause respiratory irritation.</li> <li>Label elements</li> <li>GHS label elements</li> <li>The substance is classified and labeled according to the Globe</li> <li>Hazard pictograms GHS07</li> <li>Signal word Warning</li> <li>Hazard statements</li> <li>Causes skin irritation.</li> <li>Causes serious eye irritation.</li> <li>Precautionary statements</li> <li>Wear protective gloves/protective clothing/eye protection/face</li> <li>IF INHALED: Remove person to fresh air and keep comfortal</li> <li>If in eyes: Rinse cautiously with water for several minutes. Re</li> <li>Continue rinsing.</li> <li>If skin irritation occurs: Get medical advice/attention.</li> <li>Store in a well-ventilated place. Keep container tightly closed</li> </ul>	protection. le for breathing. move contact lenses, if present and easy to a
<ul> <li>Classification of the substance or mixture</li> <li>GHS07</li> <li>Skin Irrit. 2 H315 Causes skin irritation.</li> <li>Eye Irrit. 2A H319 Causes serious eye irritation.</li> <li>STOT SE 3 H335 May cause respiratory irritation.</li> <li>STOT SE 3 H335 May cause respiratory irritation.</li> <li>Label elements</li> <li>GHS label elements</li> <li>The substance is classified and labeled according to the Globe</li> <li>Hazard pictograms GHS07</li> <li>Signal word Warning</li> <li>Hazard statements</li> <li>Causes skin irritation.</li> <li>Causes serious eye irritation.</li> <li>May cause respiratory irritation.</li> <li>Precautionary statements</li> <li>Wear protective gloves/protective clothing/eye protection/face</li> <li>IF INHALED: Remove person to fresh air and keep comfortab</li> <li>If in eyes: Rinse cautiously with water for several minutes. Re</li> <li>Continue rinsing.</li> <li>If skin irritation occurs: Get medical advice/attention.</li> </ul>	protection. le for breathing. move contact lenses, if present and easy to a

(Contd. of page 1)

### Safety Data Sheet acc. to OSHA HCS

Printing date 05/03/2018

Reviewed on 04/18/2018

Trade name: Dithioerythritol

Classification system:
 NFPA ratings (scale 0 - 4)

Health = 1 Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH 1	Health = 1
FIRE 1	Fire = 1
REACTIVITY 0	Reactivity = 0

#### · Other hazards

· Results of PBT and vPvB assessment

· **PBT**: PBT - assessment not available.

· **vPvB**: vPvB - assessment not available.

### 3 Composition/information on ingredients

· Chemical characterization: Substances

- · CAS No. Description
- 6892-68-8 (R\*,S\*)-1,4-dimercaptobutane-2,3-diol
- · Identification number(s)
- EC number: 229-998-8
- · Description:
- · Empirical formula: C<sub>4</sub> H<sub>10</sub> O<sub>2</sub> S<sub>2</sub>
- · MW: 154.24

### 4 First-aid measures

- · Description of first aid measures
- General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

Immediately wash with water and soap and rinse thoroughly. Consult doctor if you feel unwell.

• After eye contact:

Rinse opened eye for several minutes under running water. Remove present contact lenses, if easy to do, and continue rinsing. Consult ophthalmologist In case of complaints.

- After swallowing: Wash out mouth. Seek medical advice if discomfort occurs.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

## 5 Fire-fighting measures

- Extinguishing media
   Suitable extinguishing agents: CO₂ extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture In case of fire, the following can be released: Sulphur oxides (SOx)
- Carbon monoxide and carbon dioxide

(Contd. on page 3)

(Contd. of page 2)

## Safety Data Sheet acc. to OSHA HCS

Printing date 05/03/2018

Reviewed on 04/18/2018

Trade name: Dithioerythritol

· Advice for firefighters

· Protective equipment: Wear self-contained respiratory protective device.

#### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective clothing. Ensure adequate ventilation Avoid formation of dust. Do not inhale dusts.
  Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Pick up mechanically.
- Dispose contaminated material as waste according to item 13.
- Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.

### 7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of dust.
- · Information about protection against explosions and fires: Keep ignition sources away Do not smoke.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- $\cdot$  Requirements to be met by storerooms and receptacles: Store at +2 to +8 °C
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed and store in dry conditions.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Store protective clothing separately. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- **Breathing equipment:** Short term filter device: Filter P2
- **Protection of hands:** Protective gloves

*The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.* 

(Contd. on page 4)

#### US –

(Contd. of page 3)

#### Safety Data Sheet acc. to OSHA HCS

#### Printing date 05/03/2018

Reviewed on 04/18/2018

#### Trade name: Dithioerythritol

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Natural rubber, NR

Nitrile rubber, NBR

- Eye protection: Safety glasses
- · Body protection: Protective work clothing

### 9 Physical and chemical properties

<ul> <li>Information on basic physical and chemical properties</li> <li>General Information</li> </ul>				
· Appearance:				
Form:	Powder			
Color:	White			
· Odor:	Unpleasant			
• pH-value (15 g/l) at 20 •C (68 •F): 4.0 - 6.0				
• Change in condition Melting point/Melting range: Boiling point/Boiling range:	82 - 86 °C (180 - 187 °F) Undetermined.			
· Flash point:	no information available			
· Flammability (solid, gaseous):	no information available			
• Danger of explosion:	Product does not present an explosion hazard.			
· Density:	no information available			
· Solubility in / Miscibility with				
Water:	Partly soluble.			
• Other information	No further relevant information available.			

#### 10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No further relevant informations available.
- · Conditions to avoid high ttemperatures
- Incompatible materials: Avoid contact with: Strong oxidizers Strong acids
- · Hazardous decomposition products: In case of fire: See Section 5

(Contd. on page 5)

Printing date 05/03/2018

Reviewed on 04/18/2018

#### Trade name: Dithioerythritol

(Contd. of page 4)

# **11** Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · Primary irritant effect:
- $\cdot$  on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

#### **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 3 (Assessment by list): extremely hazardous for water
- Do not allow product to reach ground water, water course or sewage system, even in small quantities.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

#### · Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.

#### · Uncleaned packagings:

· Recommendation:

Disposal of uncleaned packagings must be made according to official regulations in the same manner as the product.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

#### 14 Transport information

UN-Number
DOT, ADR, ADN, IMDG, IATA Void
UN proper shipping name
DOT, ADR, ADN, IMDG, IATA Void

- US -

Printing date 05/03/2018

Reviewed on 04/18/2018

Trade name: Dithioerythritol

	(Contd. of page 5)
· Transport hazard class(es)	
· DOT, ADN	
· Class	Void
· ADR, IMDG, IATA	
· Class	Void
· Label	-
· Packing group	
· DOT, ADR, IMDG, IATA	Void
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
• Transport in bulk according to Annex II o	f
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN ''Model Regulation'':	Void

# **15 Regulatory information**

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Section 355 (extremely hazardous substances): Substance is not listed.
- Section 313 (Specific toxic chemical listings): Substance is not listed.
- TSCA (Toxic Substances Control Act): Substance is listed.
- · Proposition 65 Substance is not listed.
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Cancerogenity categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- TLV (Threshold Limit Value established by ACGIH) Substance is not listed.
- NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- · GHS label elements
- The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms GHS07
- · Signal word Warning
- · Hazard statements
- Causes skin irritation.

Causes serious eye irritation.

May cause respiratory irritation.

· Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection.

- IF ON SKIN: Wash with plenty of water.
- IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 7)

US

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Printing date 05/03/2018

Reviewed on 04/18/2018

Trade name: Dithioerythritol

(Contd. of page 6)

Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation PBT: persistent, bioaccumulative, toxic substance (REACH) vPvB: very persistent, very bioaccumulative substance (REACH) REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals CLP: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals CLP: Regulation on classification, labelling and packaging of substances and mixtures ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLY: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	Other information	n
Contact: +49 6221 13840-35 Date of preparation / last revision 05/03/2018 / 2 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation PBT: persistent, bioaccumulative, toxic substance (REACH) vp-W: very persistent, very bioaccumulative substance (REACH) REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals CLP: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals CLP: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals CLP: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals CLP: Regulation concerning the Registration estimative substances (EACH) REACH: Regulation concerning the Registration and Restriction of Chemicals CLP: Regulation on classification, labelling and packaging of substances and mixtures ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association ACGH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vp-W: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSH: National Institute for Occupational Safety OSH: National Institute for Occupational Safety OSH: National Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit		
Contact: +49 6221 13840-35 Date of preparation / last revision 05/03/2018 / 2 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation PBT: persistent, bioaccumulative, toxic substance (REACH) vp-W: very persistent, very bioaccumulative substance (REACH) REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals CLP: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals CLP: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals CLP: Regulation concerning the Registration estimates and mixtures ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association IATA: International Air Transport Association IATA: International Air Transport Association IATA: International Air Transport Association IATA: International Air Transport Association IATA: International Abstracts Service (division of the American Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) PBT: Persistent, Bioaccumulative and Toxic vp-W: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSH: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/ritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 3	Department issuing	sDS: Product safety department
Date of preparation / last revision 05/03/2018 / 2 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation PBT: persistent, bioaccumulative, toxic substance (REACH) vPvB: very persistent, very bioaccumulative substance (REACH) REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals CLP: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals CLP: Regulation conclassification, labelling and packaging of substances and mixtures ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internatio Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) PBT: Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit REL: Recommended Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/rritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific Larget organ toxicity (single exposure) – Category 3	1 0	
Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation PBT: persistent, bioaccumulative, toxic substance (REACH) vPvB: very persistent, very bioaccumulative substance (REACH) REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals CLP: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals CLP: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals CLP: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals CLP: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals CLP: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals CLP: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals CLP: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals CLP: Regulation concerning the Internation Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association ACGHI: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limii Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2A STOT SE 3: Specific target organ toxicity (single	<b>Comment</b>	
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation PBT: persistent, bioaccumulative, toxic substance (REACH) vPvB: very persistent, very bioaccumulative substance (REACH) REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals CLP: Regulation on classification, labelling and packaging of substances and mixtures ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Substances CAS: Chemical Abstracts Service (division of USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic VPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 24: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3		
International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation PBT: persistent, bioaccumulative, toxic substance (REACH) vPvB: very persistent, very bioaccumulative substance (REACH) REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals CLP: Regulation on classification, labelling and packaging of substances and mixtures ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport des marchandises dangereuses par Route (European Agreement concerning the Internation ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Skin corrosion/irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3		
ICAO: International Civil Aviation Organisation PBT: persistent, bioaccumulative, toxic substance (REACH) vPvB: very persistent, very bioaccumulative substance (REACH) REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals CLP: Regulation on classification, labelling and packaging of substances and mixtures ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internatio Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association ATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Service Tare Structure Construction – Category 2 Eye Irrit. 2: Service Category and Structure Category 3		
PBT: persistent, bioaccumulative, toxic substance (REACH) vPvB: very persistent, very bioaccumulative substance (REACH) REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals CLP: Regulation on classification, labelling and packaging of substances and mixtures ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association ATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vpvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3		
<ul> <li>vPvB: very persistent, very bioaccumulative substance (REACH)</li> <li>REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals</li> <li>CLP: Regulation on classification, labelling and packaging of substances and mixtures</li> <li>ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation Carriage of Dangerous Goods by Road)</li> <li>IMDG: International Maritime Code for Dangerous Goods</li> <li>DOT: US Department of Transport Association</li> <li>ACGHI: American Conference of Governmental Industrial Hygienists</li> <li>EINECS: European Inventory of Existing Commercial Chemical Substances</li> <li>CAS: Chemical Abstracts Service (division of the American Chemical Society)</li> <li>NFPA: National Fire Protection Association (USA)</li> <li>PBT: Persistent, Bioaccumulative and Toxic</li> <li>vPvB: very Persistent and very Bioaccumulative</li> <li>NIOSH: National Institute for Occupational Safety</li> <li>OSHA: Occupational Safety &amp; Health</li> <li>TLV: Threshold Limit Value</li> <li>PEL: Permissible Exposure Limit</li> <li>Skin Irrit. 2: Skin corrosion/irritation – Category 2</li> <li>Eye Irrit. 2: Skin corrosion/irritation – Category 2A</li> <li>STOT SE 3: Specific target organ toxicity (single exposure) – Category 3</li> </ul>		
REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals CLP: Regulation on classification, labelling and packaging of substances and mixtures ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation Carriage of Dangerous Goods by Road) MDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3		
CLP: Regulation on classification, labelling and packaging of substances and mixtures ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association ATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit REL: Recommended Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 3		
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3		
Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit REL: Recommended Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3		
DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3		
IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3		
ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	DOT: US Department of	Transportation
EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	IATA: International Air	Transport Association
CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	ACGIH: American Confe	erence of Governmental Industrial Hygienists
NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	EINECS: European Inve	ntory of Existing Commercial Chemical Substances
HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3		
PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3		
vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3		
NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3		
OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3		
TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3		
PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3		
REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3		
Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	1	
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3		
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3		
* Data compared to the previous version altered.		