

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 27.02.2024

Version number 1

Revision: 27.02.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name:** *Fluoromount for Microscopy*



· **Article number:** 21645

· **UFI:** JD70-Q05R-300D-Q8FH

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

*No further relevant information available.*

· **Application of the substance / the mixture:** *Laboratory chemicals*

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

*SERVA Electrophoresis GmbH*

*Carl-Benz-Str. 7*

*D-69115 Heidelberg*

*Tel.: +49 6221 13840-0*

*FAX: +49 6221 13840-10*

*msds.info@serva.de*

· **Information department:** *Product Safety department Tel: +49 6221 13840-35*

· **1.4 Emergency telephone number:**

*Emergency medical information in case of poisoning*

*Poison Information Centre Mainz-Tel: +49 (0) 6131 19240*

*(Counselling in German and English)*

### SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008:**



GHS02

*Flam. Liq. 3*

*H226 Flammable liquid and vapour.*



GHS08

*Muta. 1B*

*H340 May cause genetic defects.*

*Carc. 1B*

*H350 May cause cancer.*

*STOT RE 1*

*H372 Causes damage to the central nervous system through prolonged or repeated exposure.*

*Asp. Tox. 1*

*H304 May be fatal if swallowed and enters airways.*



GHS07

*Skin Irrit. 2*

*H315 Causes skin irritation.*

*Aquatic Chronic 3*

*H412 Harmful to aquatic life with long lasting effects.*

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008:**

*The product is classified and labelled according to the GB CLP regulation.*

· **Hazard pictograms:** *GHS02, GHS07, GHS08*

· **Signal word:** *Danger*

(Contd. on page 2)

GB

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 27.02.2024

Version number 1

Revision: 27.02.2024

**Trade name: Fluoromount for Microscopy**

(Contd. of page 1)

**· Hazard-determining components of labelling:**

Stoddard solvent

Naphtha (petroleum), hydrotreated heavy

**· Hazard statements:**

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H340 May cause genetic defects.

H350 May cause cancer.

H372 Causes damage to the central nervous system through prolonged or repeated exposure.

H304 May be fatal if swallowed and enters airways.

H412 Harmful to aquatic life with long lasting effects.

**· Precautionary statements**

P201 Obtain special instructions before use.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P302+P352 IF ON SKIN: Wash with plenty of water.

P314 Get medical advice/attention if you feel unwell.

**· Labelling of packages where the contents do not exceed 125 ml**
**· Hazard pictograms GHS02, GHS07, GHS08**
**· Signal word Danger**
**· Hazard-determining components of labelling:**

Stoddard solvent

Naphtha (petroleum), hydrotreated heavy

**· Hazard statements**

H340 May cause genetic defects.

H350 May cause cancer.

H372 Causes damage to the central nervous system through prolonged or repeated exposure.

H304 May be fatal if swallowed and enters airways.

**· Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P302+P352 IF ON SKIN: Wash with plenty of water.

P314 Get medical advice/attention if you feel unwell.

**· 2.3 Other hazards**
**· Results of PBT and vPvB assessment:**
**· PBT:** PBT - Assessment not available.

**· vPvB:** vPvB - Assessment not available.

**· Determination of endocrine-disrupting properties** No further relevant information available.

### SECTION 3: Composition/information on ingredients

**· 3.2 Mixtures**
**· Description:** Mixture of the substances listed below with harmless additions.

**· Dangerous components:**

CAS: 8052-41-3 EINECS: 232-489-3	Stoddard solvent ⚠ Flam. Liq. 3, H226; ⚠ Muta. 1B, H340; ⚠ Carc. 1B, H350; STOT RE 1, H372; ⚠ Asp. Tox. 1, H304; ⚠ Skin Irrit. 2, H315; ⚠ Aquatic Chronic 3, H412	30-50%
CAS: 64742-48-9 EINECS: 265-150-3	Naphtha (petroleum), hydrotreated heavy ⚠ Flam. Liq. 3, H226; ⚠ Muta. 1B, H340; ⚠ Carc. 1B, H350; ⚠ Asp. Tox. 1, H304, EUH066	15-30%
CAS: 95-63-6 EINECS: 202-436-9	1,2,4-trimethylbenzene ⚠ Flam. Liq. 3, H226; ⚠ Aquatic Chronic 2, H411; ⚠ Acute Tox. 4, H332; ⚠ Skin Irrit. 2, H315; ⚠ Eye Irrit. 2, H319; STOT SE 3, H335	1-3%

(Contd. on page 3)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 27.02.2024

Version number 1

Revision: 27.02.2024

**Trade name: Fluoromount for Microscopy**

(Contd. of page 2)

· **Additional information**

The product does not contain any other substances that have to be declared according to UK REACH (Regulation (EC) No 1907/2006).

For the wording of the listed hazard phrases refer to section 16.

**SECTION 4: First aid measures**

· **4.1 Description of first aid measures**

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After skin contact:**

Wash off immediately with soap and water and rinse thoroughly. In case of complaints, consult a doctor.

· **After eye contact:**

Rinse opened eye for several minutes with running water. Remove contact lenses if possible and continue rinsing. Consult an ophthalmologist immediately.

· **After swallowing:** Rinse out mouth. Call a doctor immediately.

· **4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

**SECTION 5: Firefighting measures**

· **5.1 Extinguishing media**

· **Suitable extinguishing agents:**

CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **5.2 Special hazards arising from the substance or mixture:**

Formation of hazardous vapours and gases possible during heating or in case of fire.

· **5.3 Advice for firefighters**

· **Protective equipment:** Wear self-contained breathing apparatus.

**SECTION 6: Accidental release measures**

· **6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective clothing.

Ensure adequate ventilation

· **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

· **6.3 Methods and material for containment and cleaning up**

Dispose contaminated material as waste according to section 13.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· **6.4 Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**SECTION 7: Handling and storage**

· **7.1 Precautions for safe handling:**

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

· **Information about protection against explosions and fires:** Keep ignition sources away - Do not smoke.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage**

· **Requirements to be met by storerooms and receptacles:**

Store only in the original receptacle.

(Contd. on page 4)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 27.02.2024

Version number 1

Revision: 27.02.2024

**Trade name: Fluoromount for Microscopy**

(Contd. of page 3)

Storage at +2 to +8 °C

- **Information about storage in one common storage facility:** Store away from oxidising agents.
- **Further information about storage conditions:** Store containers tightly closed and dry.
- **7.3 Specific end use(s):** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

##### · Components with limit values that require monitoring at the workplace:

**95-63-6 1,2,4-trimethylbenzene (1-3%)**

WEL	Long-term value: 125 mg/m <sup>3</sup> , 25 ppm
ILV	

- **Additional information:** The lists that were valid during the creation were used as basis.

#### · 8.2 Exposure controls

- **Appropriate engineering controls:** No further data; see section 7.
- **Individual protection measures, such as personal protective equipment:**
- **General protective and hygienic measures:**
  - Keep away from foodstuffs, beverages and feed.
  - Store protective clothing separately.
  - Immediately remove all soiled and contaminated clothing
  - Avoid contact with the eyes and skin.
  - Wash hands before breaks and at the end of work.
- **Breathing equipment:**
  - Short term filter device:
  - Filter P3.
- **Hand protection:**
  - Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
  - Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves:**
  - The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
  - The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material:**
  - The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**
  - Neoprene gloves
  - Rubber gloves
- **Eye/face protection:** Safety glasses
- **Body protection:** Protective work clothing.

### SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

- **General Information:**
- **Physical state:** Fluid
- **Colour:** Colourless
- **Odour:** no relevant data available

(Contd. on page 5)

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.02.2024

Version number 1

Revision: 27.02.2024

Trade name: Fluoromount for Microscopy

(Contd. of page 4)

· <b>Odour threshold:</b>	Not determined.
· <b>Melting point/freezing point:</b>	<-50 °C
· <b>Boiling point or initial boiling point and boiling range:</b>	160-200 °C
· <b>Flammability:</b>	No information available
· <b>Lower and upper explosion limit:</b>	
· <b>Lower:</b>	No information available
· <b>Upper:</b>	No information available
· <b>Flash point:</b>	>56 °C
· <b>Auto-ignition temperature:</b>	>200 °C
· <b>Decomposition temperature:</b>	No information available
· <b>Viscosity:</b>	
· <b>Kinematic viscosity:</b>	No information available
· <b>Dynamic viscosity:</b>	No information available
· <b>Solubility:</b>	
· <b>Water:</b>	no information available
· <b>Partition coefficient n-octanol/water (log value):</b>	No information available
· <b>Vapour pressure:</b>	No information available
· <b>Density and/or relative density:</b>	
· <b>Density:</b>	No information available
· <b>Relative density:</b>	No information available

- **9.2 Other information**
- **Appearance:**
- **Form:** viscous liquid
- **Important information on protection of health and environment, and on safety:**
- **Explosive properties:** Not determined.
- **Solvent content:**
- **Organic solvents:** 1.8 %

## SECTION 10: Stability and reactivity

- **10.1 Reactivity:** No further relevant information available.
- **10.2 Chemical stability:**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions:** No further relevant information available.
- **10.4 Conditions to avoid:** Avoid high temperatures, flames, sparks
- **10.5 Incompatible materials:**  
Avoid contact with:  
Strong acids  
Strong oxidizers
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

## SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:**
- **Acute toxicity:** Based on available data, the classification criteria are not met.
- **Skin corrosion/irritation:** Causes skin irritation.
- **Serious eye damage/irritation:** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation:** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity:** May cause genetic defects.
- **Carcinogenicity:** May cause cancer.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- **STOT-single exposure:** Based on available data, the classification criteria are not met.

(Contd. on page 6)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.02.2024

Version number 1

Revision: 27.02.2024

Trade name: Fluoromount for Microscopy

(Contd. of page 5)

- **STOT-repeated exposure:**  
Causes damage to the central nervous system through prolonged or repeated exposure.
- **Aspiration hazard:** May be fatal if swallowed and enters airways.
- **11.2 Information on other hazards:**
- **Endocrine disrupting properties:** No relevant information available


### SECTION 12: Ecological information

- **12.1 Toxicity:**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability:** No further relevant information available.
- **12.3 Bioaccumulative potential:** No further relevant information available.
- **12.4 Mobility in soil:** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment:**
- **PBT:** PBT - assessment not available.
- **vPvB:** vPvB - assessment not available.
- **12.6 Endocrine disrupting properties:** For information on endocrine disrupting properties see section 11.
- **12.7 Other adverse effects:**
- **Additional ecological information:**
- **General notes:** Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Dispose of in accordance with official regulations.  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:**  
Uncleaned packaging must be disposed of in the same way as the product in accordance with official regulations.

### SECTION 14: Transport information

- |   |                                       |
|---|---------------------------------------|
| · <b>14.1 UN number or ID number</b><br>· <b>ADR, IMDG, IATA</b>                    | UN1866                                |
| · <b>14.2 UN proper shipping name</b><br>· <b>ADR</b><br>· <b>IMDG, IATA</b>        | 1866 RESIN SOLUTION<br>RESIN SOLUTION |
| · <b>14.3 Transport hazard class(es)</b><br>· <b>ADR, IMDG, IATA</b>                |                                       |
|  |                                       |
| · <b>Class:</b><br>· <b>Label:</b>  | 3 Flammable liquids.<br>3             |
| · <b>14.4 Packing group</b><br>· <b>ADR, IMDG, IATA</b>                             | III                                   |
| · <b>14.5 Environmental hazards</b>   | Not applicable.                       |

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 27.02.2024

Version number 1

Revision: 27.02.2024

Trade name: Fluoromount for Microscopy

(Contd. of page 6)

· 14.6 Special precautions for user	Warning: Flammable liquids.
· Hazard identification number (Kemler code):	30
· EMS Number:	F-E, S-E
· Stowage Category	A
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· Transport category	3
· Tunnel restriction code	E
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1866 RESIN SOLUTION, 3, III

### SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Poisons Act

#### · Regulated explosives precursors

None of the ingredients is listed.

#### · Regulated poisons

None of the ingredients is listed.

#### · Reportable explosives precursors

None of the ingredients is listed.

#### · Reportable poisons

None of the ingredients is listed.

#### · Directive 2012/18/EU

- Named dangerous substances - ANNEX I None of the ingredients is listed.
- Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 28, 29

#### · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

#### · REGULATION (EU) 2019/1148

#### · Regulation (EC) No 273/2004 on drug precursors

108-88-3 toluene

3

#### · Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

108-88-3 toluene

3

(Contd. on page 8)

GB

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 27.02.2024

Version number 1

Revision: 27.02.2024

**Trade name: Fluoromount for Microscopy**

(Contd. of page 7)

· **National regulations:**

· **Technical instructions (air):**

Class	Share in %
NK	1-3

- **Water hazard class:** Water hazard class 2 (Self-assessment): hazardous for water.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Relevant phrases**

- H226 Flammable liquid and vapour.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H340 May cause genetic defects.
- H350 May cause cancer.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.
- EUH066 Repeated exposure may cause skin dryness or cracking.

· **Department issuing SDS:** Product Safety Department

· **Contact:** +49 6221 13840-35

· **Abbreviations and acronyms:**

PBT: persistent, bioaccumulative, toxic substance (UK REACH)

vPvB: very persistent, very bioaccumulative substance (UK REACH)

UK REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

GB CLP: Regulation on classification, labelling and packaging of substances and mixtures

bw: body weight

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Muta. 1B: Germ cell mutagenicity – Category 1B

Carc. 1B: Carcinogenicity – Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3