

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/12/2023

Reviewed on 05/12/2023

## 1 Identification

- **Product identifier**
- **Trade name:** Phenylmethylsulfonyl fluoride
- **Article number:** 32395
- **CAS Number:**  
329-98-6
- **EC number:**  
206-350-2
- **Application of the substance / the mixture:** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
SERVA Electrophoresis GmbH  
Carl-Benz-Str. 7  
D-69115 Heidelberg  
Tel.: +49 6221 13840-0  
FAX: +49 6221 13840-10  
msds.info@serva.de
- **Information department:** Product Safety department Tel.: +49 6221 13840-35
- **Emergency telephone number:**  
Medical Emergency Information in case of poisoning:  
Poison Information Center Mainz - Phone: +49 (0) 6131 19240  
(advisory service in German or English language)



## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS06

Acute Toxicity - Oral 3 H301 Toxic if swallowed.



GHS05

Skin Corrosion 1B H314 Causes severe skin burns and eye damage.

- **Label elements**

- **GHS label elements**

The substance is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms:** GHS05, GHS06

- **Signal word:** Danger

- **Hazard statements:**

Toxic if swallowed.

Causes severe skin burns and eye damage.

- **Precautionary statements**

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Immediately call a poison center/doctor.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

(Contd. on page 2)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/12/2023

Reviewed on 05/12/2023

Trade name: Phenylmethylsulfonyl fluoride

(Contd. of page 1)

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 3  
Fire = 0  
Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = 3  
Fire = 0  
Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment:**
- **PBT:** PBT - assessment not available.
- **vPvB:** vPvB - assessment not available.

## 3 Composition/information on ingredients

- **Chemical characterization: Substances**
- **CAS No. Description:**  
329-98-6  $\alpha$ -toluenesulphonyl fluoride
- **Identification number(s):**
- **EC number:** 206-350-2
- **Description:**

### · Empirical formula:

|          |                                     |                |
|----------|-------------------------------------|----------------|
| 329-98-6 | $\alpha$ -toluenesulphonyl fluoride | $C_7H_7F O_2S$ |
|----------|-------------------------------------|----------------|

- **MW:** 174.19

## 4 First-aid measures

- **Description of first aid measures**
- **General information:**  
Immediately remove any clothing soiled by the product.  
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
Immediately wash with water and soap and rinse thoroughly. Consult doctor if you feel unwell.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. Remove present contact lenses, if easy to do, and continue rinsing. Consult ophthalmologist immediately.
- **After swallowing:**  
Wash out mouth. Call a doctor immediately.  
Do not induce vomiting!
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
 $CO_2$  extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/12/2023

Reviewed on 05/12/2023

**Trade name: Phenylmethylsulfonyl fluoride**

(Contd. of page 2)

- **Special hazards arising from the substance or mixture**  
In case of fire, the following can be released:  
Carbon monoxide and carbon dioxide  
Sulphur oxides (SO<sub>x</sub>)  
Hydrogen fluoride (HF)
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information**  
Forms acidic vapours in contact with water. In contact with metallic surfaces forms flammable hydrogen and may build explosive atmosphere with hydrogen.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective clothing.  
Ensure adequate ventilation  
Avoid formation of dust.  
Do not inhale dusts.  
Avoid contact with the eyes and skin.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up**  
Dispose contaminated material as waste according to item 13.  
Pick up mechanically.
- **Protective Action Criteria for Chemicals**
- **PAC-1:** Substance is not listed.
- **PAC-2:** Substance is not listed.
- **PAC-3:** Substance is not listed.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **Precautions for safe handling:** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in unopened original receptacles.
- **Information about storage in one common storage facility:** Store away from oxidizing agents.
- **Further information about storage conditions:**  
Store under lock and key and with access restricted to technical experts or their assistants only.  
Keep receptacle tightly sealed and store in dry conditions.  
Protect from humidity and water.
- **Specific end use(s):** No further relevant information available.

## 8 Exposure controls/personal protection

- **Control parameters**
- **Components with limit values that require monitoring at the workplace:** Not required.

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/12/2023

Reviewed on 05/12/2023

Trade name: *Phenylmethanesulfonyl fluoride*

(Contd. of page 3)

· **Ingredients with biological limit values:**

**329-98-6  $\alpha$ -toluenesulphonyl fluoride (80-100%)**

|     |  |
|-----|--|
| BEI | 2 mg/L<br>Medium: urine<br>Time: prior to shift<br>Parameter: Fluoride (background, nonspecific) |
|     | 3 mg/L<br>Medium: urine<br>Time: end of shift<br>Parameter: Fluoride (background, nonspecific)   |

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Additional information about design of technical systems:** No further data; see item 7.

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
Store protective clothing separately.  
Immediately remove all soiled and contaminated clothing.  
Avoid contact with the eyes and skin.  
Wash hands before breaks and at the end of work.

· **Breathing equipment:**

Short term filter device:  
Filter P3

· **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Protective gloves  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves:**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· **Penetration time of glove material:**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**

Fluorocarbon rubber (Viton)  
PVC gloves  
Butyl rubber, BR

· **Eye protection:** Tightly sealed goggles

· **Body protection:** Protective work clothing

## 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information:**

|                                       |                          |
|---------------------------------------|--------------------------|
| · <b>Color:</b>                       | White                    |
| · <b>Odor:</b>                        | Light                    |
| · <b>Odor threshold:</b>              | no information available |
| · <b>Melting point/Melting range:</b> | 90-94 °C (194-201.2 °F)  |
| · <b>Boiling point/Boiling range:</b> | no information available |

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/12/2023

Reviewed on 05/12/2023

Trade name: Phenylmethylsulfonyl fluoride

(Contd. of page 4)

|  |   |
|--|---|
| · <b>Flammability (solid, gaseous):</b>  | no information available                      |
| · <b>Explosion limits:</b>   |   |
| · <b>Lower:</b>  | no information available                      |
| · <b>Upper:</b>  | no information available                      |
| · <b>Flash point:</b>  | no information available                      |
| · <b>Decomposition temperature:</b>  | no information available                      |
| · <b>pH-value:</b>   | no information available                      |
| · <b>Viscosity:</b>  |   |
| · <b>Kinematic viscosity:</b>  | no information available                      |
| · <b>Dynamic viscosity:</b>  | no information available                      |
| · <b>Solubility in / Miscibility with:</b>   |   |
| · <b>Water:</b>  | Hydrolized.                                   |
| · <b>Partition coefficient (n-octanol/water):</b>                                      | no information available                      |
| · <b>Vapor pressure:</b>   | no information available                      |
| · <b>Density:</b>  | no information available                      |
| · <b>Relative density:</b>   | no information available                      |
| · <b>Other information</b>   |   |
| · <b>Appearance:</b>   |   |
| · <b>Form:</b>   | Crystalline                                   |
| · <b>Important information on protection of health and environment, and on safety:</b> |   |
| · <b>Danger of explosion:</b>  | Product does not present an explosion hazard. |
| · <b>Molecular weight</b>  | 174.19 g/mol                                  |

## 10 Stability and reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions:**  
Contact with water releases irritant gases.  
Reacts with metals forming hydrogen.
- **Conditions to avoid:** moisture
- **Incompatible materials:** Avoid contact with: strong oxidizers, strong acids, strong alkali
- **Hazardous decomposition products:** In case of fire: See Section 5

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:** Toxic if swallowed.

### · LD/LC50 values that are relevant for classification:

|      |      |                  |
|------|------|------------------|
| Oral | LD50 | 200 mg/kg (Maus) |
|------|------|------------------|

- **on the skin:** Causes severe skin burns and eye damage.
- **Additional toxicological information:**
- **Carcinogenic categories**
- **IARC (International Agency for Research on Cancer)** Substance is not listed.
- **NTP (National Toxicology Program)** Substance is not listed.
- **OSHA-Ca (Occupational Safety & Health Administration)** Substance is not listed.

US

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/12/2023

Reviewed on 05/12/2023

Trade name: Phenylmethylsulfonyl fluoride

(Contd. of page 5)





## 12 Ecological information

- **Toxicity:**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability:** No further relevant information available.
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects:**
- **Additional ecological information:**
- **General notes:**  
Do not allow product to reach ground water, water course or sewage system.  
Water hazard class 1 (Self-assessment): slightly hazardous for water

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Disposal must be made according to official regulations.  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:**  
Disposal of uncleaned packagings must be made according to official regulations in the same manner as the product.

## 14 Transport information

- |                                     |   |
|-------------------------------------|---|
| · <b>UN-Number</b>                  | UN2923  |
| · <b>DOT, ADR, IMDG, IATA</b>       |   |
| · <b>UN proper shipping name</b>    | Corrosive solids, toxic, n.o.s. ( $\alpha$ -toluenesulphonyl fluoride)  |
| · <b>DOT</b>                        | 2923 CORROSIVE SOLID, TOXIC, N.O.S. ( $\alpha$ -toluenesulphonyl fluoride)  |
| · <b>ADR</b>                        | CORROSIVE SOLID, TOXIC, N.O.S. ( $\alpha$ -toluenesulphonyl fluoride)   |
| · <b>IMDG, IATA</b>                 |   |
| · <b>Transport hazard class(es)</b> |   |
| · <b>DOT</b>                        |   |
|                                     |   |
| · <b>Class</b>                      | 8 Corrosive substances  |
| · <b>Label</b>                      | 8, 6.1  |
| · <b>ADR</b>                        |   |
|                                     |   |
| · <b>Class:</b>                     | 8 Corrosive substances  |

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/12/2023

Reviewed on 05/12/2023

Trade name: Phenylmethylsulfonyl fluoride

(Contd. of page 6)

· **Label:** 8+6.1· **IMDG**

· **Class** 8 Corrosive substances  
 · **Label** 8/6.1

· **IATA**

· **Class** 8 Corrosive substances  
 · **Label** 8 (6.1)

· **Packing group**· **DOT, ADR, IMDG, IATA** II· **Environmental hazards**· **Marine pollutant:** No· **Special precautions for user** Warning: Corrosive substances· **Hazard identification number (Kemler code):** 86· **EMS Number:** F-A,S-B· **Stowage Category** B· **Stowage Code** SW2 Clear of living quarters.

· **Transport in bulk according to Annex II of  
 MARPOL73/78 and the IBC Code**

Not applicable.

· **Transport/Additional information:**· **ADR**

· **Excepted quantities (EQ)** Code: E2  
 Maximum net quantity per inner packaging: 30 g  
 Maximum net quantity per outer packaging: 500 g

· **IMDG**· **Limited quantities (LQ)** 1 kg

· **Excepted quantities (EQ)** Code: E2  
 Maximum net quantity per inner packaging: 30 g  
 Maximum net quantity per outer packaging: 500 g

· **UN "Model Regulation":**UN 2923 CORROSIVE SOLID, TOXIC, N.O.S. ( $\alpha$ -TOLUENESULPHONYL FLUORIDE), 8 (6.1), II

## 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

No further relevant information available.

· **Section 355 (extremely hazardous substances):** Substance is not listed.· **Section 313 (Specific toxic chemical listings):** Substance is not listed.· **TSCA (Toxic Substances Control Act):** ACTIVE· **Hazardous Air Pollutants** Substance is not listed.· **Proposition 65** Substance is not listed.· **Chemicals known to cause cancer:** Substance is not listed.· **Chemicals known to cause reproductive toxicity for females:** Substance is not listed.

(Contd. on page 8)



# Safety Data Sheet

## acc. to OSHA HCS

Printing date 05/12/2023

Reviewed on 05/12/2023

Trade name: Phenylmethylsulfonyl fluoride

(Contd. of page 7)

- **Chemicals known to cause reproductive toxicity for males:** Substance is not listed.
- **Chemicals known to cause developmental toxicity:** Substance is not listed.
- **Carcinogenicity categories**
- **EPA (Environmental Protection Agency)** Substance is not listed.
- **TLV (Threshold Limit Value)** Substance is not listed.
- **NIOSH-Ca (National Institute for Occupational Safety and Health)** Substance is not listed.
- **GHS label elements**  
The substance is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms** GHS05, GHS06
- **Signal word** Danger
- **Hazard statements**  
Toxic if swallowed.  
Causes severe skin burns and eye damage.
- **Precautionary statements**  
Wash thoroughly after handling.  
Wear protective gloves/protective clothing/eye protection/face protection.  
If swallowed: Immediately call a poison center/doctor.  
If swallowed: Rinse mouth. Do NOT induce vomiting.  
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Product safety department
- **Contact:** +49 6221 13840-35
- **Date of preparation / last revision** 05/12/2023
- **Abbreviations and acronyms:**  
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
ICAO: International Civil Aviation Organisation  
PBT: persistent, bioaccumulative, toxic substance (REACH)  
vPvB: very persistent, very bioaccumulative substance (REACH)  
REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals  
CLP: Regulation on classification, labelling and packaging of substances and mixtures  
bw: body weight  
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
EINECS: European Inventory of Existing Commercial Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
NFPA: National Fire Protection Association (USA)  
HMIS: Hazardous Materials Identification System (USA)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety  
OSHA: Occupational Safety & Health  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit  
BEI: Biological Exposure Limit  
Acute Toxicity - Oral 3: Acute toxicity – Category 3  
Skin Corrosion 1B: Skin corrosion/irritation – Category 1B