Version number 2

Printing date 03.05.2018

Revision: 03.05.2018



Printing date 03.05.2018

Version number 2

Revision: 03.05.2018

(Contd. of page 1)

60-80%

Trade name: GermDecon

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT**: PBT - assessment not available.

· **vPvB**: vPvB - assessment not available.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of the substances listed below with harmless additions.

· Dangerous components:

CAS: 67-63-0 propan-2-ol

EINECS: 200-661-7 🚸 Flam. Liq. 2, H225; 🚸 Eye Irrit. 2, H319; STOT SE 3, H336

• Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- After inhalation Supply fresh air; consult doctor in case of complaints.
- After skin contact Immediately wash with water and soap and rinse thoroughly.
- · After eye contact

Rinse opened eye for several minutes under running water. Remove present contact lenses, if easy to do, and continue rinsing. Consult ophthalmologist In case of complaints.

- After swallowing Wash out mouth. Seek medical advice if discomfort occurs.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** *No further relevant information available.*

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents
- CO_2 , extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • 5.2 Special hazards arising from the substance or mixture
- Flammable substance, vapours are heavier than air and spread over the floor. Vapours can form explosive mixtures with air.
- Formation of dangerous gases or vapours is possible in case of fire.
- In case of fire, the following can be formed, but not limited to:
- Carbon monoxide and carbon dioxide
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing. Ensure adequate ventilation Keep away from ignition sources Avoid contact with the eyes and skin.

• 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

GB

Printing date 03.05.2018

Version number 2

Revision: 03.05.2018

Trade name: GermDecon

- (Contd. of page 2) • **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. • **6.4 Reference to other sections**
 - See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep ignition sources away Do not smoke.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: Keep away from sources of heat.
- Information about storage in one common storage facility: Do not store together with oxidizing materials.
- Further information about storage conditions: Keep receptacle tightly sealed and store in dry conditions.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · 8.1 Control parameters

· Components with limit values that require monitoring at the workplace:

67-63-0 propan-2-ol (60-80%)

WEL Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm

• Additional information: The lists that were valid during the creation were used as basis.

· 8.2 Exposure controls

- · Personal protective equipment
- \cdot General protective and hygienic measures
- Keep away from foodstuffs, beverages and feed.
- Store protective clothing separately.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- **Breathing equipment:** Short term filter device:

Filter ABEK

- Protection of hands:
- Protective gloves.
- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

(Contd. on page 4)

GB

Printing date 03.05.2018

Version number 2

Revision: 03.05.2018

Trade name: GermDecon

(Contd. of page 3)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

- The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- \cdot For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Nitrile rubber, NBR

Chloroprene rubber, CR

• Eye protection: Tightly sealed goggles.

• Body protection: Protective work clothing.

0.1 Information on hasis physical and	abamical man artica	
9.1 Information on basic physical and General Information	cnemical properties	
Appearance:		
Form:	Fluid	
Colour:	Colourless	
Odour:	Characteristic	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/freezing point:	undetermined	
Initial boiling point and boiling rang	e: undetermined	
Flash point:	Not applicable	
Flammability (solid, gaseous)	Not applicable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Self igniting:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	Not determined.	
Density:	Not determined	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
dynamic:	Not determined.	
kinematic:	Not determined.	

Printing date 03.05.2018

Version number 2

Revision: 03.05.2018

Trade name: GermDecon

		(Contd. of page 4)
· Solvent content:		
Organic solvents:	70.0 %	
· VOC %:	70.00 %	
· VOC g/l:	700.0 g/l	
• 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions Vapours can form flammable and explosive mixtures with air.
- · 10.4 Conditions to avoid Avoid high temperatures, flames, sparks
- · 10.5 Incompatible materials: Avoid contact with oxidizers.
- 10.6 Hazardous decomposition products: In case of fire: See Section 5

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Causes serious eye irritation.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure
- May cause drowsiness or dizziness.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow product to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** PBT assessment not available.
- · **vPvB**: vPvB assessment not available.
- · 12.6 Other adverse effects No further relevant information available.

(Contd. on page 6)

Printing date 03.05.2018

Version number 2

Revision: 03.05.2018

Trade name: GermDecon

(Contd. of page 5)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.

- · Uncleaned packagings:
- · Recommendation:

Disposal of uncleaned packagings must be made according to official regulations in the same manner as the product.

• **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14.1 UN-Number ADR, IMDG, IATA	UN1219	
14.2 UN proper shipping name ADR IMDG IATA	1219 ISOPROPANOL (ISOPROPYL ALCOHOL) ISOPROPANOL (ISOPROPYL ALCOHOL), SOLUTION Isopropanol solution	
14.3 Transport hazard class(es)		
ADR, IMDG, IATA		
Class Label	3 Flammable liquids. 3	
14.4 Packing group		
ADR, IMDG, IATA	II	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user Danger code (Kemler): EMS Number: Stowage Category	Warning: Flammable liquids. 33 F-E,S-D B	
14.7 Transport in bulk according to Annex Marpol and the IBC Code	II of Not applicable.	
Transport/Additional information:		
ADR Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml	
Transport category Tunnel restriction code	2 D/E	
IMDG Limited quantities (LQ)	1L	

Printing date 03.05.2018	Version number 2	Revision: 03.05.2018
Frade name: GermDecon		
		(Contd. of page 6)
• Excepted quantities (EQ)		er inner packaging: 30 ml er outer packaging: 500 ml
· UN ''Model Regulation'':	UN 1219 ISOPROPANO	L (ISOPROPYL ALCOHOL), 3, II
· 15.1 Safety, health and environm	ental regulations/legislation specific for	the substance or mixture
• Directive 2012/18/EU		
• Directive 2012/18/EU • Named dangerous substances - A	NNEX I None of the ingredients is listed	<i>I.</i>
• Directive 2012/18/EU • Named dangerous substances - A • Seveso category P5c FLAMMABI	E LIQUIDS	
 Directive 2012/18/EU Named dangerous substances - A Seveso category P5c FLAMMABI Qualifying quantity (tonnes) for the seven seve		ts 5,000 t
 Directive 2012/18/EU Named dangerous substances - A Seveso category P5c FLAMMABI Qualifying quantity (tonnes) for a Qualifying quantity (tonnes) for a 	E LIQUIDS the application of lower-tier requiremen	ts 5,000 t its 50,000 t
 Directive 2012/18/EU Named dangerous substances - A Seveso category P5c FLAMMABI Qualifying quantity (tonnes) for a Qualifying quantity (tonnes) for a 	E LIQUIDS the application of lower-tier requiremen the application of upper-tier requirement	ts 5,000 t its 50,000 t

· Technical instructions (air):

Class	Share in %
NK	60-80

- Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.H319 Causes serious eye irritation.H336 May cause drowsiness or dizziness.

· Department issuing SDS: Product safety department

· Contact: +49 6221 13840-35 · Abbreviations and acronyms: PBT: persistent, bioaccumulative, toxic substance (REACH) vPvB: very persistent, very bioaccumulative substance (REACH) REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals CLP: Regulation on classification, labelling and packaging of substances and mixtures ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 • * Data compared to the previous version altered.

GB -