Printing date 07/29/2024 Reviewed on 07/29/2024

### 1 Identification

· Product identifier

· Trade name: N,N,N',N'-Tetramethyl-ethylenediamine

SERVA
serving scientists

· Article number: 35925

· CAS Number: 110-18-9 · EC number:

203-744-6 • Index number: 612-103-00-3

- · Application of the substance / the mixture: Laboratory chemicals
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SERVA Electrophoresis GmbH

Carl-Benz-Str. 7 D-69115 Heidelberg Tel.: +49 6221 13840-0 FAX: +49 6221 13840-10 msds.info@serva.de

- · Information department: Product Safety Department Tel.: +49 6221 13840-35
- · Emergency telephone number:

Emergency medical information in case of poisoning Poison Information Center Mainz-Tel: +49 (0) 6131 19240

(Advice in German and English)

## 2 Hazard(s) identification

· Classification of the substance or mixture



GHS02

Flammable Liquids 2 H225 Highly flammable liquid and vapor.



GHS05

Skin Corrosion 1B H314 Causes severe skin burns and eye damage.



GHS07

Acute Toxicity - Oral 4 H302 Harmful if swallowed. Acute Toxicity - Inhalation 4 H332 Harmful if inhaled.

- · Label elements
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms: GHS02, GHS05, GHS07
- · Signal word: Danger
- · Hazard statements:

Highly flammable liquid and vapor.

Harmful if swallowed or if inhaled.

Causes severe skin burns and eye damage.

(Contd. on page 2)

Reviewed on 07/29/2024 Printing date 07/29/2024

#### Trade name: N,N,N',N'-Tetramethyl-ethylenediamine

(Contd. of page 1)

#### · Precautionary statements

Take precautionary measures against static discharge.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3Fire = 3Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 3Fire = 3

- · Other hazards
- · Results of PBT and vPvB assessment:
- · PBT: PBT Assessment not available.
- · vPvB: vPvB Assessment not available.

### 3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description:

110-18-9 N,N,N',N'-tetramethylethylenediamine

- · Identification number(s):
- **EC** number: 203-744-6
- · Index number: 612-103-00-3
- · Description:
- · Empirical formula: C<sub>6</sub> H<sub>16</sub> N<sub>2</sub>
- · MW: 116.21

#### 4 First-aid measures

- · Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Immediately remove any clothing soiled by the product.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Wash off immediately with plenty of soap and water; rinse thoroughly; seek medical attention.

· After eye contact:

Rinse opened eye for several minutes with running water. Remove existing contact lenses, if possible, and continue rinsing. Consult an ophthalmologist immediately.

· After swallowing:

Rinse mouth and seek medical advice.

Do not induce vomiting!

· Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 07/29/2024 Reviewed on 07/29/2024

Trade name: N,N,N',N'-Tetramethyl-ethylenediamine

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

 $CO_2$  extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture

Formation of hazardous vapors and gases possible during heating or in case of fire.

In case of fire, the following can be released:

Nitrogen oxides (NOx)

Carbon monoxide and carbon dioxide

- · Advice for firefighters
- · Protective equipment: Wear self-contained breathing apparatus.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

## 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

Ensure adequate ventilation

Avoid contact with eyes and skin.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up

Dispose contaminated material as waste according to section 13.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

- · Protective Action Criteria for Chemicals
- · PAC-1: 3.2 ppm
- · PAC-2: 35 ppm
- · **PAC-3:** 58 ppm
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Precautions for safe handling: Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires:

Protect against electrostatic charges.

Keep ignition sources away - Do not smoke.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Do not store together with oxidizing materials.
- · Further information about storage conditions: Store container tightly closed and dry.
- · Specific end use(s): No further relevant information available.

T 16

Printing date 07/29/2024 Reviewed on 07/29/2024

Trade name: N,N,N',N'-Tetramethyl-ethylenediamine

(Contd. of page 3)

### 8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Additional information about design of technical systems: No further data; see section 7.
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Store protective clothing separately.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

#### · Breathing equipment:

Short term filter device:

Filter P3

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

#### · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

#### · Penetration time of glove material:

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Neoprene gloves

Nitrile rubber, NBR

Natural rubber, NR

- · Eye protection: Tightly sealed goggles
- · **Body protection:** Protective work clothing

## 9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information:

· Color: colorless to slightly yellowish

• Odor: Amine-like
 • Odor threshold: Not determined.
 • Melting point/Melting range: -55 °C (-67 °F)
 • Boiling point/Boiling range: 121 °C (249.8 °F)

• Flammability (solid, gaseous): Highly flammable liquid and vapor according to CLP

Regulation (EU) No. 1272/2008: Flam. Liq. 2 H225

· Explosion limits:

• Lower: No information available
• Upper: No information available

• Flash point:  $17 \,^{\circ}C \,(62.6 \,^{\circ}F)$ 

• Decomposition temperature: No information available

(Contd. on page 5)

Printing date 07/29/2024 Reviewed on 07/29/2024

Trade name: N,N,N',N'-Tetramethyl-ethylenediamine

(Contd. of page 4)

· pH-value: No information available

· Viscosity:

Kinematic viscosity: No information available
 Dynamic viscosity: No information available

· Solubility in / Miscibility with:

· Water: Fully miscible.

Partition coefficient (n-octanol/water):
 Vapor pressure:
 No information available

· Vapor pressure:

• Density at 20 °C (68 °F):
• Relative density:

0.77 g/cm³ (6.42565 lbs/gal)
No information available

· Other information

· Appearance:

· Form: Liquid

· Important information on protection of health and

environment, and on safety:

· Danger of explosion: Product is not explosive. However, formation of

explosive air/vapor mixtures are possible.

· Molecular weight 116.21 g/mol

## 10 Stability and reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability:
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions:

Vapors may form flammable and explosive mixtures with air.

Reacts with acids, acidic chlorides, acidic anhydrides, CO2 copper

· Conditions to avoid:

Heating

Ignition sources

Humidity

· Incompatible materials:

Avoid contact with:

Strong oxidizers

Acids

· Hazardous decomposition products: In case of fire: see section 5

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity: Harmful if swallowed or if inhaled.
- · LD/LC50 values that are relevant for classification:

 Oral
 LD50
 1,580 mg/kg (rat)

 Dermal
 LD50
 5,390 mg/kg (rabbit)

- · on the skin: Causes severe skin burns and eye damage.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

H

Printing date 07/29/2024 Reviewed on 07/29/2024

Trade name: N,N,N',N'-Tetramethyl-ethylenediamine

(Contd. of page 5)

## 12 Ecological information

- · Toxicity:
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability: No further relevant information available.
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- · Results of PBT and vPvB assessment:
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects:
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Water hazard class 1 (Assessment by list): slightly hazardous for water

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Dispose of in accordance with official regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation:

Uncleaned packaging must be disposed of in the same way as the product in accordance with official regulations.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

## 14 Transport information

777	17 A	Jum	han

· DOT, ADR, IMDG, IATA UN2372

· UN proper shipping name

· **DOT** 1,2-Di-(dimethylamino)ethane

· ADR 2372 1,2-DI-(DIMETHYLAMINO) ETHANE · IMDG, IATA 1,2-DI-(DIMETHYLAMINO) ETHANE

- · Transport hazard class(es)
- · DOT



· Class 3 Flammable liquids

· Label

· ADR, IMDG, IATA



· Class: 3 Flammable liquids

· Label:

(Contd. on page 7)

Printing date 07/29/2024 Reviewed on 07/29/2024

Trade name: N,N,N',N'-Tetramethyl-ethylenediamine

	(Contd. of pa
Packing group DOT, ADR, IMDG, IATA	II
Environmental hazards	
Environmeniai nazaras Marine pollutant:	No
<u> </u>	110
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code)	: 33
EMS Number:	F-E,S-D
Stowage Category	В
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
IMDG	
Limited quantities (LQ)	IL
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 2372 1,2-DI-(DIMETHYLAMINO) ETHANE, 3, II

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Section 355 (extremely hazardous substances): Substance is not listed.
- · Section 313 (Specific toxic chemical listings): Substance is not listed.
- · TSCA (Toxic Substances Control Act): ACTIVE
- · Hazardous Air Pollutants Substance is not listed.
- · Proposition 65 Substance is not listed.
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Cancerogenity categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- · TLV (Threshold Limit Value) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms GHS02, GHS05, GHS07
- · Signal word Danger
- · Hazard statements

Highly flammable liquid and vapor.

Harmful if swallowed or if inhaled.

Causes severe skin burns and eye damage.

· Precautionary statements

Take precautionary measures against static discharge.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

(Contd. on page 8)

Reviewed on 07/29/2024 Printing date 07/29/2024

Trade name: N,N,N',N'-Tetramethyl-ethylenediamine

(Contd. of page 7)

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product Safety Department
- · Contact: +49 6221 13840-35
- · Date of preparation / last revision 07/29/2024 / -
- · Abbreviations and acronvms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

PBT: persistent, bioaccumulative, toxic substance (REACH)

vPvB: very persistent, very bioaccumulative substance (REACH)

REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

CLP: Regulation on classification, labelling and packaging of substances and mixtures

bw: body weight

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flammable Liquids 2: Flammable liquids - Category 2

Acute Toxicity - Oral 4: Acute toxicity - Category 4

Skin Corrosion 1B: Skin corrosion/irritation - Category 1B