
Printing date 29.07.2024

Version number 7

Revision: 29.07.2024



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.07.2024

Version number 7

Revision: 29.07.2024

	(Contd. of pag
Hazard statem	
H225 H	lighly flammable liquid and vapour.
H302+H332 H	Iarmful if swallowed or if inhaled.
H314 C	auses severe skin burns and eye damage.
Precautionary	statements
P243	Take action to prevent static discharges.
P280	Wear protective gloves/protective clothing/eye protection/face protection/heari protection.
P301+P330+1	P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin w water [or shower].
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P	P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses
	present and easy to do. Continue rinsing. ackages where the contents do not exceed 125 ml rams GHS02, GHS05, GHS07
Hazard pictog Signal word D	ackages where the contents do not exceed 125 ml rams GHS02, GHS05, GHS07 anger
Hazard pictog Signal word D Hazard statem	ackages where the contents do not exceed 125 ml rams GHS02, GHS05, GHS07 anger ents
Hazard pictog Signal word D Hazard statem H314 Causes	ackages where the contents do not exceed 125 ml rams GHS02, GHS05, GHS07 vanger ents veere skin burns and eye damage.
Hazard pictog Signal word D Hazard statem	ackages where the contents do not exceed 125 ml rams GHS02, GHS05, GHS07 vanger ents veere skin burns and eye damage.
Hazard pictog Signal word D Hazard statem H314 Causes Precautionary P280	ackages where the contents do not exceed 125 ml rams GHS02, GHS05, GHS07 anger eents severe skin burns and eye damage. statements Wear protective gloves/protective clothing/eye protection/face protection/heari
Hazard pictog Signal word D Hazard statem H314 Causes S Precautionary P280 P303+P361+H	ackages where the contents do not exceed 125 ml rams GHS02, GHS05, GHS07 anger sents severe skin burns and eye damage. statements Wear protective gloves/protective clothing/eye protection/face protection/heari protection. P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin w
Hazard pictog Signal word D Hazard statem H314 Causes S Precautionary P280 P303+P361+H	 ackages where the contents do not exceed 125 ml rams GHS02, GHS05, GHS07 anger ents evere skin burns and eye damage. statements Wear protective gloves/protective clothing/eye protection/face protection/heari protection. P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin w water [or shower]. P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses present and easy to do. Continue rinsing.
Hazard pictog Signal word D Hazard statem H314 Causes Precautionary P280 P303+P361+H P305+P351+H 2.3 Other haze	 ackages where the contents do not exceed 125 ml rams GHS02, GHS05, GHS07 anger ents evere skin burns and eye damage. statements Wear protective gloves/protective clothing/eye protection/face protection/heari protection. P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin w water [or shower]. P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses present and easy to do. Continue rinsing.
Hazard pictog Signal word D Hazard statem H314 Causes S Precautionary P280 P303+P361+H P305+P351+H 2.3 Other haza Results of PB	 ackages where the contents do not exceed 125 ml rams GHS02, GHS05, GHS07 anger cents severe skin burns and eye damage. statements Wear protective gloves/protective clothing/eye protection/face protection/heari protection. P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin w water [or shower]. P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses present and easy to do. Continue rinsing.
Hazard pictog Signal word D Hazard statem H314 Causes Precautionary P280 P303+P361+H P305+P351+H 2.3 Other haza Results of PB PBT: PBT - A	 ackages where the contents do not exceed 125 ml rams GHS02, GHS05, GHS07 banger cents severe skin burns and eye damage. statements Wear protective gloves/protective clothing/eye protection/face protection/heari protection. P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin w water [or shower]. P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses present and easy to do. Continue rinsing. T and vPvB assessment:
Hazard pictog Signal word D Hazard statem H314 Causes Precautionary P280 P303+P361+H P305+P351+H 2.3 Other haza Results of PB PBT: PBT - A vPvB: vPvB -	 ackages where the contents do not exceed 125 ml rams GHS02, GHS05, GHS07 banger cents severe skin burns and eye damage. statements Wear protective gloves/protective clothing/eye protection/face protection/heari protection. P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin w water [or shower]. P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses present and easy to do. Continue rinsing. T and vPvB assessment: ssessment not available.

· 3.1 Substances

*

- · CAS No. Description:
- 110-18-9 N,N,N',N'-tetramethylethylenediamine
- Identification number(s):
- EC number: 203-744-6
- · Index number: 612-103-00-3
- · Description:
- · Empirical formula: $C_{6}H_{16}N_{2}$
- · MW: 116.21

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information: Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- Remove contaminated clothing.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

Wash off immediately with plenty of soap and water; rinse thoroughly; seek medical attention.

(Contd. on page 3)

GB

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.07.2024

Version number 7

Revision: 29.07.2024

(Contd. of page 2)

Trade name: N,N,N',N'-Tetramethyl-ethylenediamine

• After eye contact:

Rinse opened eye for several minutes with running water. Remove contact lenses if possible and continue rinsing. Consult an ophthalmologist immediately.

• After swallowing: Rinse out mouth. Call a doctor immediately. Do not induce vomiting!

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** *No further relevant information available.*

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO_2 , extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • 5.2 Special hazards arising from the substance or mixture:
- Formation of hazardous vapours and gases possible during heating or in case of fire. In case of fire, the following can be formed, but not limited to:

Nitrogen oxides (NOx)

- Carbon monoxide and carbon dioxide
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained breathing apparatus.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures
Wear protective clothing.
Ensure adequate ventilation
Avoid contact with eyes and skin.
 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

 6.3 Methods and material for containment and cleaning up Dispose contaminated material as waste according to section 13.
 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

• 6.4 Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling: Ensure good ventilation/exhaustion at the workplace.

- Information about protection against explosions and fires: Protect against electrostatic charges. Keep ignition sources away - Do not smoke.
- · 7.2 Conditions for safe storage, including any incompatibilities

· Storage

- *Requirements to be met by storerooms and receptacles:* Store only in the original receptacle. Keep away from heat sources.
- · Information about storage in one common storage facility: Do not store together with oxidizing materials.
- \cdot Further information about storage conditions: Store containers tightly closed and dry.

(Contd. on page 4)

GB

Printing date 29.07.2024

Version number 7

Revision: 29.07.2024

(Contd. of page 3)

Trade name: N,N,N',N'-Tetramethyl-ethylenediamine

• 7.3 Specific end use(s): No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.

· 8.2 Exposure controls

- Appropriate engineering controls: No further data; see section 7.
- · Individual protection measures, such as personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Store protective clothing separately.
- Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- · Breathing equipment:

Short term filter device: Filter P3.

- Hand protection:
- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/
- the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material:

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Neoprene gloves Nitrile rubber, NBR Natural rubber, NR

- · Eye/face protection: Tightly sealed goggles.
- **Body protection:** Protective work clothing.

SECTION 9: Physical and chemical properties

•9.1 Information on basic physical and chemical	properties
· General Information:	
· Physical state:	Fluid
· Colour:	colorless to slightly yellowish
· Odour:	Amine-like
· Odour threshold:	Not determined.
• Melting point/freezing point:	-55 °C
· Boiling point or initial boiling point and boiling	
range:	121 °C
· Flammability:	Highly flammable liquid and vapour according to GB
	CLP Regulation (EU) No 1272/2008: Flam. Liq. 2
	H225
· Lower and upper explosion limit:	
· Lower:	No information available
	(Contd. on page 5)

Printing date 29.07.2024

Version number 7

Revision: 29.07.2024

Trade name: N,N,N',N'-Tetramethyl-ethylenediamine

	(Contd. of page 4
· Upper:	No information available
· Flash point:	17 °Č
· Decomposition temperature:	No information available
· pH:	No information available
· Viscosity:	
· Kinematic viscosity:	No information available
· Dynamic viscosity:	No information available
· Solubility:	
· Water:	Fully miscible
· Partition coefficient n-octanol/water (log value):	No information available
· Vapour pressure:	No information available
· Density and/or relative density:	
· Density at 20 •C:	$0.77 \ g/cm^3$
· Relative density:	No information available
· 9.2 Other information	
· Appearance:	
· Form:	Liquid
• Important information on protection of health and environment, and on safety:	1
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
• Molecular weight	116.2 g/mol

SECTION 10: Stability and reactivity

- · 10.1 Reactivity: No further relevant information available.
- · 10.2 Chemical stability:
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions: Vapours may form flammable and explosive mixtures with air.
- · 10.4 Conditions to avoid:
- Heating Ignition sources Humidity
- 10.5 Incompatible materials: Avoid contact with combustible materials.
- Strong oxidizers
- Acids
- 10.6 Hazardous decomposition products: In case of fire: see section 5

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

· Acute toxicity: Harmful if swallowed or if inhaled.

· LD/LC50 values that are relevant for classification:

Oral LD50 1,580 mg/kg (rat)

Dermal LD50 5,390 mg/kg (rabbit)

- · Skin corrosion/irritation: Causes severe skin burns and eye damage.
- Serious eye damage/irritation: Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.

(Contd. on page 6)

GB

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.07.2024

Version number 7

Revision: 29.07.2024

Trade name: N,N,N',N'-Tetramethyl-ethylenediamine

- Aspiration hazard: Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards:
- Endocrine disrupting properties: No relevant information available

SECTION 12: Ecological information

- · 12.1 Toxicity:
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability: No further relevant information available.
- 12.3 Bioaccumulative potential: No further relevant information available.
- 12.4 Mobility in soil: No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment:
- · **PBT:** PBT assessment not available.
- · **vPvB**: vPvB assessment not available.
- 12.6 Endocrine disrupting properties: For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects:
- Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system. Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Dispose of in accordance with official regulations. Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation:

Uncleaned packaging must be disposed of in the same way as the product in accordance with official regulations.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR, IMDG, IATA	UN2372
· 14.2 UN proper shipping name	
·ADR	2372 1,2-DI-(DIMETHYLAMINO) ETHANE
· IMDG, IATA	1,2-DI-(DIMETHYLAMINO) ETHANE
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA	
· Class:	3 Flammable liquids.
· Class: · Label:	3 Flammable liquids. 3

GB

Printing date 29.07.2024

Version number 7

Revision: 29.07.2024

Trade name: N,N,N',N'-Tetramethyl-ethylenediamine

	(Contd. of pag
14.5 Environmental hazards	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code):	33
EMS Number:	F- E , S - D
Stowage Category	В
14.7 Maritime transport in bulk according to IM	10
instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
Transport category	2
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
-	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN ''Model Regulation'':	UN 2372 1,2-DI-(DIMETHYLAMINO) ETHANE, 3, II

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Poisons Act
- · Regulated explosives precursors Substance is not listed.
- · Regulated poisons Substance is not listed.
- · Reportable explosives precursors Substance is not listed.
- · Reportable poisons Substance is not listed.
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 40
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II Substance is not listed.
- REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
- Substance is not listed.
- · Annex II REPORTABLE EXPLOSIVES PRECURSORS Substance is not listed.
- Regulation (EC) No 273/2004 on drug precursors Substance is not listed.
- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors
- Substance is not listed.

(Contd. on page 8)

GB

Printing date 29.07.2024

Version number 7

Revision: 29.07.2024

	(Contd. of page
·Λ	lational regulations:
• T	Cechnical instructions (air):
	Class Share in %
	I 80-100
L	
	<i>Vater hazard class:</i> Water hazard class 1 (Assessment by list): slightly hazardous for water. 5.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.
S	ECTION 16: Other information
	his information is based on our present knowledge. However, this shall not constitute a guarantee for a
	pecific product features and shall not establish a legally valid contractual relationship.
· L	Department issuing SDS: Product Safety Department
	Contact: +49 6221 13840-35
$\cdot L$	Date of previous version: 30.11.2017
	bbreviations and acronyms:
	ID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning
	nternational Transport of Dangerous Goods by Rail)
Ι	CAO: International Civil Aviation Organisation
	BT: persistent, bioaccumulative, toxic substance (UK REACH)
	PvB: very persistent, very bioaccumulative substance (UK REACH)
	K REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
	B CLP: Regulation on classification, labelling and packaging of substances and mixtures
	w: body weight DR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning
	ternational Carriage of Dangerous Goods by Road)
	MDG: International Maritime Code for Dangerous Goods
	ATA: International Air Transport Association
G	HS: Globally Harmonised System of Classification and Labelling of Chemicals
E	INECS: European Inventory of Existing Commercial Chemical Substances
C	AS: Chemical Abstracts Service (division of the American Chemical Society)
	C50: Lethal concentration, 50 percent
	D50: Lethal dose, 50 percent
	BT: Persistent, Bioaccumulative and Toxic
	PvB: very Persistent and very Bioaccumulative
	lam. Liq. 2: Flammable liquids – Category 2
	cute Tox. 4: Acute toxicity – Category 4 kin Corr. 1B: Skin corrosion/irritation – Category 1B