Printing date 07/29/2024

*

*

Reviewed on 07/29/2024

Product identifier	CFD\/
Trade name: <u>N,N,N',N'-Tetramethyl-ethylenediam</u>	nine Serving scientis
Article number: 35930	
CAS Number:	
110-18-9	\sim
<i>EC number:</i> 203-744-6	
Index number:	
612-103-00-3	
Application of the substance / the mixture: Laborat	tory chemicals
Details of the supplier of the safety data sheet	O
Manufacturer/Supplier:	. Co
SERVA Electrophoresis GmbH Carl-Benz-Str. 7	9
D-69115 Heidelberg	G
Tel.: +49 6221 13840-0	.05
FAX: +49 6221 13840-10	
msds.info@serva.de	
Information department: Product Safety Department	nt Tel.: +49 6221 13840-35
Emergency telephone number:	
Emergency medical information in case of poisoning Poison Information Center Mainz-Tel: +49 (0) 6131	
(Advice in German and English)	17210
Hazard(s) identification	
Classification of the substance or mixture	
Classification of the substance or mixture	
Classification of the substance or mixture	
GHS02	bla liquid and vanor
	ble liquid and vapor.
GHS02 Flammable Liquids 2 H225 Highly flammab	ble liquid and vapor.
GHS02	ble liquid and vapor.
GHS02 Flammable Liquids 2 H225 Highly flammab GHS05	
GHS02 Flammable Liquids 2 H225 Highly flammable GHS05	ble liquid and vapor. skin burns and eye damage.
GHS02 Flammable Liquids 2 H225 Highly flammable GHS05	
GHS02 Flammable Liquids 2 H225 Highly flammab GHS05	
GHS02 Flammable Liquids 2 H225 Highly flammable GHS05 Skin Corrosion 1B H314 Causes severe s	
GHS02 Flammable Liquids 2 H225 Highly flammable GHS05 Skin Corrosion 1B H314 Causes severe s	skin burns and eye damage.
GHS02 Flammable Liquids 2 H225 Highly flammable GHS05 Skin Corrosion 1B H314 Causes severe s GHS07	skin burns and eye damage. Howed.
Flammable Liquids 2 H225 Highly flammable Flammable Liquids 2 H225 Highly flammable GHS05 H314 Causes severe s Skin Corrosion 1B H314 Causes severe s GHS07 Acute Toxicity - Oral 4 Acute Toxicity - Inhalation 4 H302 Harmful if swall	skin burns and eye damage. Howed.
Flammable Liquids 2 H225 Highly flammable Flammable Liquids 2 H225 Highly flammable GHS05 H314 Causes severe s Skin Corrosion 1B H314 Causes severe s GHS07 H302 Harmful if swall Acute Toxicity - Oral 4 H302 Harmful if inhal Label elements GHS07	skin burns and eye damage. lowed. led.
Flammable Liquids 2 H225 Highly flammable Flammable Liquids 2 H225 Highly flammable GHS05 GHS05 Skin Corrosion 1B H314 Causes severe s GHS07 GHS07 Acute Toxicity - Oral 4 H302 Harmful if swall Acute Toxicity - Inhalation 4 H332 Harmful if inhal Label elements GHS label elements The substance is classified and labeled according to	skin burns and eye damage. lowed. led.
Flammable Liquids 2 H225 Highly flammable Flammable Liquids 2 H225 Highly flammable GHS05 GHS05 Skin Corrosion 1B H314 Causes severe s GHS07 Acute Toxicity - Oral 4 Acute Toxicity - Oral 4 H302 Harmful if swall Acute Toxicity - Inhalation 4 H332 Harmful if inhal Label elements GHS label elements The substance is classified and labeled according to Hazard pictograms: GHS02, GHS05, GHS07	skin burns and eye damage. lowed. led.
Flammable Liquids 2 H225 Highly flammable Flammable Liquids 2 H225 Highly flammable GHS05 GHS05 Skin Corrosion 1B H314 Causes severe s GHS07 GHS07 Acute Toxicity - Oral 4 H302 Harmful if swall Acute Toxicity - Inhalation 4 H332 Harmful if inhal Label elements GHS label elements The substance is classified and labeled according to Hazard pictograms: GHS02, GHS05, GHS07 Signal word: Danger H302 Harmful if inhal	skin burns and eye damage. lowed. led.
Flammable Liquids 2 H225 Highly flammable Flammable Liquids 2 H225 Highly flammable GHS05 GHS05 Skin Corrosion 1B H314 Causes severe s GHS07 Acute Toxicity - Oral 4 Acute Toxicity - Oral 4 H302 Harmful if swall Acute Toxicity - Inhalation 4 H332 Harmful if inhal Label elements GHS label elements The substance is classified and labeled according to Hazard pictograms: GHS02, GHS05, GHS07	skin burns and eye damage. lowed. led.
Flammable Liquids 2H225 Highly flammableFlammable Liquids 2H225 Highly flammable \mathcal{C} \mathcal{C} \mathcal{C} Skin Corrosion 1BH314 Causes severe s \mathcal{C} <tr< td=""><td>skin burns and eye damage. lowed. led.</td></tr<>	skin burns and eye damage. lowed. led.
i i	skin burns and eye damage. lowed. led.

Printing date 07/29/2024

Reviewed on 07/29/2024

Trade name: N,N,N',N'-Tetramethyl-ethylenediamine

(Cont • Precautionary statements Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and ea Continue rinsing. • Classification system: • NFPA ratings (scale 0 - 4) Health = 3 Fire = 3 Reactivity = 0 • HMIS-ratings (scale 0 - 4) HEALTH 3 Health = 3 Fire 3 Reactivity = 0	
Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and eco Continue rinsing. • Classification system: • NFPA ratings (scale 0 - 4) Health = 3 Fire = 3 Reactivity = 0 • HMIS-ratings (scale 0 - 4) HEALTH 3 Health = 3 Fire = 3 Fire = 3 Health = 3 Fire = 3	d. of page 1)
Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and eco Continue rinsing. • Classification system: • NFPA ratings (scale 0 - 4) Health = 3 Fire = 3 Reactivity = 0 • HMIS-ratings (scale 0 - 4) HEALTH 3 Fire = 3 Fir	
If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and ec Continue rinsing. • Classification system: • NFPA ratings (scale 0 - 4) Health = 3 Fire = 3 Reactivity = 0 • HMIS-ratings (scale 0 - 4) HEALTH 3 FIRE 3 Health = 3 Fire = 3 Fire = 3	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and ec Continue rinsing. • Classification system: • NFPA ratings (scale 0 - 4) Health = 3 Fire = 3 Reactivity = 0 • HMIS-ratings (scale 0 - 4) HEALTH 3 FIRE 3 Health = 3 Fire = 3 Fire = 3 Fire = 3	
IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and each continue rinsing. • Classification system: • NFPA ratings (scale $0 - 4$) Health = 3 Fire = 3 Reactivity = 0 • HMIS-ratings (scale $0 - 4$) HEALTH 3 Fire = 3 Fire = 3 Fire = 3	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and ex- Continue rinsing. Classification system: NFPA ratings (scale $0 - 4$) Health = 3 Fire = 3 Reactivity = 0 HMIS-ratings (scale $0 - 4$) HEALTH 3 Health = 3 Fire = 3 Reactivity = 0	
Continue rinsing. • Classification system: • NFPA ratings (scale $0 - 4$) Health = 3 Fire = 3 Reactivity = 0 • HMIS-ratings (scale $0 - 4$) HEALTH 3 FIRE 3 Fire = 3 Realth = 3 Fire = 3 Fire = 3	asv to do.
$\begin{array}{c} \text{Classification system:} \\ \text{NFPA ratings (scale 0 - 4)} \\ \hline & & \\ \hline \hline & & \\ \hline & & \\ \hline \hline \\ \hline & & \\ \hline \hline \\ \hline \hline & & \\ \hline \hline \\ \hline \hline \\ \hline \hline \\ \hline \hline \hline \\ \hline \hline \\ \hline \hline \hline \hline \\ \hline \hline \hline \hline \hline \hline \\ \hline \hline$	
$ \cdot NFPA \ ratings \ (scale \ 0 - 4) $ $ Health = 3 $ $ Fire = 3 $ $ Reactivity = 0 $ $ \cdot HMIS \ ratings \ (scale \ 0 - 4) $ $ Health = 3 $ $ Fire = 3 $ $ Fire = 3 $	
Fire = 3 Reactivity = 0 HMIS-ratings (scale 0 - 4) HEALTH 3 Health = 3 Fire = 3 Fire = 3	
Fire = 3 Reactivity = 0 HMIS-ratings (scale 0 - 4) HEALTH 3 Health = 3 Fire = 3 Fire = 3	
$3 0 Reactivity = 0$ $\cdot HMIS-ratings (scale 0 - 4)$ $HEALTH 3 Health = 3$ $FIRE 3 Fire = 3$	
HMIS-ratings (scale 0 - 4)HEALTH3FIRE3Fire3	
HEALTH3 $Health = 3$ FIRE3 $Fire = 3$	
FIRE 3 $Fire = 3$	
REACTIVITY O Reactivity = 0	
• Other hazards	
· Results of PBT and vPvB assessment:	
· PBT : PBT - Assessment not available.	
· vPvB: vPvB - Assessment not available.	
3 Composition/information on ingredients	
· Chemical characterization: Substances	
· CAS No. Description:	
110-18-9 N,N,N',N'-tetramethylethylenediamine	
· Identification number(s):	
• EC number: 203-744-6	
• Index number: 612-103-00-3	

- · Description:
- Empirical formula: $C_{6}H_{16}N_{2}$
- **MŴ:** 116.21

×

4 First-aid measures

- · Description of first aid measures
- General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Immediately remove any clothing soiled by the product.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:
- Wash off immediately with plenty of soap and water; rinse thoroughly; seek medical attention.
- · After eye contact:

Rinse opened eye for several minutes with running water. Remove existing contact lenses, if possible, and continue rinsing. Consult an ophthalmologist immediately.

- After swallowing:
- Rinse out mouth. Call a doctor immediately.
- Do not induce vomiting!
- *Most important symptoms and effects, both acute and delayed* No further relevant information available.

(Contd. on page 3)

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 07/29/2024

Reviewed on 07/29/2024

Trade name: N,N,N',N'-Tetramethyl-ethylenediamine

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO_{2} extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • Special hazards arising from the substance or mixture
- Formation of hazardous vapors and gases possible during heating or in case of fire. In case of fire, the following can be released:

Nitrogen oxides (NOx) Carbon monoxide and carbon dioxide

- Advice for firefighters
- · Protective equipment: Wear self-contained breathing apparatus.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective clothing. Ensure adequate ventilation Avoid contact with eyes and skin.
Environmental precautions: Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up

- Dispose contaminated material as waste according to section 13. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Protective Action Criteria for Chemicals
- PAC-1: 3.2 ppm
- **PAC-2:** 35 ppm
- · PAC-3: 58 ppm
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

- · Precautions for safe handling: Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires:
- Protect against electrostatic charges. Keep ignition sources away - Do not smoke.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- *Requirements to be met by storerooms and receptacles:* Store only in the original receptacle. Keep away from heat sources.
- Information about storage in one common storage facility: Do not store together with oxidizing materials.
- Further information about storage conditions: Store container tightly closed and dry.
- Specific end use(s): No further relevant information available.

(Contd. on page 4)

Printing date 07/29/2024

*

Reviewed on 07/29/2024

Trade name: N,N,N',N'-Tetramethyl-ethylenediamine

(Contd. of page 3)

Control parameters	
Components with limit values that requi	re monitoring at the workplace: Not required.
	ere valid during the creation were used as basis.
Exposure controls	
	technical systems: No further data; see section 7.
Personal protective equipment:	conneu systems. No furner adia, see seenon 7.
General protective and hygienic measur	es:
Keep away from foodstuffs, beverages an	
Store protective clothing separately.	
Immediately remove all soiled and conta	minated clothing.
Wash hands before breaks and at the end	l of work.
Avoid contact with the eyes and skin.	
Breathing equipment:	
Short term filter device:	
Filter P3 Protection of hands:	
	e and resistant to the product/ the substance/ the preparation.
· ·	to the glove material can be given for the product/ the preparation.
the chemical mixture.	to the glove material can be given jor the product, the preparati
	nsideration of the penetration times, rates of diffusion and
degradation	istactation of the penetration times, takes of alguston and
Material of gloves:	
	es not only depend on the material, but also on further marks
quality and varies from manufacturer to	
quality and varies from manufacturer to Penetration time of glove material:	manufacturer.
quality and varies from manufacturer to Penetration time of glove material: The exact break trough time has to be fo	manufacturer.
quality and varies from manufacturer to Penetration time of glove material: The exact break trough time has to be fo observed.	manufacturer. Dund out by the manufacturer of the protective gloves and has to
quality and varies from manufacturer to Penetration time of glove material: The exact break trough time has to be for observed. For the permanent contact of a maxim	manufacturer. Dund out by the manufacturer of the protective gloves and has to
quality and varies from manufacturer to Penetration time of glove material: The exact break trough time has to be for observed. For the permanent contact of a maximisuitable:	manufacturer. Dund out by the manufacturer of the protective gloves and has to
quality and varies from manufacturer to Penetration time of glove material: The exact break trough time has to be for observed. For the permanent contact of a maxim suitable: Neoprene gloves	manufacturer. Dund out by the manufacturer of the protective gloves and has to
quality and varies from manufacturer to Penetration time of glove material: The exact break trough time has to be for observed. For the permanent contact of a maxin suitable: Neoprene gloves Nitrile rubber, NBR	manufacturer. bund out by the manufacturer of the protective gloves and has to
quality and varies from manufacturer to Penetration time of glove material: The exact break trough time has to be for observed. For the permanent contact of a maxin suitable: Neoprene gloves Nitrile rubber, NBR Natural rubber, NR	manufacturer. bund out by the manufacturer of the protective gloves and has to
quality and varies from manufacturer to Penetration time of glove material: The exact break trough time has to be for observed. For the permanent contact of a maxin suitable: Neoprene gloves Nitrile rubber, NBR Natural rubber, NR Eye protection: Tightly sealed goggles	manufacturer. bund out by the manufacturer of the protective gloves and has to mum of 15 minutes gloves made of the following materials of
quality and varies from manufacturer to Penetration time of glove material: The exact break trough time has to be for observed. For the permanent contact of a maxin suitable: Neoprene gloves Nitrile rubber, NBR Natural rubber, NR	manufacturer. bund out by the manufacturer of the protective gloves and has to mum of 15 minutes gloves made of the following materials of
quality and varies from manufacturer to Penetration time of glove material: The exact break trough time has to be for observed. For the permanent contact of a maxin suitable: Neoprene gloves Nitrile rubber, NBR Natural rubber, NR Eye protection: Tightly sealed goggles Body protection: Protective work clothin	manufacturer. bund out by the manufacturer of the protective gloves and has to mum of 15 minutes gloves made of the following materials o
quality and varies from manufacturer to Penetration time of glove material: The exact break trough time has to be for observed. For the permanent contact of a maxin suitable: Neoprene gloves Nitrile rubber, NBR Natural rubber, NR Eye protection: Tightly sealed goggles	manufacturer. bund out by the manufacturer of the protective gloves and has to mum of 15 minutes gloves made of the following materials of
quality and varies from manufacturer to Penetration time of glove material: The exact break trough time has to be for observed. For the permanent contact of a maxin suitable: Neoprene gloves Nitrile rubber, NBR Natural rubber, NR Eye protection: Tightly sealed goggles Body protection: Protective work clothin Physical and chemical properties	manufacturer. bund out by the manufacturer of the protective gloves and has to mum of 15 minutes gloves made of the following materials o 18
quality and varies from manufacturer to Penetration time of glove material: The exact break trough time has to be for observed. For the permanent contact of a maxin suitable: Neoprene gloves Nitrile rubber, NBR Natural rubber, NR Eye protection: Tightly sealed goggles Body protection: Protective work clothin Physical and chemical properties Information on basic physical and chem	manufacturer. bund out by the manufacturer of the protective gloves and has to mum of 15 minutes gloves made of the following materials 18
quality and varies from manufacturer to Penetration time of glove material: The exact break trough time has to be for observed. For the permanent contact of a maxin suitable: Neoprene gloves Nitrile rubber, NBR Natural rubber, NR Eye protection: Tightly sealed goggles Body protection: Protective work clothin Physical and chemical properties Information on basic physical and chemeder General Information:	manufacturer. bund out by the manufacturer of the protective gloves and has to mum of 15 minutes gloves made of the following materials of "g bical properties
quality and varies from manufacturer to Penetration time of glove material: The exact break trough time has to be for observed. For the permanent contact of a maxin suitable: Neoprene gloves Nitrile rubber, NBR Natural rubber, NR Eye protection: Tightly sealed goggles Body protection: Protective work clothin Physical and chemical properties Information on basic physical and chem	manufacturer. bund out by the manufacturer of the protective gloves and has to mum of 15 minutes gloves made of the following materials of '8 '8 '8 '9 '9 '9 '9 '9 '9 '9 '9 '9 '9 '9 '9 '9
quality and varies from manufacturer to Penetration time of glove material: The exact break trough time has to be for observed. For the permanent contact of a maxin suitable: Neoprene gloves Nitrile rubber, NBR Natural rubber, NR Eye protection: Tightly sealed goggles Body protection: Protective work clothin Physical and chemical properties Information on basic physical and cheme General Information: Color:	manufacturer. bund out by the manufacturer of the protective gloves and has to mum of 15 minutes gloves made of the following materials of "g bical properties
quality and varies from manufacturer to Penetration time of glove material: The exact break trough time has to be for observed. For the permanent contact of a maxin suitable: Neoprene gloves Nitrile rubber, NBR Natural rubber, NR Eye protection: Tightly sealed goggles Body protection: Protective work clothin Physical and chemical properties Information on basic physical and cheme General Information: Color: Odor:	manufacturer. bund out by the manufacturer of the protective gloves and has to mum of 15 minutes gloves made of the following materials of 18 18 18 18 18 19 19 10 10 10 10 10 10 10 10 10 10
quality and varies from manufacturer to Penetration time of glove material: The exact break trough time has to be for observed. For the permanent contact of a maxin suitable: Neoprene gloves Nitrile rubber, NBR Natural rubber, NR Eye protection: Tightly sealed goggles Body protection: Protective work clothin Physical and chemical properties Information on basic physical and chemeded General Information: Color: Odor: Odor threshold:	manufacturer. bund out by the manufacturer of the protective gloves and has to mum of 15 minutes gloves made of the following materials of 18 18 18 18 18 19 19 10 10 10 10 10 10 10 10 10 10
quality and varies from manufacturer to Penetration time of glove material : The exact break trough time has to be for observed. For the permanent contact of a maxin suitable : Neoprene gloves Nitrile rubber, NBR Natural rubber, NR Eye protection : Tightly sealed goggles Body protection : Protective work clothin Physical and chemical properties Information on basic physical and chemediated for a second se	manufacturer. bund out by the manufacturer of the protective gloves and has to mum of 15 minutes gloves made of the following materials of 18 19 19 10 10 10 10 10 10 10 10 10 10
quality and varies from manufacturer to Penetration time of glove material : The exact break trough time has to be for observed. For the permanent contact of a maxin suitable : Neoprene gloves Nitrile rubber, NBR Natural rubber, NR Eye protection : Tightly sealed goggles Body protection : Protective work clothin Physical and chemical properties Information on basic physical and cheme General Information : Color : Odor threshold : Melting point/Melting range : Flammability (solid, gaseous) :	manufacturer. bund out by the manufacturer of the protective gloves and has to mum of 15 minutes gloves made of the following materials of 18 19 19 10 10 10 10 10 10 10 10 10 10
quality and varies from manufacturer to Penetration time of glove material : The exact break trough time has to be for observed. For the permanent contact of a maxin suitable : Neoprene gloves Nitrile rubber, NBR Natural rubber, NR Eye protection : Tightly sealed goggles Body protection : Protective work clothin Physical and chemical properties Information on basic physical and cheme General Information : Color : Odor threshold : Melting point/Melting range : Flammability (solid, gaseous) : Explosion limits :	manufacturer. pund out by the manufacturer of the protective gloves and has to mum of 15 minutes gloves made of the following materials of 18 18 19 19 10 10 10 10 10 10 10 10 10 10
quality and varies from manufacturer to Penetration time of glove material : The exact break trough time has to be for observed. For the permanent contact of a maxin suitable : Neoprene gloves Nitrile rubber, NBR Natural rubber, NR Eye protection : Tightly sealed goggles Body protection : Protective work clothin Physical and chemical properties Information on basic physical and cheme General Information : Color : Odor threshold : Melting point/Melting range : Flammability (solid, gaseous) : Explosion limits : Lower :	manufacturer. bund out by the manufacturer of the protective gloves and has to mum of 15 minutes gloves made of the following materials of 18 sical properties colorless to slightly yellowish Amine-like Not determined. $-55 \ ^{\circ}C (-67 \ ^{\circ}F)$ $121 \ ^{\circ}C (249.8 \ ^{\circ}F)$ Highly flammable liquid and vapor according to Cl Regulation (EU) No. 1272/2008: Flam. Liq. 2 H225 No information available
quality and varies from manufacturer to Penetration time of glove material : The exact break trough time has to be for observed. For the permanent contact of a maxin suitable : Neoprene gloves Nitrile rubber, NBR Natural rubber, NR Eye protection : Tightly sealed goggles Body protection : Protective work clothin Physical and chemical properties Information on basic physical and cheme General Information : Color : Odor : Odor threshold : Melting point/Melting range : Flammability (solid, gaseous) : Explosion limits : Lower : Upper :	manufacturer. pund out by the manufacturer of the protective gloves and has to mum of 15 minutes gloves made of the following materials of g sical properties colorless to slightly yellowish Amine-like Not determined. -55 °C (-67 °F) 121 °C (249.8 °F) Highly flammable liquid and vapor according to Cl Regulation (EU) No. 1272/2008: Flam. Liq. 2 H225 No information available No information available
quality and varies from manufacturer to Penetration time of glove material : The exact break trough time has to be for observed. For the permanent contact of a maxin suitable : Neoprene gloves Nitrile rubber, NBR Natural rubber, NR Eye protection : Tightly sealed goggles Body protection : Protective work clothin Physical and chemical properties Information on basic physical and cheme General Information : Color : Odor : Odor threshold : Melting point/Melting range : Flammability (solid, gaseous) : Explosion limits : Lower : Upper : Flash point :	manufacturer. pund out by the manufacturer of the protective gloves and has to mum of 15 minutes gloves made of the following materials of is a properties is a properties colorless to slightly yellowish Amine-like Not determined. -55 °C (-67 °F) 121 °C (249.8 °F) Highly flammable liquid and vapor according to Cl Regulation (EU) No. 1272/2008: Flam. Liq. 2 H225 No information available No information available No information available 17 °C (62.6 °F)
quality and varies from manufacturer to Penetration time of glove material : The exact break trough time has to be for observed. For the permanent contact of a maxin suitable : Neoprene gloves Nitrile rubber, NBR Natural rubber, NR Eye protection : Tightly sealed goggles Body protection : Protective work clothin Physical and chemical properties Information on basic physical and cheme General Information : Color : Odor : Odor threshold : Melting point/Melting range : Flammability (solid, gaseous) : Explosion limits : Lower : Upper :	manufacturer. pund out by the manufacturer of the protective gloves and has to mum of 15 minutes gloves made of the following materials of is a properties is a properties colorless to slightly yellowish Amine-like Not determined. -55 °C (-67 °F) 121 °C (249.8 °F) Highly flammable liquid and vapor according to Cl Regulation (EU) No. 1272/2008: Flam. Liq. 2 H225 No information available No information available

Printing date 07/29/2024

Reviewed on 07/29/2024

Trade name: N,*N*,*N'*,*N'*-*Tetramethyl-ethylenediamine*

	(Contd. of page
· Viscosity:	
Kinematic viscosity:	No information available
Dynamic viscosity:	No information available
Solubility in / Miscibility with:	·
Water:	Fully miscible.
Partition coefficient (n-octanol/water):	No information available
Vapor pressure:	No information available
Vapor pressure:	·
Density at 20 °C (68 °F):	0.77 g/cm ³ (6.42565 lbs/gal)
Relative density:	No information available
Other information	
Appearance:	
Form:	Liquid
Important information on protection of health and environment, and on safety:	1
Danger of explosion:	Product is not explosive. However, formation of
	explosive air/vapor mixtures are possible.
· Molecular weight	116.2 g/mol

10 Stability and reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability:
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions:

Vapors may form flammable and explosive mixtures with air.

- Reacts with acids, acidic chlorides, acidic anhydrides, CO_2 copper
- Conditions to avoid: Heating Ignition sources Humidity
- · Incompatible materials:
- Avoid contact with combustible materials. Strong oxidizers
- Acids

• Hazardous decomposition products: In case of fire: see section 5

11 Toxicological information

· Information on toxicological effects

· Acute toxicity: Harmful if swallowed or if inhaled.

· LD/LC50 values that are relevant for classification:

Oral LD50 1,580 mg/kg (*rat*)

Dermal LD50 5,390 mg/kg (rabbit)

- on the skin: Causes severe skin burns and eye damage.
- · Additional toxicological information:

· Carcinogenic categories

- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

(Contd. on page 6)

Printing date 07/29/2024

Reviewed on 07/29/2024

Trade name: N,N,N',N'-Tetramethyl-ethylenediamine

(Contd. of page 5)

12 Ecological information

- · Toxicity:
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability: No further relevant information available.
- Bioaccumulative potential: No further relevant information available.
- Mobility in soil: No further relevant information available.
- · Results of PBT and vPvB assessment:
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects:
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system. Water hazard class 1 (Assessment by list): slightly hazardous for water

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Dispose of in accordance with official regulations. Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation:

Uncleaned packaging must be disposed of in the same way as the product in accordance with official regulations.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, ADR, IMDG, IATA	UN2372
UN proper shipping name	
DOT	1,2-Di-(dimethylamino)ethane
ADR	2372 1,2-DI-(DIMETHYLAMINO) ETHANE
IMDG, IATA	1,2-DI-(DIMETHYLAMINO) ETHANE
Transport hazard class(es)	
DOT	
Class	3 Flammable liquids
	3
ADR, IMDG, IATA	
	2 Elanum able liquida
Class:	3 Flammable liquids

Printing date 07/29/2024

Reviewed on 07/29/2024

Trade name: N,N,N',N'-Tetramethyl-ethylenediamine

	(Contd. of page
· Packing group	
· DOT, ADR, IMDG, IATA	II
· Environmental hazards	
· Marine pollutant:	No
· Special precautions for user	Warning: Flammable liquids
· Hazard identification number (Kemler code):	33
· EMS Number:	F-E,S-D
· Stowage Category	В
· Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
·IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 2372 1,2-DI-(DIMETHYLAMINO) ETHANE, 3, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

- · Section 355 (extremely hazardous substances): Substance is not listed.
- · Section 313 (Specific toxic chemical listings): Substance is not listed.
- · TSCA (Toxic Substances Control Act): ACTIVE
- · Hazardous Air Pollutants Substance is not listed.
- · Proposition 65 Substance is not listed.
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Cancerogenity categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- · TLV (Threshold Limit Value) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- · GHS label elements
- *The substance is classified and labeled according to the Globally Harmonized System (GHS).* • *Hazard pictograms GHS02, GHS05, GHS07*
- Signal word Danger
- Hazard statements
 Highly flammable liquid and vapor.
 Harmful if swallowed or if inhaled.
 Causes severe skin burns and eye damage.
- **Precautionary statements** Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting.

(Contd. on page 8)

Printing date 07/29/2024

Reviewed on 07/29/2024

Trade name: N,N,N',N'-Tetramethyl-ethylenediamine

(Contd. of page 7) If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out. **16 Other information** This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Department issuing SDS: Product Safety Department · Contact: +49 6221 13840-35 · Date of preparation / last revision 07/29/2024 / -· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation PBT: persistent, bioaccumulative, toxic substance (REACH) vPvB: very persistent, very bioaccumulative substance (REACH) REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals CLP: Regulation on classification, labelling and packaging of substances and mixtures bw: body weight ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Acute Toxicity - Oral 4: Acute toxicity - Category 4 Skin Corrosion 1B: Skin corrosion/irritation - Category 1B