Printing date 10/31/2024 Reviewed on 10/31/2024

1 Identification

· Product identifier

· Trade name: Dimethylformamide

· Article number: 39756

• CAS Number: 68-12-2

• **EC number:** 200-679-5

• Index number: 616-001-00-X

- · Application of the substance / the mixture: Laboratory chemicals
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SERVA Electrophoresis GmbH

Carl-Benz-Str. 7 D-69115 Heidelberg Tel.: +49 6221 13840-0 FAX: +49 6221 13840-10 msds.info@serva.de

- · Information department: Security Department Phone: +49 6221 13840-35
- · Emergency telephone number:

Emergency medical information in case of poisoning Poison Information Center Mainz-Tel: +49 (0) 6131 19240

(Advice in German and English)

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02

Flammable Liquids 3 H226 Flammable liquid and vapor.



GHS08

Toxic to Reproduction 1B H360 May damage fertility or the unborn child.



GHS07

Acute Toxicity - Dermal 4 H312 Harmful in contact with skin.

Acute Toxicity - Inhalation 4 H332 Harmful if inhaled.

Eye Irritation 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms: GHS02, GHS07, GHS08
- · Signal word: Danger
- · Hazard statements:

Flammable liquid and vapor.

Harmful in contact with skin or if inhaled.

(Contd. on page 2)

Printing date 10/31/2024 Reviewed on 10/31/2024

Trade name: Dimethylformamide

(Contd. of page 1)

Causes serious eye irritation.

May damage fertility or the unborn child.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Avoid breathing mist/vapours/spray.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of soap and water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2 Fire = 2Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = *2Fire = 2

REACTIVITY 0 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment:
- · PBT: PBT Assessment not available.
- · vPvB: vPvB Assessment not available.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description:

68-12-2 N,N-dimethylformamide

- · Identification number(s):
- · EC number: 200-679-5
- · Index number: 616-001-00-X
- · Description:
- · Empirical formula: C_3H_7NO
- · **MW**: 73.1

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Wash off immediately with soap and water and rinse thoroughly. In case of complaints, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes with running water. Remove existing contact lenses, if possible, and continue rinsing. In case of complaints, consult an ophthalmologist.

- · After swallowing: Rinse mouth immediately. Drink plenty of water and fresh air. Call a doctor immediately.
- · Most important symptoms and effects, both acute and delayed

Headache

Dizziness

Gastric or intestinal disorders

Nausea

(Contd. on page 3)

Printing date 10/31/2024 Reviewed on 10/31/2024

Trade name: Dimethylformamide

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2 extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture

Flammable substance, vapors are heavier than air and spread over the ground.

Vapors may form flammable and explosive mixtures with air.

In case of fire, the following can be released:

Nitrogen oxides (NOx)

Carbon monoxide and carbon dioxide

Formaldehyde

Ammonia (NH₃)

- · Advice for firefighters
- · Protective equipment: Wear self-contained breathing apparatus.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

Ensure adequate ventilation

Do not inhale vapors.

Avoid contact with eyes and skin.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up

Dispose contaminated material as waste according to section 13.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

- · Protective Action Criteria for Chemicals
- · PAC-1: 2 ppm
- · PAC-2: 91 ppm
- · PAC-3: 530 ppm
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Precautions for safe handling: No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires:

Protect against electrostatic charges.

Keep ignition sources away - Do not smoke.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Store away from oxidizing agents.
- · Further information about storage conditions:

Store under lock and key and with access restricted to technical experts or their assistants only. This product is hygroscopic.

(Contd. on page 4)

Printing date 10/31/2024 Reviewed on 10/31/2024

Trade name: Dimethylformamide

(Contd. of page 3)

Store container tightly closed and dry.

· Specific end use(s): No further relevant information available.

8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace:

68-12-2 N,N-dimethylformamide (80-100%)

PEL Long-term value: 30 mg/m³, 10 ppm

Skin

REL Long-term value: 30 mg/m³, 10 ppm

Skin

TLV Long-term value: 5 ppm

Skin; BEI, A3

· Ingredients with biological limit values:

68-12-2 N,N-dimethylformamide (80-100%)

BEI 30 mg/L

Madium.

Medium: urine Time: end of shift

Parameter: Total N-Methylformamide (sum of N-Methylformamide and N-(Hydroxymethyl)-N-

Methylformamide

30 mg/L

Medium: urine

Time: end of shift at end of workweek

Parameter: N-Acetyl-S-(N-methylcarbamoyl) cysteine

· Additional information:

resorbable by skin contact

The lists that were valid during the creation were used as basis.

· Exposure controls

- · Additional information about design of technical systems: No further data; see section 7.
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Store protective clothing separately.

Immediately remove all soiled and contaminated clothing.

Avoid inhalation of vapors

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

· Breathing equipment:

Short term filter device:

Filter ABEK-P2

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

(Contd. on page 5)

Printing date 10/31/2024 Reviewed on 10/31/2024

Trade name: Dimethylformamide

(Contd. of page 4)

· Penetration time of glove material:

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR

• Eye protection: Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information:

· Color: colorless to yellowish

• Odor: Amine-like
 • Odor threshold: not determined.
 • Melting point/Melting range: -61 °C (-77.8 °F)
 • Boiling point/Boiling range: 153 °C (307.4 °F)

· Flammability (solid, gaseous): Flammable liquid and vapor according to CLP

Regulation (EU) No. 1272/2008: Flam. Liq. 3 H226

· Explosion limits:

Lower: 2.2 Vol %
 Upper: 16 Vol %

• Flash point: $58 \,^{\circ}C \, (136.4 \,^{\circ}F)$ • Decomposition temperature: $> 350 \,^{\circ}C \, (> 662 \,^{\circ}F)$

· pH-value:

· Viscosity:

• Kinematic viscosity at 20 °C (68 °F): 0.8947 mm²/s
• Dynamic viscosity at 20 °C (68 °F): 0.85 mPas

· Solubility in / Miscibility with:

· Water: Fully miscible.

• Partition coefficient (n-octanol/water): No information available • Vapor pressure at 20 °C (68 °F): 3.77 hPa (2.8 mm Hg)

· Vapor pressure:

• Density at 20 °C (68 °F): 0.95 g/cm³ (7.92775 lbs/gal)
• Relative density: No information available

· Other information

· Appearance:

· Form: Liquid

· Important information on protection of health and

environment, and on safety:

• Danger of explosion: Not determined.
 • Molecular weight 73.1 g/mol

10 Stability and reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability:
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: Reacts with strong oxidizing agents.
- · Conditions to avoid: Avoid high temperatures, flames and sparks
- · Incompatible materials:

Avoid contact with:

different plastic materials

tin

(Contd. on page 6)

Printing date 10/31/2024 Reviewed on 10/31/2024

Trade name: Dimethylformamide

(Contd. of page 5)

Copper, copper alloys

· Hazardous decomposition products: In case of fire: see section 5

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity: Harmful in contact with skin or if inhaled.

· LD/LC50 values that are relevant for classification:

Oral	<i>LD50</i>	3,010 mg/kg (rat)
Dermal	<i>LD50</i>	1,500 mg/kg (rat)
Inhalative	LC50/4h	11.1 mg/l (rat)

- · on the eye: Causes serious eye irritation.
- · Reproductive toxicity: May damage fertility or the unborn child.
- · Other information (about experimental toxicology)

The classification of N,N-dimethylformamide (DMF) as toxic to reproduction (Repr. 1B); H360D "May damage the unborn child"

according to Regulation (EC) No 1272/2008 (CLP Regulation) and the inclusion in Annex VI, part 3 (index number 616-001-00-X),

Table 3.1 (list of harmonised classification and labelling of hazardous substances) shows:

N,N-dimethylformamide meets the criterion for classification as toxic for reproduction in accordance with Article 57(c) of REACH.

(ECHA SVHC Support Document - DMF; 6)

- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) 2A
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

- · Toxicity:
- · Aquatic toxicity:

EC50/48h | 13,100 mg/l (Daphnia magna)

- · Persistence and degradability: No further relevant information available.
- · Other information: The product is readily biodegradable.
- · Bioaccumulative potential:

Bioconcentrationfactor: 0,3-1,2 (56 d), Cyprinus carpio (OECD 305 C)

Non significant accumulation in organisms

- · Mobility in soil: No further relevant information available.
- · Results of PBT and vPvB assessment:
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects:
- · Remark:

Acute toxicity to algae: EC50 (72 h, Desmodesmus subspicatus,) > 1000 mg/l

Acute toxicity to fish, LC50 (96h, Lepomis macrochirus): 7100 mg/l

EC50 / 96 h (Scenedesmus subspicatus): > 500 mg / l

- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Water hazard class 1 (Assessment by list): slightly hazardous for water

US

Printing date 10/31/2024 Reviewed on 10/31/2024

Trade name: Dimethylformamide

(Contd. of page 6)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Dispose of in accordance with official regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation:

Uncleaned packaging must be disposed of in the same way as the product in accordance with official regulations.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number

· DOT, ADR, IMDG, IATA UN2265

· UN proper shipping name

 \cdot **DOT** N,N-Dimethylformamide

· ADR 2265 N,N-DIMETHYLFORMAMIDE · IMDG, IATA 2265 N,N-DIMETHYLFORMAMIDE

- · Transport hazard class(es)
- $\cdot DOT$



· Class 3 Flammable liquids

· Label

· ADR, IMDG, IATA



· Class: 3 Flammable liquids

• **Label**: 3

· Packing group

· DOT, ADR, IMDG, IATA III

· Environmental hazards

· Marine pollutant: No

· Special precautions for user Warning: Flammable liquids

Hazard identification number (Kemler code): 30
 EMS Number: F-E,S-D

· Stowage Category A

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

(Contd. on page 8)

Printing date 10/31/2024 Reviewed on 10/31/2024

Trade name: Dimethylformamide

	(Contd. of page	
· Transport/Additional information:		
· ADR		
· Excepted quantities (EQ)	Code: E1	
	Maximum net quantity per inner packaging: 30 ml	
	Maximum net quantity per outer packaging: 1000 ml	
· IMDG		
· Limited quantities (LQ)	5L	
· Excepted quantities (EQ)	Code: E1	
	Maximum net quantity per inner packaging: 30 ml	
	Maximum net quantity per outer packaging: 1000 ml	
· UN ''Model Regulation'':	UN 2265 N,N-DIMETHYLFORMAMIDE, 3, III	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Section 355 (extremely hazardous substances): Substance is not listed.
- · Section 313 (Specific toxic chemical listings): Substance is listed.
- · TSCA (Toxic Substances Control Act): ACTIVE
- · Hazardous Air Pollutants Substance is listed.
- · Proposition 65 Substance is not listed.
- · Chemicals known to cause cancer: Substance is listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Cancerogenity categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- · TLV (Threshold Limit Value) A4
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms GHS02, GHS07, GHS08
- · Signal word Danger
- · Hazard statements

Flammable liquid and vapor.

Harmful in contact with skin or if inhaled.

Causes serious eye irritation.

May damage fertility or the unborn child.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Avoid breathing mist/vapours/spray.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of soap and water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- · National regulations:
- · Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

TIC

Reviewed on 10/31/2024 Printing date 10/31/2024

Trade name: Dimethylformamide

(Contd. of page 8)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product Safety Department
- · Contact: +49 6221 13840-35
- · Date of preparation / last revision 10/31/2024 / -
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

PBT: persistent, bioaccumulative, toxic substance (REACH)

vPvB: very persistent, very bioaccumulative substance (REACH)

REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

CLP: Regulation on classification, labelling and packaging of substances and mixtures

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flammable Liquids 3: Flammable liquids - Category 3

Acute Toxicity - Dermal 4: Acute toxicity - Category 4
Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

Toxic to Reproduction 1B: Reproductive toxicity – Category 1B