

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/17/2022


Reviewed on 03/17/2022

1 Identification

- **Product identifier**
- **Trade name:** Dimethyl sulfoxide
- **Article number:** 39757
- **CAS Number:**
67-68-5
- **EC number:**
200-664-3
- **Application of the substance / the mixture:** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
SERVA Electrophoresis GmbH
Carl-Benz-Str. 7
D-69115 Heidelberg
Tel.: +49 6221 13840-0
FAX: +49 6221 13840-10
msds.info@serva.de
- **Information department:** Product Safety department Tel.: +49 6221 13840-35
- **Emergency telephone number:**
Medical Emergency Information in case of poisoning:
Poison Information Center Mainz - Phone: +49 (0) 6131 19240
(advisory service in German or English language)

SERVA
■ serving scientists ■

2 Hazard(s) identification

- **Classification of the substance or mixture**
The substance is not classified, according to the Globally Harmonized System (GHS).
 - **Label elements**
 - **GHS label elements:** Void
 - **Hazard pictograms:** Void
 - **Signal word:** Void
 - **Hazard statements:** Void
 - **Classification system:**
 - **NFPA ratings (scale 0 - 4)**
- 

Health = 0

Fire = 2

Reactivity = 0
- **HMIS-ratings (scale 0 - 4)**
- | | | |
|------------|---|----------------|
| HEALTH | 0 | Health = 0 |
| FIRE | 2 | Fire = 2 |
| REACTIVITY | 0 | Reactivity = 0 |
- **Other hazards**
 - **Results of PBT and vPvB assessment:**
 - **PBT:** PBT - assessment not available.
 - **vPvB:** vPvB - assessment not available.

US

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/17/2022

Reviewed on 03/17/2022

Trade name: Dimethyl sulfoxide

(Contd. of page 1)

3 Composition/information on ingredients

- **Chemical characterization: Substances**
- **CAS No. Description:**
67-68-5 dimethyl sulfoxide
- **Identification number(s):**
- **EC number:** 200-664-3
- **Description:**
- **Empirical formula:** C₂H₆O S
- **MW:** 78.1

4 First-aid measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Immediately wash with water and soap and rinse thoroughly. Consult doctor if you feel unwell.
- **After eye contact:**
Rinse opened eye for several minutes under running water. Remove present contact lenses, if easy to do, and continue rinsing. Consult ophthalmologist in case of complaints.
- **After swallowing:** Wash out mouth. Seek medical advice if discomfort occurs.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂ extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture**
Vapours can form flammable and explosive mixtures with air.
In case of fire, the following can be released:
Sulphur oxides (SO_x)
Carbon monoxide and carbon dioxide
Formaldehyde
Methyl mercaptan
Dimethyl sulfide
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective clothing.
Ensure adequate ventilation
Avoid contact with the eyes and skin.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up**
Dispose contaminated material as waste according to item 13.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Protective Action Criteria for Chemicals**
- **PAC-1:** 150 ppm
- **PAC-2:** 290 ppm

(Contd. on page 3)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/17/2022

Reviewed on 03/17/2022

Trade name: Dimethyl sulfoxide

(Contd. of page 2)

- **PAC-3:** 1,800 ppm
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

* 7 Handling and storage

- **Precautions for safe handling:** No special measures required.
- **Information about protection against explosions and fires:** Keep ignition sources away - Do not smoke.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:** Store away from oxidizing agents.
- **Further information about storage conditions:**
Keep receptacle tightly sealed and store in dry conditions.
This product is hygroscopic.
Protect from exposure to the light.
- **Specific end use(s):** No further relevant information available.

* 8 Exposure controls/personal protection

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

67-68-5 dimethyl sulfoxide (80-100%)

WEEL Long-term value: 250 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Additional information about design of technical systems:** No further data; see item 7.
- **Personal protective equipment:**
- **General protective and hygienic measures:**
The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:**
Short term filter device:
Filter P2
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves:**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material:**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**
Chloroprene rubber, CR
Nitrile rubber, NBR
- **Eye protection:** Safety glasses

(Contd. on page 4)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/17/2022

Reviewed on 03/17/2022

Trade name: Dimethyl sulfoxide

(Contd. of page 3)

· **Body protection:** Protective work clothing

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information:

· Color:	Colorless
· Odor:	Odorless
· Odor threshold:	Not determined.
· Melting point/Melting range:	18 °C (64.4 °F)
· Boiling point/Boiling range:	189 °C (372.2 °F)
· Flammability (solid, gaseous):	Not applicable.
· Explosion limits:	
· Lower:	2.6 Vol %
· Upper:	28.5 Vol %
· Flash point:	87 °C (188.6 °F)
· Decomposition temperature:	Not determined.
· pH-value:	5-7
· Viscosity:	
· Kinematic viscosity:	Not determined.
· Dynamic viscosity at 20 °C (68 °F):	2.14 mPas
· Solubility in / Miscibility with:	
· Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined.
· Vapor pressure at 20 °C (68 °F):	0.55 hPa (0.4 mm Hg)
· Density at 20 °C (68 °F):	1.104 g/cm ³ (9.21288 lbs/gal)
· Relative density:	no information available

· Other information

· Appearance:	
· Form:	Liquid
· Important information on protection of health and environment, and on safety:	
· Ignition temperature:	300 °C (572 °F)
· Danger of explosion:	Not determined.

10 Stability and reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:**
No further relevant informations available.
Reacts with bromomethane and sodium hydride
- **Conditions to avoid:**
high temperatures
exposure to the light
moisture
- **Incompatible materials:**
Avoid contact with:
Oxidizers
Acids
Halides of organic and inorganic acids
Methyl bromide, sodium hydride
Zinc and steel (in the presence of water)

(Contd. on page 5)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/17/2022

Reviewed on 03/17/2022

Trade name: Dimethyl sulfoxide

(Contd. of page 4)

· **Hazardous decomposition products:** In case of fire: See Section 5

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

Oral	LD50	14,500 mg/kg (rat)
Dermal	LD50	40,000 mg/kg (rat)
	LC50/96h	35.2-50.6 mg/l (trout)

- **Additional toxicological information:**
- **Carcinogenic categories**
- **IARC (International Agency for Research on Cancer)** Substance is not listed.
- **NTP (National Toxicology Program)** Substance is not listed.
- **OSHA-Ca (Occupational Safety & Health Administration)** Substance is not listed.

12 Ecological information

- **Toxicity:**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability:** the product is biodegradable.
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects:**
- **Additional ecological information:**
- **General notes:**
Do not allow product to reach ground water, water course or sewage system.
Water hazard class 1 (Assessment by list): slightly hazardous for water

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Disposal must be made according to official regulations.
- **Uncleaned packagings:**
- **Recommendation:**
Disposal of uncleaned packagings must be made according to official regulations in the same manner as the product.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- | | |
|------------------------------------|------|
| · UN-Number | |
| · DOT, ADR, ADN, IMDG, IATA | Void |
| · UN proper shipping name | |
| · DOT, ADR, ADN, IMDG, IATA | Void |

(Contd. on page 6)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/17/2022

Reviewed on 03/17/2022

Trade name: Dimethyl sulfoxide

(Contd. of page 5)

· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA	
· Class	Void
· Packing group	
· DOT, ADR, IMDG, IATA	Void
· Environmental hazards	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
No further relevant information available.
- **Section 355 (extremely hazardous substances):** Substance is not listed.
- **Section 313 (Specific toxic chemical listings):** Substance is not listed.
- **TSCA (Toxic Substances Control Act):** ACTIVE
- **Hazardous Air Pollutants** Substance is not listed.
- **Proposition 65** Substance is not listed.
- **Chemicals known to cause cancer:** Substance is not listed.
- **Chemicals known to cause reproductive toxicity for females:** Substance is not listed.
- **Chemicals known to cause reproductive toxicity for males:** Substance is not listed.
- **Chemicals known to cause developmental toxicity:** Substance is not listed.
- **Carcinogenicity categories**
- **EPA (Environmental Protection Agency)** Substance is not listed.
- **TLV (Threshold Limit Value)** Substance is not listed.
- **NIOSH-Ca (National Institute for Occupational Safety and Health)** Substance is not listed.
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Product safety department
- **Contact:** +49 6221 13840-35
- **Date of preparation / last revision** 03/17/2022 / 5
- **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

PBT: persistent, bioaccumulative, toxic substance (REACH)

vPvB: very persistent, very bioaccumulative substance (REACH)

REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

CLP: Regulation on classification, labelling and packaging of substances and mixtures

bw: body weight

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 7)

Safety Data Sheet
acc. to OSHA HCS

Printing date 03/17/2022

Reviewed on 03/17/2022

Trade name: Dimethyl sulfoxide

(Contd. of page 6)

IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit

US