Version number 3 Revision: 22.12.2017 Printing date 03.05.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Triton® X-100

· Article number: 39795

· CAS Number: 9036-19-5

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture Laboratory chemicals

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

SERVA Electrophoresis GmbH

Carl-Benz-Str. 7 D-69115 Heidelberg Tel.: +49 6221 13840-0 FAX: +49 6221 13840-10 msds.info@serva.de

· Information department: Product Safety department Tel.: +49 6221 13840-35

· 1.4 Emergency telephone number:

Medical Emergency Information in case of poisoning:

Poison Information Center Mainz - Phone: +49 (0) 6131 19240

(advisory service in German or English language)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Eye Dam. 1 H318 Causes serious eye damage.



GHS07

H302 Harmful if swallowed. Acute Tox. 4

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

- · Hazard pictograms GHS05, GHS07
- · Signal word Danger
- · Hazard statements

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P264 Wash thoroughly after handling. P273 Avoid release to the environment. P280 Wear eye protection / face protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

(Contd. on page 2)

Printing date 03.05.2018 Version number 3 Revision: 22.12.2017

Trade name: Triton® X-100

(Contd. of page 1)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P330 Rinse mouth.

- · Labelling of packages where the contents do not exceed 125 ml
- · Hazard pictograms GHS05, GHS07
- · Signal word Danger
- · Hazard statements

H318 Causes serious eye damage.

· Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: PBT assessment not available.
- · vPvB: vPvB assessment not available.

SECTION 3: Composition/information on ingredients

- · 3.1 Chemical characterisation: Substances
- · CAS No. Description:

9036-19-5 Octylphenol-polyethylene glycol ether

- · Identification number(s): -
- · Description:
- · MW: ca. 624
- · SVHC CAS 9036-19-5 Polyethylene glycol octylphenyl ether

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Immediately wash with water and soap and rinse thoroughly.
- · After eye contact

Rinse opened eye for several minutes under running water. Remove present contact lenses, if easy to do, and continue rinsing. Consult ophthalmologist immediately.

- · After swallowing Wash out mouth. Call a doctor immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents Water with full jet.
- · 5.2 Special hazards arising from the substance or mixture

In case of fire or if heated, pressure in the container increases and may burst.

In case of fire formation of irritant vapours and gases is possible.

In case of fire, the following can be formed, but not limited to:

Carbon monoxide and carbon dioxide

(Contd. on page 3)

Printing date 03.05.2018 Version number 3 Revision: 22.12.2017

Trade name: Triton® X-100

(Contd. of page 2)

· 5.3 Advice for firefighters

· Protective equipment: Wear self-contained respiratory protective device.

· Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

Product forms slippery surface when combined with water.

· 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Avoid contact with eyes and skin.

- · Information about protection against explosions and fires: Keep ignition sources away Do not smoke.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed and store in dry conditions.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · 8.1 Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Store protective clothing separately.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

Short term filter device:

Filter A/P2.

· Protection of hands:

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 4)

Version number 3 Revision: 22.12.2017 Printing date 03.05.2018

Trade name: Triton® X-100

(Contd. of page 3)

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Nitrile rubber, NBR

PVC gloves

· Eye protection: Tightly sealed goggles. · **Body protection:** Protective work clothing.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic p	physical and	chemical	properties
------------------------------	--------------	----------	------------

· General Information

· Appearance:

Form: Viscous Colour: Colourless

Weak, characteristic · Odour:

6.0 - 8.0 · pH-value (50 g/l) at 20 °C:

· Change in condition

2 °C Melting point/freezing point: Initial boiling point and boiling range: > 200 °C

251 °C (ASTM D 93) · Flash point:

· Explosive properties: Product does not present an explosion hazard.

< 0.01 hPa· Vapour pressure at 20 °C: 1.067 g/cm^3

· Density at 20 °C:

· Solubility in / Miscibility with

 $100 \, g/l$ Water at 20 °C:

· 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions

At high temperatures vapours and decomposition gases can be formed. The container may burst because of rised pressure.

· 10.4 Conditions to avoid

Avoid high temperatures, flames, sparks

The product may be oxidized at increased temperatures.

· 10.5 Incompatible materials:

Avoid contact with:

Strong acids

Strong oxidizers

(Contd. on page 5)

Printing date 03.05.2018 Version number 3 Revision: 22.12.2017

Trade name: Triton® X-100

(Contd. of page 4)

· 10.6 Hazardous decomposition products:

In case of fire: See Section 5 ketones, aldehydes, organic acids

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity

Harmful if swallowed.

· LD/LC50 values that are relevant for classification:

9036-19-5 Octylphenol-polyethylene glycol ether

Oral LD50 707 mg/kg (rat) LC50/96h 4 - 8.9 mg/l (Forelle)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation

Causes serious eve damage.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Other information (about experimental toxicology):

CAS 9036-19-5 is included as substance of very high concern SVHC in the Candidate List because this substance meets the criteria of Article 57 (f) of REACH.

(ECHA SVHC Support Document - 4-NONYLPHENOL, BRANCHED AND LINAR, ETHOXYLATED)

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- $\cdot \textbf{STOT-single exposure} \ \textit{Based on available data, the classification criteria are not met.}$
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

9036-19-5 Octylphenol-polyethylene glycol ether

EC50/48h 18 - 26 mg/l (Daphnia magna)

- 12.2 Persistence and degradability biological degradibility > 60% in 28 d.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water course or sewage system.

Harmful to aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- · PBT: PBT assessment not available.
- · vPvB: vPvB assessment not available.
- · 12.6 Other adverse effects No further relevant information available.

GR ·

Printing date 03.05.2018 Version number 3 Revision: 22.12.2017

Trade name: Triton® X-100

(Contd. of page 5)

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must be specially treated adhering to official regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation:

Disposal of uncleaned packagings must be made according to official regulations in the same manner as the product.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

SECTION 14: Transport information		
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
ADR, IMDG, IATA		
Class	Void	
· Label	-	
· ADN/R Class:	Void	
· 14.4 Packing group		
· ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:		
· Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Annex II o	f	
Marpol and the IBC Code	Not applicable.	
Transport/Additional information:	Not dangerous according to the above specifications.	
· UN ''Model Regulation'':	Void	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

 CAS-No. 9036-19-5 is included in the SVHC SUPPORT DOCUMENT 4-NONYLPHENOL, BRANCHED AND LINEAR, ETHOXYLATED, Entry No. 43, Annex XIV (REACH Regulation (EC) No. 1906/2006).
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations
- · Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 7)

Printing date 03.05.2018 Version number 3 Revision: 22.12.2017

Trade name: Triton® X-100

(Contd. of page 6)

· Department issuing SDS: Product safety department

· Contact: +49 6221 13840-35

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

PBT: persistent, bioaccumulative, toxic substance (REACH)

 $vPvB: \ very \ persistent, \ very \ bioaccumulative \ substance \ (REACH)$

REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

CLP: Regulation on classification, labelling and packaging of substances and mixtures

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

Acute Tox. 4: Acute toxicity - Category 4

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

* Data compared to the previous version altered.

-GB