Printing date 24.10.2024 Version number 4 Revision: 24.10.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Acetic acid 100 %

· Article number: 45633

· CAS Number:

64-19-7

• **EC number:** 200-580-7

• Index number: 607-002-00-6

· 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

- · Application of the substance / the mixture: Laboratory chemicals
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SERVA Electrophoresis GmbH

Carl-Benz-Str. 7 D-69115 Heidelberg Tel.: +49 6221 13840-0 FAX: +49 6221 13840-10 msds.info@serva.de

- · Information department: Product Safety Department Tel.: +49 6221 13840-35
- · 1.4 Emergency telephone number:

Emergency medical information in case of poisoning Poison Information Centre Mainz-Tel: +49 (0) 6131 19240

(Counselling in German and English)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008:



GHS02

Flam. Liq. 3 H226 Flammable liquid and vapour.



Skin Corr. 1A H314 Causes severe skin burns and eye damage.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008:

The substance is classified and labelled according to the GB CLP regulation.

- · Hazard pictograms: GHS02, GHS05
- · Signal word: Danger
- · Hazard statements:

H226 Flammable liquid and vapour.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P264 Wash thoroughly after handling.

(Contd. on page 2)

Printing date 24.10.2024 Version number 4 Revision: 24.10.2024

Trade name: Acetic acid 100 %

(Contd. of page 1)

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- · Labelling of packages where the contents do not exceed 125 ml
- · Hazard pictograms GHS02, GHS05
- · Signal word Danger
- · Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment:
- · PBT: PBT Assessment not available.
- · vPvB: vPvB Assessment not available.
- · Determination of endocrine-disrupting properties No further relevant information available.

SECTION 3: Composition/information on ingredients

- · 3.1 Substances
- · CAS No. Description:

64-19-7 acetic acid 100 %

- · Identification number(s):
- · EC number: 200-580-7
- · Index number: 607-002-00-6
- · Specific concentration limits Skin Corr. 1A; H314: $C \ge 90 \%$

Skin Corr. 1B; H314: 25 % ≤ C < 90 %

Skin Irrit. 2; H315: $10 \% \le C < 25 \%$

Skin Irrit. 2; H313: $10 \% \le C < 25 \%$ Eye Irrit. 2; H319: $10 \% \le C < 25 \%$

· Description:

· Empirical formula: C₂H₄O₂

· MW: 60.05

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Remove contaminated clothing.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Wash off immediately with soap and water and rinse thoroughly. In case of complaints, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes with running water. Remove contact lenses if possible and continue rinsing. Consult an ophthalmologist immediately.

· After swallowing:

Drink copious amounts of water and provide fresh air. Call for doctor immediately.

Do not induce vomiting!

(Contd. on page 3)

Printing date 24.10.2024 Version number 4 Revision: 24.10.2024

Trade name: Acetic acid 100 %

(Contd. of page 2)

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from the substance or mixture:

Flammable substance, vapours are heavier than air and spread on the ground. Vapours may accumulate in low-lying areas.

Vapours may form flammable and explosive mixtures with air.

In case of fire, formation of dangerous fire gases or vapours possible.

In case of fire, the following can be formed, but not limited to:

Carbon monoxide and carbon dioxide

- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained breathing apparatus.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

Ensure adequate ventilation

Avoid contact with eyes and skin.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up

Dispose contaminated material as waste according to section 13.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling: Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires:

Protect against electrostatic charges.

Keep ignition sources away - Do not smoke.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Provide acid-resistant floor.

- Information about storage in one common storage facility: Store away from oxidising agents.
- · Further information about storage conditions:

Store containers tightly closed and dry.

This product is hygroscopic.

(Contd. on page 4)

Printing date 24.10.2024 Version number 4 Revision: 24.10.2024

Trade name: Acetic acid 100 %

(Contd. of page 3)

 \cdot 7.3 *Specific end use(s): No further relevant information available.*

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with limit values that require monitoring at the workplace:

64-19-7 acetic acid 100 % (80-100%)

WEL Short-term value: 50 mg/m³, 20 ppm Long-term value: 25 mg/m³, 10 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls: No further data; see section 7.
- · Individual protection measures, such as personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Store protective clothing separately.

Immediately remove all soiled and contaminated clothing

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

· Breathing equipment:

Short term filter device:

Filter A/P2.

· Hand protection:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Protective gloves.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material:

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR

PVC gloves

- · Eye/face protection: Tightly sealed goggles.
- · **Body protection:** Protective work clothing.

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information:

Physical state: Fluid
Colour: Colourless
Odour: Pungent
Odour threshold: not determined.
Melting point/freezing point: 16-17 °C

· Boiling point or initial boiling point and boiling

range: 104 °C

(Contd. on page 5)

Printing date 24.10.2024 Version number 4 Revision: 24.10.2024

Trade name: Acetic acid 100 %

(Contd. of page 4)

· Flammability: Flammable.

· Lower and upper explosion limit:

Lower: 4 Vol %
 Upper: 17 Vol %
 Flash point: 39 °C
 Auto-ignition temperature: 485 °C

· **Decomposition temperature:** No information available

· pH: 2.5

· Viscosity:

Kinematic viscosity:
 Dynamic viscosity:
 No information available
 No information available

· Solubility:

· Water: Fully miscible

· Partition coefficient n-octanol/water (log value): No information available

· Vapour pressure at 20 °C: 16 hPa · Vapour pressure at 50 °C: 77 hPa

· Density and/or relative density:

• **Density at 20 °C:** 1.05 g/cm³

· Relative density: No information available

· 9.2 Other information

· Appearance:

· Form: Liquid

· Important information on protection of health and

environment, and on safety:

• Explosive properties: Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

· Molecular weight 60.05 g/mol

SECTION 10: Stability and reactivity

- · 10.1 Reactivity: No further relevant information available.
- · 10.2 Chemical stability:
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions:

Possibility of hazardous reactions on contact with:

strong oxidising agents

Metals

Bases

amines

Vapours may form flammable and explosive mixtures with air.

- · 10.4 Conditions to avoid: Avoid high temperatures, flames and sparks
- · 10.5 Incompatible materials:

Avoid contact with:

Oxidising agents

Metals

Bases

Amines

· 10.6 Hazardous decomposition products: In case of fire: see section 5

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:
- · Acute toxicity: Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 24.10.2024 Version number 4 Revision: 24.10.2024

Trade name: Acetic acid 100 %

(Contd. of page 5)

 Oral
 LD50
 3,310 mg/kg (rat)

 Inhalative
 LC50/4h
 40 mg/l (rat)

- · Skin corrosion/irritation: Causes severe skin burns and eye damage.
- · Serious eye damage/irritation: Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards:
- · Endocrine disrupting properties: No relevant information available

SECTION 12: Ecological information

- · 12.1 Toxicity:
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability: BOD / ThBOD (5 d) = 83%
- \cdot 12.3 Bioaccumulative potential: No further relevant information available.
- · 12.4 Mobility in soil: No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment:
- · PBT: PBT assessment not available.
- · vPvB: vPvB assessment not available.
- 12.6 Endocrine disrupting properties: For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects:
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Dispose of in accordance with official regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation:

Uncleaned packaging must be disposed of in the same way as the product in accordance with official regulations.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

SECTION 14: Transport information		
· 14.1 UN number or ID number · ADR, IMDG, IATA	UN2789	
· 14.2 UN proper shipping name		
$\cdot ADR$	2789 ACETIC ACID, GLACIAL	
· IMDG, IATA	ACETIC ACID, GLACIAL	

(Contd. on page 7)

Printing date 24.10.2024 Version number 4 Revision: 24.10.2024

Trade name: Acetic acid 100 %

(Contd. of page 6) · 14.3 Transport hazard class(es) $\cdot ADR$ · Class: 8 Corrosive substances. · Label: 8+3 · IMDG · Class 8 Corrosive substances. · Label 8/3 \cdot IATA · Class 8 Corrosive substances. · Label 8(3)· 14.4 Packing group · ADR, IMDG, IATA II · 14.5 Environmental hazards · Marine pollutant: · 14.6 Special precautions for user Warning: Corrosive substances. · Hazard identification number (Kemler code): 83 F-E,S-C· EMS Number: · Segregation groups (SGG1) Acids · Stowage Category SG36 Stow "separated from" SGG18-alkalis. · Segregation Code SG49 Stow "separated from" SGG6-cyanides · 14.7 Maritime transport in bulk according to IMO instruments Not applicable. · Transport/Additional information: · Limited quantities (LQ) 1LCode: E2 · Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · Transport category · Tunnel restriction code D/E· Limited quantities (LQ) 1L· Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

Printing date 24.10.2024 Version number 4 Revision: 24.10.2024

Trade name: Acetic acid 100 %

(Contd. of page 7)

· UN ''Model Regulation'':

UN 2789 ACETIC ACID, GLACIAL, 8 (3), II

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors Substance is not listed.
- · Regulated poisons Substance is not listed.
- · Reportable explosives precursors Substance is not listed.
- · Reportable poisons Substance is not listed.
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 40, 75
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

Substance is not listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

Substance is not listed.

- · Annex II REPORTABLE EXPLOSIVES PRECURSORS Substance is not listed.
- Regulation (EC) No 273/2004 on drug precursors Substance is not listed.
- · Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

Substance is not listed.

- · National regulations:
- · Technical instructions (air):

Class	Share in %
II	80-100

- · Water hazard class: Water hazard class 1 (Assessment by list): slightly hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product Safety Department
- · Contact: +49 6221 13840-35
- Date of previous version: 19.04.2018
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

PBT: persistent, bioaccumulative, toxic substance (UK REACH)

vPvB: very persistent, very bioaccumulative substance (UK REACH)

UK REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

GB CLP: Regulation on classification, labelling and packaging of substances and mixtures

bw: body weight

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

(Contd. on page 9)

Printing date 24.10.2024 Version number 4 Revision: 24.10.2024

Trade name: Acetic acid 100 %

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Skin Corr. 1A: Skin corrosion/irritation – Category 1A (Contd. of page 8)

CD.