Printing date 10/21/2024 Reviewed on 10/21/2024

1 Identification

· Product identifier

· Trade name: Acetonitrile for UHPLC-MS

· Article number: 45634

• *CAS Number:* 75-05-8

· EC number: 200-835-2 · Index number:

608-001-00-3

- · Application of the substance / the mixture: Laboratory chemicals
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SERVA Electrophoresis GmbH

Carl-Benz-Str. 7 D-69115 Heidelberg Tel.: +49 6221 13840-0 FAX: +49 6221 13840-10 msds.info@serva.de

- · Information department: Product Safety Department Tel.: +49 6221 13840-35
- · Emergency telephone number:

Emergency medical information in case of poisoning Poison Information Center Mainz-Tel: +49 (0) 6131 19240

(Advice in German and English)

2 Hazard(s) identification

· Classification of the substance or mixture



Flammable Liquids 2 H225 Highly flammable liquid and vapor.



GHS07

Acute Toxicity - Oral 4 H302 Harmful if swallowed.

Acute Toxicity - Dermal 4 H312 Harmful in contact with skin.

Acute Toxicity - Inhalation 4 H332 Harmful if inhaled.

Eye Irritation 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms: GHS02, GHS07
- · Signal word: Danger
- · Hazard statements:

Highly flammable liquid and vapor.

Harmful if swallowed, in contact with skin or if inhaled.

Causes serious eye irritation.

· Precautionary statements

Take precautionary measures against static discharge.

Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)

Reviewed on 10/21/2024 Printing date 10/21/2024

Trade name: Acetonitrile for UHPLC-MS

(Contd. of page 1)

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of soap and water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.


If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2Fire = 3Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Fire = 3Reactivity = 0

Other hazards

- · Results of PBT and vPvB assessment:
- · **PBT:** PBT Assessment not available.
- · vPvB: vPvB Assessment not available.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description:

75-05-8 Acetonitrile

- · Identification number(s):
- · EC number: 200-835-2
- · Index number: 608-001-00-3
- · Description:
- · Empirical formula: C₂H₃N
- · **MW:** 41.05

4 First-aid measures

- · Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Wash off immediately with soap and water and rinse thoroughly. In case of complaints, consult a doctor.

· After eve contact:

Rinse opened eye for several minutes with running water. Remove existing contact lenses, if possible, and continue rinsing. Consult an ophthalmologist immediately.

· After swallowing:

Rinse out mouth. Call a doctor immediately.

Do not induce vomiting!

- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

Printing date 10/21/2024 Reviewed on 10/21/2024

Trade name: Acetonitrile for UHPLC-MS

(Contd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO₂ extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture

Flammable substance, vapors are heavier than air and spread on the ground. Vapors may accumulate in low-lying areas.

Vapors may form flammable and explosive mixtures with air.

Formation of hazardous vapors and gases possible during heating or in case of fire.

In case of fire, the following can be released:

Nitrogen oxides (NOx)

Carbon monoxide and carbon dioxide

Hydrogen cyanide (HCN)

- · Advice for firefighters
- · **Protective equipment:** Wear self-contained breathing apparatus.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

Ensure adequate ventilation

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up

Dispose contaminated material as waste according to section 13.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

- · Protective Action Criteria for Chemicals
- · **PAC-1:** 13 ppm
- · PAC-2: 50 ppm
- · PAC-3: 150 ppm
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Precautions for safe handling: Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires:

Protect against electrostatic charges.

Keep ignition sources away - Do not smoke.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Do not store together with oxidizing materials.
- · Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Keep container tightly closed.

· Specific end use(s): No further relevant information available.

US

Printing date 10/21/2024 Reviewed on 10/21/2024

Trade name: Acetonitrile for UHPLC-MS

(Contd. of page 3)

8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace:

75-05-8 Acetonitrile (80-100%)

PEL Long-term value: 70 mg/m³, 40 ppm REL Long-term value: 34 mg/m³, 20 ppm

TLV Long-term value: 20 ppm

Skin, A4

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Additional information about design of technical systems: No further data; see section 7.
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Store protective clothing separately.

Immediately remove all soiled and contaminated clothing.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

· Breathing equipment:

Short term filter device:

Filter ABEK-P2

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material:

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR Neoprene gloves

• Eye protection: Tightly sealed goggles • Body protection: Protective work clothing

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information:

Color:
Odor:
Odor threshold:
Melting point/Melting range:
Boiling point/Boiling range:

Colorless

Pungent
not determined.
-46 °C (-50.8 °F)
81 °C (177.8 °F)

· Flammability (solid, gaseous): Highly flammable liquid and vapor according to CLP

Regulation (EU) No. 1272/2008: Flam. Liq. 2 H225

· Explosion limits:

• **Lower:** 4.4 Vol %

(Contd. on page 5)

Printing date 10/21/2024 Reviewed on 10/21/2024

Trade name: Acetonitrile for UHPLC-MS

(Contd. of page 4)

 · Upper:
 16 Vol %

 · Flash point:
 12.8 °C (55 °F)

 · Auto igniting:
 525 °C (977 °F)

Decomposition temperature:
 pH-value:
 No information available

· Viscosity:

· Kinematic viscosity: No information available

• Dynamic viscosity at 20 °C (68 °F): 0.39 mPas

· Solubility in / Miscibility with:

• Water: Fully miscible. • Partition coefficient (n-octanol/water): -0.54061

Vapor pressure at 20 °C (68 °F):
 Vapor pressure at 50 °C (122 °F):
 Density at 20 °C (68 °F):
 97 hPa (72.8 mm Hg)
 330 hPa (247.5 mm Hg)
 0.78 g/cm³ (6.5091 lbs/gal)

· Relative density: Not determined.

· Other information

· Appearance:

· Form: Liquid

· Important information on protection of health and environment, and on safety:

Danger of explosion: Product is not explosive. However, formation of

explosive air/vapor mixtures are possible.

· Molecular weight 41.05 g/mol

10 Stability and reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability:
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: Vapors may form flammable and explosive mixtures with air.
- · Conditions to avoid: Avoid high temperatures, flames, sparks
- · Incompatible materials: Avoid contact with strong oxidizing agents, strong acids, strong alkalis.
- · Hazardous decomposition products: In case of fire: see section 5

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity: Harmful if swallowed, in contact with skin or if inhaled.

· LD/LC50 values that are relevant for classification:

Oral	LD50	2,460 mg/kg (rat)
Dermal	<i>LD50</i>	980 mg/kg (rabbit)
Inhalative	LC50/4h	29 mg/l (rat)
	LC50/96h	1,000 mg/l (fish)

- · on the eye: Causes serious eye irritation.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

- U

Printing date 10/21/2024 Reviewed on 10/21/2024

Trade name: Acetonitrile for UHPLC-MS

(Contd. of page 5)

12 Ecological information

- · Toxicity:
- · Aquatic toxicity: Toxicity to fish: NOEC (21d,Oryzias latipes): > 102 mg/l
- · Persistence and degradability: No further relevant information available.
- · Bioaccumulative potential:

Due to the distribution coefficient n-octanol/water an accumulation in organisms is possible.

Partition coefficient n-octanol/water log P(o/w) = -0.54061

- · Mobility in soil: No further relevant information available.
- · Results of PBT and vPvB assessment:
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects:
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Water hazard class 2 (Assessment by list): hazardous for water

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Dispose of in accordance with official regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation:

Uncleaned packaging must be disposed of in the same way as the product in accordance with official regulations.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

- · UN-Number
- · DOT, ADR, IMDG, IATA UN1648

· UN proper shipping name

 \cdot **DOT** Acetonitrile

· ADR 1648 ACETONITRILE · IMDG, IATA ACETONITRILE

- · Transport hazard class(es)
- $\cdot DOT$



· Class 3 Flammable liquids

· Label

(Contd. on page 7)

Printing date 10/21/2024 Reviewed on 10/21/2024

Trade name: Acetonitrile for UHPLC-MS

	(Contd. of pa
ADR, IMDG, IATA	
<u>***</u>	
3	
	2.51 11 11 11
Class: Label:	3 Flammable liquids 3
Lavei:	3
Packing group	
DOT, ADR, IMDG, IATA	II
Environmental hazards	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code):	
EMS Number:	F-E,S-D
Stowage Category	B
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
· · ~	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN ''Model Regulation'':	UN 1648 ACETONITRILE, 3, II
8	, , ,

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Section 355 (extremely hazardous substances): Substance is not listed.
- · Section 313 (Specific toxic chemical listings): Substance is listed.
- · TSCA (Toxic Substances Control Act): ACTIVE
- · Hazardous Air Pollutants Substance is listed.
- · Proposition 65 Substance is not listed.
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Cancerogenity categories
- · EPA (Environmental Protection Agency) CBD, D
- · TLV (Threshold Limit Value) A4
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms GHS02, GHS07

(Contd. on page 8)

Printing date 10/21/2024 Reviewed on 10/21/2024

Trade name: Acetonitrile for UHPLC-MS

(Contd. of page 7)

· Signal word Danger

· Hazard statements

Highly flammable liquid and vapor.

Harmful if swallowed, in contact with skin or if inhaled.

Causes serious eye irritation.

· Precautionary statements

Take precautionary measures against static discharge.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of soap and water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product Safety Department
- · Contact: +49 6221 13840-35
- · Date of preparation / last revision 10/21/2024 / 1
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

PBT: persistent, bioaccumulative, toxic substance (REACH)

vPvB: very persistent, very bioaccumulative substance (REACH)

REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

CLP: Regulation on classification, labelling and packaging of substances and mixtures

bw: body weight

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

 $Flammable \ Liquids \ 2: Flammable \ liquids - Category \ 2$

Acute Toxicity - Oral 4: Acute toxicity - Category 4

Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

US