

NZY Total RNA isolation kit

Article number: 55008

Safety Data Sheets of the following Kit Components:

55008-1	MB134-Buffer NR
55008-2	MB134-Buffer NI
55008-3	MB134-Buffer NWR1
55008-6	MB134-DNase I (lyophilized)

**Kit components,
according to CLP Regulation (EC) No. 1272/2008 not classified as
hazardous (Safety Data sheet is not required.):**

55008-4	MB134-Buffer NWR2 (concentrate)
55008-5	MB134-RNase-free water
55008-7	MB134-Digestion buffer
55008-8	MB134-NZYSpin Homogenization Columns
55008-9	MB134-NZYSpin Binding Columns
55008-10	MB134-Collection tubes (2 mL)
55008-11	MB134-Collection tubes (1.5 mL)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/14/2025

Reviewed on 03/14/2025

1 Identification

- **Product identifier**
- **Trade name:** MB134 - Buffer NR
- **Article number:** 55008-1
- **Application of the substance / the mixture:** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
SERVA Electrophoresis GmbH
Carl-Benz-Str. 7
D-69115 Heidelberg
Tel.: +49 6221 13840-0
FAX: +49 6221 13840-10
msds.info@serva.de
- **Information department:** Security Department Phone: +49 6221 13840-35
- **Emergency telephone number:**
Emergency medical information in case of poisoning
Poison Information Center Mainz-Tel: +49 (0) 6131 19240
(Advice in German and English)



2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS05

Skin Corrosion 1C

H314 Causes severe skin burns and eye damage.



GHS07

Acute Toxicity - Oral 4 H302 Harmful if swallowed.

Acute Toxicity - Dermal 4 H312 Harmful in contact with skin.

Acute Toxicity - Inhalation 4 H332 Harmful if inhaled.

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms:** GHS05, GHS07

- **Signal word:** Danger

- **Hazard-determining components of labeling:**

guanidinium thiocyanate

- **Hazard statements:**

Harmful if swallowed, in contact with skin or if inhaled.

Causes severe skin burns and eye damage.

- **Precautionary statements**

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of soap and water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Store locked up.

(Contd. on page 2)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/14/2025

Reviewed on 03/14/2025

Trade name: MB134 - Buffer NR

(Contd. of page 1)

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**· **NFPA ratings (scale 0 - 4)**

Health = 3

Fire = 0

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**

Health = 3

Fire = 0

Reactivity = 0

· **Other hazards**· **Results of PBT and vPvB assessment:**· **PBT:** PBT - Assessment not available.· **vPvB:** vPvB - Assessment not available.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**· **Description:** aqueous solution· **Dangerous components:**

593-84-0 guanidinium thiocyanate

40-80%

· **Additional information:**

The product does not contain any other substances that have to be declared according to REACH (Regulation (EC) No. 1907/2006).

For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

· **Description of first aid measures**· **After inhalation:**

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

· **After skin contact:** Wash off immediately with plenty of water. Consult a doctor in case of complaints.· **After eye contact:**

Rinse opened eye for several minutes with running water. Remove existing contact lenses, if possible, and continue rinsing. Consult an ophthalmologist immediately.

· **After swallowing:** Rinse out mouth. Call a doctor immediately.· **Most important symptoms and effects, both acute and delayed** No further relevant information available.· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire-fighting measures

· **Extinguishing media**· **Suitable extinguishing agents:**

CO₂ extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **Special hazards arising from the substance or mixture**

Formation of hazardous vapors and gases possible during heating or in case of fire.

In case of fire, the following can be released:

Carbon monoxide and carbon dioxide

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/14/2025

Reviewed on 03/14/2025

Trade name: MB134 - Buffer NR

(Contd. of page 2)

- **Advice for firefighters**
- **Protective equipment:** Wear self-contained breathing apparatus.
- **Additional information**
Collect contaminated fire fighting water separately. It must not enter the sewage system.
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective clothing.
Particular danger of slipping on leaked/spilled product.
Ensure adequate ventilation
Wear respiratory protection.
- **Environmental precautions:**
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up**
Dispose contaminated material as waste according to section 13.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Protective Action Criteria for Chemicals**

- **PAC-1:**

All components have the value 0.98 mg/m³.

- **PAC-2:**

All components have the value 11 mg/m³.

- **PAC-3:**

All components have the value 65 mg/m³.

- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling:**
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
- **Information about protection against explosions and fires:** The product is not flammable.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:**
Store away from oxidizing agents.
Do not store together with acids.
- **Further information about storage conditions:** Store container tightly closed and dry.
- **Specific end use(s):** No further relevant information available.

8 Exposure controls/personal protection

- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/14/2025

Reviewed on 03/14/2025

Trade name: MB134 - Buffer NR

(Contd. of page 3)

- **Exposure controls**
- **Additional information about design of technical systems:** No further data; see section 7.
- **Personal protective equipment:**
- **General protective and hygienic measures:**
 - Keep away from foodstuffs, beverages and feed.
 - Store protective clothing separately.
 - Immediately remove all soiled and contaminated clothing.
 - Avoid contact with the eyes and skin.
 - Wash hands before breaks and at the end of work.
- **Breathing equipment:**
 - Short term filter device:
 - Filter P2
- **Protection of hands:**
 - Protective gloves
 - Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
 - Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves:**
 - The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
 - The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material:**
 - The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**
 - Natural rubber, NR
 - Nitrile rubber, NBR
- **Eye protection:** Tightly sealed goggles
- **Body protection:** Protective work clothing

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information:**
- **Color:** Colorless
- **Odor:** Odorless
- **Melting point/Melting range:** No information available
- **Boiling point/Boiling range:** No information available
- **Flammability (solid, gaseous):** The product is not flammable
- **Explosion limits:**
- **Lower:** not applicable
- **Upper:** not applicable
- **Flash point:** Not applicable.
- **Decomposition temperature:** No information available
- **pH-value at 20 °C (68 °F):** 6.5-7.5
- **Viscosity:**
- **Kinematic viscosity:** No information available
- **Dynamic viscosity:** Not determined.
- **Solubility in / Miscibility with:**
- **Water:** Fully miscible.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/14/2025

Reviewed on 03/14/2025

Trade name: MB134 - Buffer NR

(Contd. of page 4)

- | | |
|---|--|
| · Partition coefficient (n-octanol/water): | No information available |
| · Vapor pressure: | No information available |
| · Vapor pressure: | |
| · Density at 20 °C (68 °F): | 1.13 g/cm ³ (9.42985 lbs/gal) |
| · Relative density: | No information available |
-
- | | |
|--|---|
| · Other information | |
| · Appearance: | |
| · Form: | Liquid |
| · Important information on protection of health and environment, and on safety: | |
| · Danger of explosion: | Product does not present an explosion hazard. |
| · VOC %: | |
| · VOC content: | 0.00 % |

10 Stability and reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No further relevant information available.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** Avoid contact with strong oxidizing agents, strong acids, strong alkalis.
- **Hazardous decomposition products:** In case of fire: see section 5

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:** Harmful if swallowed, in contact with skin or if inhaled.

· **LD/LC50 values that are relevant for classification:**

593-84-0 guanidinium thiocyanate

Oral LD50 593 mg/kg (rat)

- **on the skin:** Causes severe skin burns and eye damage.
- **Additional toxicological information:**

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity:**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability:** No further relevant information available.
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 6)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/14/2025

Reviewed on 03/14/2025

Trade name: MB134 - Buffer NR



(Contd. of page 5)

- **Other adverse effects:**
- **Additional ecological information:**
- **General notes:** Water hazard class 2 (Self-assessment): hazardous for water

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Dispose of in accordance with official regulations.
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:**
Uncleaned packaging must be disposed of in the same way as the product in accordance with official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- | | |
|---|---|
| · UN-Number | UN1760 |
| · DOT, ADR, IMDG, IATA | |
| · UN proper shipping name | Corrosive liquids, n.o.s. (guanidinium thiocyanate) |
| · DOT | 1760 CORROSIVE LIQUID, N.O.S. (guanidinium thiocyanate) |
| · ADR | CORROSIVE LIQUID, N.O.S. (guanidinium thiocyanate) |
| · IMDG, IATA | |
| · Transport hazard class(es) | |
| · DOT | |
|  | |
| · Class | 8 Corrosive substances |
| · Label | 8 |
| · ADR, IMDG, IATA | |
|  | |
| · Class: | 8 Corrosive substances |
| · Label: | 8 |
| · Packing group | III |
| · DOT, ADR, IMDG, IATA | |
| · Environmental hazards | Not applicable. |
| · Special precautions for user | Warning: Corrosive substances |
| · Hazard identification number (Kemler code): | 80 |
| · EMS Number: | F-A,S-B |
| · Stowage Category | A |
| · Stowage Code | SW2 Clear of living quarters. |

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/14/2025

Reviewed on 03/14/2025

Trade name: MB134 - Buffer NR

(Contd. of page 6)

· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S. (GUANIDINIUM THIOCYANATE), 8, III

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
No further relevant information available.

- **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

- **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

- **TSCA (Toxic Substances Control Act):**

All components have the value ACTIVE.

- **Hazardous Air Pollutants**

None of the ingredients is listed.

- **Proposition 65**

None of the ingredients is listed.

- **Chemicals known to cause cancer:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

- **Carcinogenicity categories**

- **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

- **TLV (Threshold Limit Value)**

None of the ingredients is listed.

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/14/2025

Reviewed on 03/14/2025

Trade name: MB134 - Buffer NR

(Contd. of page 7)

- **Hazard pictograms** GHS05, GHS07
- **Signal word** Danger
- **Hazard-determining components of labeling:**
guanidinium thiocyanate
- **Hazard statements**
Harmful if swallowed, in contact with skin or if inhaled.
Causes severe skin burns and eye damage.
- **Precautionary statements**
Wash thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Call a poison center/doctor if you feel unwell.
If on skin: Wash with plenty of soap and water.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Product Safety Department
- **Contact:** +49 6221 13840-35
- **Date of preparation / last revision** 03/14/2025 / -
- **Abbreviations and acronyms:**
PBT: persistent, bioaccumulative, toxic substance (REACH)
vPvB: very persistent, very bioaccumulative substance (REACH)
REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
CLP: Regulation on classification, labelling and packaging of substances and mixtures
bw: body weight
UFI: Unique Formula Identifier
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Acute Toxicity - Oral 4: Acute toxicity – Category 4
Skin Corrosion 1C: Skin corrosion/irritation – Category 1C

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/14/2025

Reviewed on 03/14/2025

1 Identification

- **Product identifier**
- **Trade name:** MB134 - Buffer NI
- **Article number:** 55008-2
- **Application of the substance / the mixture:** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
SERVA Electrophoresis GmbH
Carl-Benz-Str. 7
D-69115 Heidelberg
Tel.: +49 6221 13840-0
FAX: +49 6221 13840-10
msds.info@serva.de
- **Information department:** Security Department Phone: +49 6221 13840-35
- **Emergency telephone number:**
Emergency medical information in case of poisoning
Poison Information Center Mainz-Tel: +49 (0) 6131 19240
(Advice in German and English)



2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02

Flammable Liquids 3 H226 Flammable liquid and vapor.



GHS05

Skin Corrosion 1C H314 Causes severe skin burns and eye damage.

- **Label elements**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms:** GHS02, GHS05
- **Signal word:** Danger

- **Hazard-determining components of labeling:**

guanidinium thiocyanate

- **Hazard statements:**

Flammable liquid and vapor.

Causes severe skin burns and eye damage.

- **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

(Contd. on page 2)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/14/2025

Reviewed on 03/14/2025

Trade name: MB134 - Buffer NI

(Contd. of page 1)

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 3
Fire = 2
Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = 3
Fire = 2
Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** aqueous solution

· **Dangerous components:**

64-17-5	ethanol	5-30%
593-84-0	guanidinium thiocyanate	2.5-15%

· **Additional information:**

The product does not contain any other substances that have to be declared according to REACH (Regulation (EC) No. 1907/2006).

For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Wash off immediately with soap and water and rinse thoroughly. In case of complaints, consult a doctor.
- **After eye contact:**
Rinse opened eye for several minutes with running water. Remove existing contact lenses, if possible, and continue rinsing. Consult an ophthalmologist immediately.
- **After swallowing:** Rinse out mouth. Call a doctor immediately.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂ extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture**
Formation of hazardous vapors and gases possible during heating or in case of fire.
In case of fire, the following can be released:
Carbon monoxide and carbon dioxide
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained breathing apparatus.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/14/2025

Reviewed on 03/14/2025

Trade name: MB134 - Buffer NI

(Contd. of page 2)

· **Additional information**

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

Wear protective clothing.

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

Wear respiratory protection.

· **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

· **Methods and material for containment and cleaning up**

Dispose contaminated material as waste according to section 13.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· **Protective Action Criteria for Chemicals**

· **PAC-1:**

64-17-5	ethanol	1,800 ppm
593-84-0	guanidinium thiocyanate	0.98 mg/m ³

· **PAC-2:**

64-17-5	ethanol	3300* ppm
593-84-0	guanidinium thiocyanate	11 mg/m ³

· **PAC-3:**

64-17-5	ethanol	15000* ppm
593-84-0	guanidinium thiocyanate	65 mg/m ³

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· **Precautions for safe handling:**

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

· **Information about protection against explosions and fires:** Keep ignition sources away - Do not smoke.

· **Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.

· **Information about storage in one common storage facility:**

Do not store together with oxidizing materials.

Do not store together with acids.

· **Further information about storage conditions:** Store container tightly closed and dry.

· **Specific end use(s):** No further relevant information available.

8 Exposure controls/personal protection

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/14/2025

Reviewed on 03/14/2025

Trade name: MB134 - Buffer NI

(Contd. of page 3)

64-17-5 ethanol (15-30%)

PEL	Long-term value: 1900 mg/m ³ , 1000 ppm
REL	Long-term value: 1900 mg/m ³ , 1000 ppm
TLV	Short-term value: 1000 ppm
A3	

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Additional information about design of technical systems:** No further data; see section 7.
- **Personal protective equipment:**
- **General protective and hygienic measures:**
 - Keep away from foodstuffs, beverages and feed.
 - Store protective clothing separately.
 - Immediately remove all soiled and contaminated clothing.
 - Avoid contact with the eyes and skin.
 - Wash hands before breaks and at the end of work.
- **Breathing equipment:**
 - Short term filter device:
 - Filter P2
- **Protection of hands:**
 - Protective gloves
 - Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
 - Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves:**
 - The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
 - The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material:**
 - The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**
 - Nitrile rubber, NBR
 - Natural rubber, NR
- **Eye protection:** Tightly sealed goggles
- **Body protection:** Protective work clothing

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information:**
- **Color:** Colorless
- **Odor:** Characteristic
- **Melting point/Melting range:** No information available
- **Boiling point/Boiling range:** 95 °C (203 °F)
- **Flammability (solid, gaseous):** Flammable liquid and vapor according to CLP Regulation (EU) No. 1272/2008: Flam. Liq. 3 H226
Flammable.
- **Explosion limits:**
- **Lower:** No information available

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/14/2025

Reviewed on 03/14/2025

Trade name: MB134 - Buffer NI

(Contd. of page 4)

· Upper:	No information available
· Flash point:	55 °C (131 °F)
· Auto igniting:	423 °C (793.4 °F)
· Decomposition temperature:	No information available
· pH-value at 20 °C (68 °F):	6.8-7.2
· Viscosity:	
· Kinematic viscosity:	Not determined.
· Dynamic viscosity:	Not determined.
· Solubility in / Miscibility with:	
· Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	No information available
· Vapor pressure at 20 °C (68 °F):	28 hPa (21 mm Hg)
· Vapor pressure at 50 °C (122 °F):	141 hPa (105.8 mm Hg)
· Density at 20 °C (68 °F):	1.01 g/cm ³ (8.42845 lbs/gal)
· Relative density:	No information available
· Other information	
· Appearance:	
· Form:	Liquid
· Important information on protection of health and environment, and on safety:	
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible. Not determined.
· VOC %:	
· VOC content:	0.00 %

10 Stability and reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No further relevant information available.
- **Conditions to avoid:**
Avoid high temperatures, flames and sparks
Exposure to light
- **Incompatible materials:**
Avoid contact with:
Oxidizing agents, acids, bases
- **Hazardous decomposition products:** In case of fire: see section 5

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.
- **on the skin:** Causes severe skin burns and eye damage.
- **Additional toxicological information:**
- **Carcinogenic categories**

· IARC (International Agency for Research on Cancer)

64-17-5	ethanol	1
---------	---------	---

· NTP (National Toxicology Program)
--

None of the ingredients is listed.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/14/2025

Reviewed on 03/14/2025

Trade name: MB134 - Buffer NI

(Contd. of page 5)

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.


12 Ecological information

- **Toxicity:**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability:** No further relevant information available.
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects:**
- **Additional ecological information:**
- **General notes:** Water hazard class 2 (Self-assessment): hazardous for water

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Dispose of in accordance with official regulations.
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:**
Uncleaned packaging must be disposed of in the same way as the product in accordance with official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- | | |
|---|---|
| · UN-Number | UN2924 |
| · DOT, ADR, IMDG, IATA | |
| · UN proper shipping name | Flammable liquids, corrosive, n.o.s. (Ethanol, guanidinium thiocyanate) |
| · DOT | |
| · ADR | 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ETHANOL (ETHYL ALCOHOL), guanidinium thiocyanate) |
| · IMDG | FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ETHANOL (ETHYL ALCOHOL), guanidinium thiocyanate) |
| · IATA | FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ETHANOL, guanidinium thiocyanate) |
| · Transport hazard class(es) | |
| · DOT | |
|  | |
| · Class | 3 Flammable liquids |

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/14/2025

Reviewed on 03/14/2025

Trade name: MB134 - Buffer NI

(Contd. of page 6)

· **Label** 3, 8· **ADR**

· **Class:** 3 Flammable liquids
 · **Label:** 3+8

· **IMDG**

· **Class** 3 Flammable liquids
 · **Label** 3/8

· **IATA**

· **Class** 3 Flammable liquids
 · **Label** 3 (8)

· **Packing group**· **DOT, ADR, IMDG, IATA** III· **Environmental hazards** Not applicable.· **Special precautions for user** Warning: Flammable liquids· **Hazard identification number (Kemler code):** 38· **EMS Number:** F-E,S-C· **Stowage Category** A· **Stowage Code** SW2 Clear of living quarters.

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

· **Transport/Additional information:**· **ADR**

· **Excepted quantities (EQ)** Code: E1
 Maximum net quantity per inner packaging: 30 ml
 Maximum net quantity per outer packaging: 1000 ml

· **IMDG**

· **Limited quantities (LQ)** 5L
 · **Excepted quantities (EQ)** Code: E1
 Maximum net quantity per inner packaging: 30 ml
 Maximum net quantity per outer packaging: 1000 ml

· **UN "Model Regulation":** UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ETHANOL (ETHYL ALCOHOL), GUANIDINIUM THIOCYANATE), 3 (8), III

US

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/14/2025

Reviewed on 03/14/2025

Trade name: MB134 - Buffer NI

(Contd. of page 7)

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
No further relevant information available.

- **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

- **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

- **TSCA (Toxic Substances Control Act):**

All components have the value ACTIVE.

- **Hazardous Air Pollutants**

None of the ingredients is listed.

- **Proposition 65**

None of the ingredients is listed.

- **Chemicals known to cause cancer:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **Chemicals known to cause developmental toxicity:**

64-17-5 ethanol

- **Carcinogenicity categories**

- **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

- **TLV (Threshold Limit Value)**

64-17-5 ethanol

A3

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms** GHS02, GHS05

- **Signal word** Danger

- **Hazard-determining components of labeling:**

guanidinium thiocyanate

- **Hazard statements**

Flammable liquid and vapor.

Causes severe skin burns and eye damage.

- **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

US

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/14/2025

Reviewed on 03/14/2025

Trade name: MB134 - Buffer NI

(Contd. of page 8)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Product Safety Department

· **Contact:** +49 6221 13840-35

· **Date of preparation / last revision** 03/14/2025 / -

· **Abbreviations and acronyms:**

PBT: persistent, bioaccumulative, toxic substance (REACH)

vPvB: very persistent, very bioaccumulative substance (REACH)

REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

CLP: Regulation on classification, labelling and packaging of substances and mixtures

bw: body weight

UFI: Unique Formula Identifier

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flammable Liquids 3: Flammable liquids – Category 3

Skin Corrosion 1C: Skin corrosion/irritation – Category 1C

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/14/2025

Reviewed on 03/14/2025

1 Identification

- **Product identifier**

- **Trade name:** MB134 - Buffer NWR1

- **Article number:** 55008-3

- **Application of the substance / the mixture:** Laboratory chemicals

- **Details of the supplier of the safety data sheet**

- **Manufacturer/Supplier:**

SERVA Electrophoresis GmbH

Carl-Benz-Str. 7

D-69115 Heidelberg

Tel.: +49 6221 13840-0

FAX: +49 6221 13840-10

msds.info@serva.de

- **Information department:** Security Department Phone: +49 6221 13840-35

- **Emergency telephone number:**

Emergency medical information in case of poisoning

Poison Information Center Mainz-Tel: +49 (0) 6131 19240

(Advice in German and English)



2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02

Flammable Liquids 3 H226 Flammable liquid and vapor.



GHS07

Skin Irritation 2

H315 Causes skin irritation.

Eye Irritation 2A

H319 Causes serious eye irritation.

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms:** GHS02, GHS07

- **Signal word:** Warning

- **Hazard statements:**

Flammable liquid and vapor.

Causes skin irritation.

Causes serious eye irritation.

- **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of soap and water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/14/2025

Reviewed on 03/14/2025

Trade name: MB134 - Buffer NWR1

(Contd. of page 1)

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 2
Fire = 3
Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = 2
Fire = 3
Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment:**
- **PBT:** PBT - Assessment not available.
- **vPvB:** vPvB - Assessment not available.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** aqueous solution

· **Dangerous components:**

50-01-1	guanadine hydrochloride	20-40%
64-17-5	ethanol	20-40%

· **Additional information:**

The product does not contain any other substances that have to be declared according to REACH (Regulation (EC) No. 1907/2006).

For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Wash off immediately with soap and water and rinse thoroughly. In case of complaints, consult a doctor.
- **After eye contact:**
Rinse opened eye for several minutes with running water. Remove existing contact lenses, if possible, and continue rinsing. In case of complaints, consult an ophthalmologist.
- **After swallowing:** Rinse mouth and seek medical advice.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂ extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture**
Formation of hazardous vapors and gases possible during heating or in case of fire.
In case of fire, the following can be released:
Carbon monoxide and carbon dioxide
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained breathing apparatus.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/14/2025

Reviewed on 03/14/2025

Trade name: MB134 - Buffer NWR1

(Contd. of page 2)

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective clothing.
Ensure adequate ventilation
Particular danger of slipping on leaked/spilled product.
Keep away from ignition sources

Environmental precautions: Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up

Dispose contaminated material as waste according to section 13.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Protective Action Criteria for Chemicals

PAC-1:

50-01-1	guanadine hydrochloride	1.4 mg/m ³
64-17-5	ethanol	1,800 ppm

PAC-2:

50-01-1	guanadine hydrochloride	16 mg/m ³
64-17-5	ethanol	3300* ppm

PAC-3:

50-01-1	guanadine hydrochloride	94 mg/m ³
64-17-5	ethanol	15000* ppm

Reference to other sections

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.

Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
Information about storage in one common storage facility: Do not store together with oxidizing materials.
Further information about storage conditions: Store container tightly closed and dry.
Specific end use(s): No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/14/2025

Reviewed on 03/14/2025

Trade name: MB134 - Buffer NWR1

(Contd. of page 3)

64-17-5 ethanol (20-40%)

PEL	Long-term value: 1900 mg/m ³ , 1000 ppm
REL	Long-term value: 1900 mg/m ³ , 1000 ppm
TLV	Short-term value: 1000 ppm
A3	

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Additional information about design of technical systems:** No further data; see section 7.
- **Personal protective equipment:**
- **General protective and hygienic measures:**
 - Keep away from foodstuffs, beverages and feed.
 - Store protective clothing separately.
 - Immediately remove all soiled and contaminated clothing.
 - Avoid contact with the eyes and skin.
 - Wash hands before breaks and at the end of work.
- **Breathing equipment:**
 - Short term filter device:
 - Filter P2
- **Protection of hands:**
 - Protective gloves
 - Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
 - Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves:**
 - The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
 - The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material:**
 - The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**
 - Natural rubber, NR
 - Nitrile rubber, NBR
- **Eye protection:** Safety glasses
- **Body protection:** Protective work clothing

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information:**
- **Color:** Colorless
- **Odor:** Characteristic
- **Melting point/Melting range:** No information available
- **Boiling point/Boiling range:** 87 °C (188.6 °F)
- **Flammability (solid, gaseous):** Flammable liquid and vapor according to CLP Regulation (EU) No. 1272/2008: Flam. Liq. 3 H226
Flammable.
- **Explosion limits:**
- **Lower:** No information available

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/14/2025

Reviewed on 03/14/2025

Trade name: MB134 - Buffer NWR1

(Contd. of page 4)

· Upper:	No information available
· Flash point:	28 °C (82.4 °F)
· Auto igniting:	423 °C (793.4 °F)
· Decomposition temperature:	No information available
· pH-value at 20 °C (68 °F):	6.5-7.5
· Viscosity:	
· Kinematic viscosity:	Not determined.
· Dynamic viscosity:	Not determined.
· Solubility in / Miscibility with:	
· Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	No information available
· Vapor pressure at 20 °C (68 °F):	36 hPa (27 mm Hg)
· Vapor pressure at 50 °C (122 °F):	179 hPa (134.3 mm Hg)
· Density at 20 °C (68 °F):	1.03 g/cm ³ (8.59535 lbs/gal)
· Relative density:	No information available
· Other information	
· Appearance:	
· Form:	Liquid
· Important information on protection of health and environment, and on safety:	
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible. Not determined.
· VOC %:	
· VOC content:	0.00 %

10 Stability and reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No further relevant information available.
- **Conditions to avoid:**
Avoid high temperatures, flames and sparks
Exposure to light
- **Incompatible materials:**
Avoid contact with:
Oxidizing agents, acids, bases
- **Hazardous decomposition products:** In case of fire: see section 5

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.
- **on the skin:** Causes skin irritation.
- **on the eye:** Causes serious eye irritation.
- **Additional toxicological information:**
- **Carcinogenic categories**

· IARC (International Agency for Research on Cancer)

64-17-5 ethanol	1
-----------------	---

· NTP (National Toxicology Program)
--

None of the ingredients is listed.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/14/2025

Reviewed on 03/14/2025

Trade name: MB134 - Buffer NWR1

(Contd. of page 5)

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.


12 Ecological information

- **Toxicity:**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability:** No further relevant information available.
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects:**
- **Additional ecological information:**
- **General notes:** Water hazard class 1 (Self-assessment): slightly hazardous for water

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Dispose of in accordance with official regulations.
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:**
Uncleaned packaging must be disposed of in the same way as the product in accordance with official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- | | |
|---|---|
| · UN-Number | UN1993 |
| · DOT, ADR, IMDG, IATA | |
| · UN proper shipping name | Flammable liquids, n.o.s. (Ethanol) |
| · DOT | 1993 FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHOL)) |
| · ADR | FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHOL)) |
| · IMDG | FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHOL)) |
| · IATA | FLAMMABLE LIQUID, N.O.S. (ETHANOL) |
| · Transport hazard class(es) | |
| · DOT | |
|  | |
| · Class | 3 Flammable liquids |

(Contd. on page 7)

Safety Data Sheet


acc. to OSHA HCS

Printing date 03/14/2025

Reviewed on 03/14/2025

Trade name: MB134 - Buffer NWR1

(Contd. of page 6)

· Label	3
· ADR, IMDG, IATA	
	
· Class:	3 Flammable liquids
· Label:	3
· Packing group	
· DOT, ADR, IMDG, IATA	III
· Environmental hazards	Not applicable.
· Special precautions for user	Warning: Flammable liquids
· Hazard identification number (Kemler code):	30
· EMS Number:	F-E, S-E
· Stowage Category	A
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHOL)), 3, III

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
No further relevant information available.

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**

All components have the value ACTIVE.

· **Hazardous Air Pollutants**

None of the ingredients is listed.

· **Proposition 65**

None of the ingredients is listed.

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/14/2025

Reviewed on 03/14/2025

Trade name: MB134 - Buffer NWR1

(Contd. of page 7)

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

64-17-5 ethanol

· **Cancerogenity categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value)**

64-17-5 ethanol

A3

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms** GHS02, GHS07

· **Signal word** Warning

· **Hazard statements**

Flammable liquid and vapor.

Causes skin irritation.

Causes serious eye irritation.

· **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of soap and water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Product Safety Department

· **Contact:** +49 6221 13840-35

· **Date of preparation / last revision** 03/14/2025 / -

· **Abbreviations and acronyms:**

PBT: persistent, bioaccumulative, toxic substance (REACH)

vPvB: very persistent, very bioaccumulative substance (REACH)

REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

CLP: Regulation on classification, labelling and packaging of substances and mixtures

bw: body weight

UFI: Unique Formula Identifier

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 9)

Safety Data Sheet
acc. to OSHA HCS

Printing date 03/14/2025

Reviewed on 03/14/2025

Trade name: MB134 - Buffer NWR1

(Contd. of page 8)

vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Flammable Liquids 3: Flammable liquids – Category 3
Skin Irritation 2: Skin corrosion/irritation – Category 2
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

US

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 07/11/2025

Reviewed on 07/11/2025

1 Identification

- **Product identifier**
- **Trade name:** MB134-DNase I (lyophilized)
- **CAS Number:**
9003-98-9
- **Other means of identification**
- **Article number:** 55008-6
- **EC number:**
232-667-0
- **Application of the substance / the mixture:** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
SERVA Electrophoresis GmbH
Carl-Benz-Str. 7
D-69115 Heidelberg
Tel.: +49 6221 13840-0
FAX: +49 6221 13840-10
msds.info@serva.de
- **Information department:** Security Department Phone: +49 6221 13840-34
- **Emergency telephone number:**
Emergency medical information in case of poisoning
Poison Information Center Mainz-Tel: +49 (0) 6131 19240
(Advice in German and English)



2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08

Sensitization - respiratory 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

- **Label elements**

- **GHS label elements**

The substance is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms:** GHS08

- **Signal word:** Danger

- **Hazard statements:**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

- **Precautionary statements**

Avoid breathing dust.

[In case of inadequate ventilation] wear respiratory protection.

If inhaled: Remove person to fresh air and keep comfortable for breathing.


If experiencing respiratory symptoms: Call a poison center/doctor.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Information pertaining to particular dangers for man and environment:**

- **Classification system:**

- **NFPA ratings (scale 0 - 4)**



Health = 0

Fire = 0

Reactivity = 0

(Contd. on page 2)

US

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 07/11/2025

Reviewed on 07/11/2025

Trade name: MB134-DNase I (lyophilized)

(Contd. of page 1)

· HMIS-ratings (scale 0 - 4)

HEALTH	0	Health = *0
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment:

· **PBT:** PBT - Assessment not available.

· **vPvB:** vPvB - Assessment not available.

· Classification according to (d)(1)(ii) of § 1910.1200

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

· Hazards not otherwise classified

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

3 Composition/information on ingredients

· Chemical characterization: Substances

· CAS No. Description:

9003-98-9 Nuclease, deoxyribo-

· Identification number(s):

· **EC number:** 232-667-0

4 First-aid measures

· Description of first aid measures

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Wash off immediately with soap and water and rinse thoroughly. In case of complaints, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes with running water. Remove existing contact lenses, if possible, and continue rinsing. In case of complaints, consult an ophthalmologist.

· After swallowing:

Rinse out mouth. Drink plenty of water and provide fresh air. Consult a doctor in case of complaints.

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

· Suitable extinguishing agents:

CO₂ extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Nitrogen oxides (NO_x)

Carbon monoxide and carbon dioxide

· Advice for firefighters

· **Protective equipment:** Wear self-contained breathing apparatus.

US

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 07/11/2025

Reviewed on 07/11/2025

Trade name: MB134-DNase I (lyophilized)

(Contd. of page 2)

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective clothing.
Ensure adequate ventilation
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up**
Dispose contaminated material as waste according to section 13.
Pick up mechanically.
- **Protective Action Criteria for Chemicals**
 - **PAC-1:** Substance is not listed.
 - **PAC-2:** Substance is not listed.
 - **PAC-3:** Substance is not listed.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling:**
No special measures required.
Prevent formation of dust.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Store container tightly closed and dry.
- **Specific end use(s):** No further relevant information available.

8 Exposure controls/personal protection

- **Control parameters**
- **Components with limit values that require monitoring at the workplace:** Not required.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Appropriate engineering controls** No further data; see section 7.
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Store protective clothing separately.
Immediately remove all soiled and contaminated clothing.
Avoid contact with the eyes and skin.
Wash hands before breaks and at the end of work.
- **Breathing equipment:**
Short term filter device:
Filter P2
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 4)

US

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 07/11/2025

Reviewed on 07/11/2025

Trade name: MB134-DNase I (lyophilized)

(Contd. of page 3)

- **Material of gloves:**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material:**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**
Natural rubber, NR
Nitrile rubber, NBR
- **Eye protection:** Safety glasses
- **Body protection:** Protective work clothing

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information:**
- **Physical state** Solid
- **Color:** White
- **Odor:** Odorless
- **Odor threshold:** not determined.
- **Melting point/Melting range:** No information available
- **Boiling point/Boiling range:** No information available
- **Flammability:** No information available
- **Explosion limits:**
- **Lower:** No information available
- **Upper:** No information available
- **Flash point:** No information available
- **Decomposition temperature:** No information available
- **pH-value:** No information available
- **Viscosity:**
- **Kinematic:** No information available
- **Dynamic:** No information available
- **Solubility in / Miscibility with:**
- **Water:** no information available
- **Partition coefficient (n-octanol/water):** No information available
- **Vapor pressure:** No information available
- **Vapor pressure:**
- **Density at 20 °C (68 °F):** 1.37 g/cm³ (11.43265 lbs/gal)
- **Relative density at 20 °C (68 °F):** 1.37
- **Particle characteristics** No information available
- **Other information**
- **Appearance:**
- **Form:** lyophilisate
- **Important information on protection of health and environment, and on safety:**
- **Danger of explosion:** The product is not explosive, but the formation of explosive dust/air mixtures is possible.

10 Stability and reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No further relevant information available.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 07/11/2025

Reviewed on 07/11/2025

Trade name: MB134-DNase I (lyophilized)

(Contd. of page 4)

- **Conditions to avoid:** High temperatures
- **Incompatible materials:** Avoid contact with strong oxidizing agents, strong acids, strong alkalis.
- **Hazardous decomposition products:** In case of fire: see section 5

*

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
- **Interactive effects** No interactive effects between components are known.
- **Carcinogenic categories**
- **IARC (International Agency for Research on Cancer)** Substance is not listed.
- **NTP (National Toxicology Program)** Substance is not listed.
- **OSHA-Ca (Occupational Safety & Health Administration)** Substance is not listed.
- **Alternative sources for toxicological information**
- No non-standard sources for toxicological information where used.

12 Ecological information

- **Toxicity:**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability:** No further relevant information available.
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects:**
- **Additional ecological information:**
- **General notes:**
- Do not allow product to reach ground water, water course or sewage system.
- Water hazard class 1 (Self-assessment): slightly hazardous for water

*

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
- Dispose of in accordance with official regulations.
- Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:**
- Uncleaned packaging must be disposed of in the same way as the product in accordance with official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

US

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 07/11/2025

Reviewed on 07/11/2025

Trade name: MB134-DNase I (lyophilized)

(Contd. of page 5)

14 Transport information

· UN-Number	
· DOT, ADR, ADN, IMDG, IATA	Void
· UN proper shipping name	
· DOT, ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA	
· Class	Void
· Packing group	
· DOT, ADR, IMDG, IATA	Void
· Environmental hazards	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· Special precautions for user	Not applicable.
· UN "Model Regulation":	Void

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
No further relevant information available.
- **Section 355 (extremely hazardous substances):** Substance is not listed.
- **Section 313 (Specific toxic chemical listings):** Substance is not listed.
- **TSCA (Toxic Substances Control Act):** ACTIVE
- **Hazardous Air Pollutants** Substance is not listed.
- **Proposition 65** Substance is not listed.
- **Chemicals known to cause cancer:** Substance is not listed.
- **Chemicals known to cause reproductive toxicity for females:** Substance is not listed.
- **Chemicals known to cause reproductive toxicity for males:** Substance is not listed.
- **Chemicals known to cause developmental toxicity:** Substance is not listed.
- **Carcinogen categories**
- **EPA (Environmental Protection Agency)** Substance is not listed.
- **TLV (Threshold Limit Value)** Substance is not listed.
- **NIOSH-Ca (National Institute for Occupational Safety and Health)** Substance is not listed.
- **GHS label elements**
The substance is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms** GHS08
- **Signal word** Danger
- **Hazard statements**
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- **Precautionary statements**
Avoid breathing dust.
[In case of inadequate ventilation] wear respiratory protection.
If inhaled: Remove person to fresh air and keep comfortable for breathing.
If experiencing respiratory symptoms: Call a poison center/doctor.
Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

US

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 07/11/2025

Reviewed on 07/11/2025

Trade name: MB134-DNase I (lyophilized)

(Contd. of page 6)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Product Safety Department

· **Contact:** +49 6221 13840-34

· **Date of previous version** 07/11/2025

· **Date of preparation** 07/11/2025

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

PBT: persistent, bioaccumulative, toxic substance (REACH)

vPvB: very persistent, very bioaccumulative substance (REACH)

REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

CLP: Regulation on classification, labelling and packaging of substances and mixtures

bw: body weight

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Sensitization - respiratory 1: Respiratory sensitisation – Category 1